







## Télécommandes compatibles avec les copieuses en 433mhz à code fixe et avec les télécommandes multifréquence à code fixe.


| <i>Company</i>   | <i>Frequency</i> | <i>Models</i>                                                                     | <i>Photo</i>                                                                                                                                                               | <i>Frequency value (cmd=5)</i> | <i>Notes</i>                                                                      |
|------------------|------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------|
| <b>ADYX</b>      | 433.920          | ALIZE EM2C, ALIZE EM4C                                                            |                                                                                         | 2                              |                                                                                   |
| <b>AETERNA</b>   | 433.920          | TX433 1,2,4 buttons                                                               |                                                                                         | 2                              |                                                                                   |
| <b>ALLMATIC</b>  | 306.000          | ALLMATIC ASMX2, ASMX4                                                             |                                                                                         | 8                              | Original remote controls may be not stable in frequency                           |
|                  | 433.920          | ALLMATIC AEMX1, AEMX2, AEMX4                                                      |                                                                                         | 2                              |                                                                                   |
|                  |                  | EUROPE AUTO ARMY1, ARMY2, ARMY4                                                   |                                                                                         | 2                              |                                                                                   |
|                  |                  | ALLMATIC MX1, MX2, MX4                                                            |                                                                                         | 2                              |                                                                                   |
| <b>ALLTRONIK</b> | 433.920          | S429_1, S429_2, S429_4, S429_M<br>Be sure that your remote operates at 433.92MHz! | <br> | 2                              |                                                                                   |
|                  |                  | S425                                                                              |                                                                                       | 2                              |                                                                                   |
| <b>ANSONIC</b>   | 433.920          | SA 434-1E, SA434-2E, SA434-3E, SA434-4E                                           |                                                                                       | 2                              |                                                                                   |
|                  |                  | SA 434-1MINI, SA434-2MINI, SA 434-2Midi                                           |                                                                                       | 2                              |                                                                                   |
|                  | 868.350          | SA 868-1E, SA 868-2E, SA868-3E, SA868-4E                                          |                                                                                       | 3                              |                                                                                   |
|                  |                  | SA 868-1mini/M, SA 868-2mini/M (dip switch version)                               |                                                                                       | 3                              |                                                                                   |
| <b>APERTO</b>    | 433.920          | CPS1, CPS2, CPS                                                                   |                                                                                       | 2                              |                                                                                   |
| <b>AVIDSEN</b>   | 433.920          | 100601 micromark MM23164                                                          |                                                                                       | 2                              |                                                                                   |
|                  |                  | 104505                                                                            |                                                                                       | 2                              |                                                                                   |
|                  |                  | 100951, 100955, 100550, 100400                                                    |                                                                                       | 2                              |                                                                                   |
| <b>BANDY</b>     | 433.920          |                                                                                   |                                                                                       | 2                              | Not sure it work, because this is a duplicator: check the original remote control |
| <b>BELFOX</b>    | 433.920          | DHS433-1, DHS433-2, DHS433-4, dip switch version                                  |                                                                                       | 2                              |                                                                                   |


|                  |         |                                        |                                                                                       |    |                                                         |
|------------------|---------|----------------------------------------|---------------------------------------------------------------------------------------|----|---------------------------------------------------------|
|                  |         | DHS 433,92 (7733), dip switch version  |     | 2  |                                                         |
|                  | 868.350 | DHS 868,3, dipswitch version           |    | 3  |                                                         |
|                  |         | HS 868-20                              |    | 3  |                                                         |
| BENINCA'         | 306.000 | LOT1A, LOT2A, LOT4A                    |    | 8  | Original remote controls may be not stable in frequency |
|                  |         | LOTX1A, LOTX2A, LOTX4A                 |    | 8  | Original remote controls may be not stable in frequency |
|                  |         | LO.TX2PS                               |    | 8  | Original remote controls may be not stable in frequency |
|                  | 433.920 | LOT1W, LOT2W, LOT4W                    |    | 2  |                                                         |
|                  |         | LOT2WMS                                |    | 2  |                                                         |
|                  |         | T2WK, T4WK                             |    | 2  |                                                         |
|                  |         | LOTX1W, LOTX2W, LOTX4W                 |    | 2  |                                                         |
|                  |         | TO.GO2WP, TO.GO4WP, TO.GO2WK, TO.GO4WK |    | 2  |                                                         |
| BERNER           | 868.300 | Berner BHS140                          |   | 3  | Firmware Rev.03c or later                               |
|                  |         | Berner BHS130                          |  | 3  | Firmware Rev.03d or later                               |
| BESIDE           | 433.920 | BEZAP                                  |  | 2  |                                                         |
|                  |         | HIT                                    |  | 2  |                                                         |
| BETA ELETTRONICA | 315.000 | BETALARM 6500                          |  | 4  | Original remote controls may be not stable in frequency |
|                  | 330.000 | BETALARM 5500                          |  | 11 | Original remote controls may be not stable in frequency |
| BFT              | 306.000 | RCS                                    |  | 8  | Original remote controls may be not stable in frequency |
|                  | 315.000 | VTM1, VTM2, VTM4                       |  | 4  | Original remote controls may be not stable in frequency |
|                  | 418.000 | GT01, GT02, GT04                       |  | 14 |                                                         |
|                  | 433.920 | TE01, TE02 ( TEO1, TEO2 )              |  | 2  |                                                         |



|                                                                              |         |                                                                                                                                                                                                                                                                                                                            |                                                                                       |   |                                                                                                                                                        |
|------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                              |         | TE04 ( TEO4 )                                                                                                                                                                                                                                                                                                              |     | 2 |                                                                                                                                                        |
|                                                                              |         | BFT MITTO 2, MITTO 4, MITTO-2A, BFT MITTO-4A, MITTO-2M, MITTO-4M<br>BFT TRC 1, TRC 2, TRC 4<br><b>Only if the receiver is CLONIX 1 or CLONIX 2 with DIP2 in ON position</b>                                                                                                                                                |    | 2 |                                                                                                                                                        |
| <b>BOSS Openers<br/>STEEL-LINE<br/>Automation<br/>Centurion<br/>Guardian</b> | 303.000 | BOSS HT4 6211-L 1,2 and 4 buttons, Boss BHT4, Boss HT3 blue led, Guardian 2211-L, Centurion 2211L, LYNX 2211L, MODERN 2211L 1 and 2 BUTTONs, STEEL-LINE 2211L 1, 2 and 4 BUTTON, STEEL-LINE HT3 BLUE LED, Garage Door Openers BRD1, BRD2, BRD3, BRD4, BRD9, RD1, RD2, RD3, RD4, RD9, BOL4, BOL5, BOL6, BOL9, OL4, OL5, OL6 |    | 7 | Only versions from March 2017: ask for confirmation                                                                                                    |
| <b>BREDA</b>                                                                 | 433.920 | Breda TOP432SA                                                                                                                                                                                                                                                                                                             | Like CAME TOP432SA, blue                                                              | 2 |                                                                                                                                                        |
| <b>CAME</b>                                                                  | 315.000 | Came T312M, T314M                                                                                                                                                                                                                                                                                                          |                                                                                       | 4 | Original remote controls may be not stable in frequency                                                                                                |
|                                                                              |         | Came TOP312, TOP314                                                                                                                                                                                                                                                                                                        |    | 4 |                                                                                                                                                        |
|                                                                              |         | Came TOP312NA, TOP314NA                                                                                                                                                                                                                                                                                                    |    | 4 |                                                                                                                                                        |
|                                                                              | 433.920 | Came T432, T434<br>Came TOP432A, TOP434A, TOP432, TOP432NA, TOP434NA, Came Came TAM432, TAM434, TAM438                                                                                                                                                                                                                     |   | 2 |                                                                                                                                                        |
|                                                                              |         | Came TOP432M, TOP434M                                                                                                                                                                                                                                                                                                      |  | 2 |                                                                                                                                                        |
|                                                                              |         | Came TAM432SA                                                                                                                                                                                                                                                                                                              |  | 2 |                                                                                                                                                        |
|                                                                              |         | Came TOP432SA                                                                                                                                                                                                                                                                                                              |  | 2 |                                                                                                                                                        |
|                                                                              |         | Came TOP432NA, TOP434NA                                                                                                                                                                                                                                                                                                    |  | 2 |                                                                                                                                                        |
|                                                                              |         | Came TWIN2, TWIN4                                                                                                                                                                                                                                                                                                          |  | 2 |                                                                                                                                                        |
|                                                                              |         | CAME TOP-432EE, CAME TOP434EE                                                                                                                                                                                                                                                                                              |  | 2 | <b>Note that this remote control can be programmed to generate a fixed code or a rolling code. Duplication works only if programmed as fixed code!</b> |
|                                                                              |         | CAME TOP-432EV, TOP-434EV                                                                                                                                                                                                                                                                                                  |  | 2 |                                                                                                                                                        |
|                                                                              | 868.350 | CAME TOP862NA, Came TOP864NA                                                                                                                                                                                                                                                                                               |  | 3 |                                                                                                                                                        |
| <b>CARDIN</b>                                                                | 300.000 | S300                                                                                                                                                                                                                                                                                                                       |  | 6 | Original remote controls may be not stable in frequency                                                                                                |
|                                                                              | 310.000 | S301, S302                                                                                                                                                                                                                                                                                                                 |  | 9 | Original remote controls may be not stable in frequency                                                                                                |



|                                                         |         |                                                                                                    |                                                                                       |    |                                                         |
|---------------------------------------------------------|---------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|---------------------------------------------------------|
|                                                         | 433.920 | S476 TX2, S476TX4                                                                                  |     | 2  |                                                         |
| <b>CASALI GENIUS</b>                                    | 330.000 |                                                                                                    |    | 11 | Original remote controls may be not stable in frequency |
|                                                         | 433.920 | Genius 433 2, Genius 433 3, JA400 TM433, JA401 TM433                                               |    | 2  |                                                         |
| <b>CASIT</b>                                            | 306.000 | ERTS92B, ERTS92T                                                                                   |    | 8  | Original remote controls may be not stable in frequency |
|                                                         | 433.920 | ERTS92B, ERTS92T                                                                                   |    | 2  |                                                         |
|                                                         |         | ERTS20DB, ERTS20DQ                                                                                 |    | 2  |                                                         |
|                                                         |         | ERTS476D, ERTS476Q                                                                                 |    | 2  |                                                         |
|                                                         |         | TXS1, TXS2, TXS3, TXS4, TXS6<br>ERTS97B, ERTS97T                                                   |    | 2  |                                                         |
| <b>CEDAMATIC</b>                                        | 433.920 | Cedamatic AEMX4, AEMX2, AEMX1                                                                      |    | 2  |                                                         |
| <b>CELINSA</b>                                          | 433.920 | S10 1, S10 2, SAW1, SAW2                                                                           |   | 2  |                                                         |
| <b>CENTURION</b>                                        | 433.920 | CLASSIC, SMART, SMART2                                                                             |  | 2  |                                                         |
| <b>CHAMBERLAIN LIFTMASTER MOTORLIFT SEARS CRAFTSMAN</b> | 300.000 | Chamberlain 300MC (multicode)                                                                      |  |    | Not supported yet!                                      |
|                                                         | 315.000 | 333LM                                                                                              |  |    | Not supported yet!                                      |
|                                                         |         | 360LM, 362LM, 363LM                                                                                |  |    | Not supported yet!                                      |
|                                                         | 390.000 | 50CB, 53CB, 750CB, 753CB, 50LM, 53LM, 61LM, 62LM, 63LM, 139.53100, 139.53110, 139.53200, 139.53210 |  |    | Not supported yet!                                      |
|                                                         |         | 54CB, 756CB, 54LM, 64LM, 859CB                                                                     |  |    | Not supported yet!                                      |
|                                                         |         | 850CB, 853CB, 959CB, 81LM, 82LM, 83LM, 84LM, 99LM                                                  |  |    | Not supported yet!                                      |
|                                                         |         | 33LM                                                                                               |  |    | Not supported yet!                                      |
|                                                         | 418.000 | 4180, 4182, 4183                                                                                   |  |    | Not supported yet!                                      |
|                                                         |         | 4185                                                                                               |  |    | Not supported yet!                                      |
|                                                         |         | 787 remote<br>less entry                                                                           |  |    | Not supported yet!                                      |

|                |         |                                                                                                                                                      |                                                                                       |   |                                                         |
|----------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---|---------------------------------------------------------|
|                | 433.920 | 4330E, 4332E, 4333E                                                                                                                                  |     |   | Not supported yet!                                      |
|                |         | 4335E                                                                                                                                                |    |   | Not supported yet!                                      |
| <b>CPS</b>     | 433.920 | TCP3, CPS, Jolly 4                                                                                                                                   |    | 2 |                                                         |
|                |         | CPS1 TCP3, CPS2 TCP3, CPS4 TCP3<br>EM1CV, EM2CV, EM4CV                                                                                               |    | 2 |                                                         |
| <b>DASPI</b>   | 433.920 | Daspi Happy2 433, Daspi Pops2                                                                                                                        |    | 2 |                                                         |
|                |         | Daspi Zero2, Zero2CLO, Zero4CLO                                                                                                                      |    | 2 |                                                         |
| <b>DEA</b>     | 306.000 | 306 1, 306 2, 306 4                                                                                                                                  |    | 8 | Original remote controls may be not stable in frequency |
|                |         | 306                                                                                                                                                  |    | 8 | Original remote controls may be not stable in frequency |
|                | 433.920 | 433 1, 433 2, 433 4, Gold S1, Gold S2<br>Dea Gold 238 S1, Dea Gold 238 S2, Dea Gold 239 S4                                                           |   | 2 |                                                         |
|                |         | Genie                                                                                                                                                |  | 2 |                                                         |
|                |         | Punto S2                                                                                                                                             |  | 2 |                                                         |
|                |         | Dea MIO TD2, MIO TD4                                                                                                                                 |  | 2 |                                                         |
|                |         |                                                                                                                                                      |                                                                                       |   |                                                         |
| <b>DELMA</b>   | 300.000 | Apollo 300, ELSAMEC Apollo 300                                                                                                                       |  | 6 | Original remote controls may be not stable in frequency |
|                |         | Mizard 300 1, Mizard 300 2, King                                                                                                                     |  | 6 | Original remote controls may be not stable in frequency |
|                | 433.920 | Mizard 433 1, Mizard 433 2                                                                                                                           |  | 2 |                                                         |
|                |         | King 433 2                                                                                                                                           |  | 2 |                                                         |
|                |         | Style Copy 2CH (this is a code duplicator)                                                                                                           |  | 2 |                                                         |
| <b>DICKERT</b> | 433.920 | Dickert MAHS433 01, MAHS433 04<br><b>Note: we can NOT guarantee that it can be duplicated, because it depends by the receiver.</b>                   |  |   | Not supported yet!                                      |
|                |         | Dickert S10-433A1L00, S10-433A4L00, S20-433A1L00, S20-433A4L00, S20-433A1000, S20-433A4000<br><b>Note: only RED buttons model can be duplicated!</b> |  | 2 |                                                         |

|                                     |                    |                                                                                                                                                    |                                                                                       |        |                                                         |
|-------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------|---------------------------------------------------------|
|                                     |                    | Dickert S5-433-A2L00, S5U-433-A2L00<br><b>Note: only RED buttons model can be duplicated!</b>                                                      |     | 2      |                                                         |
|                                     | 868.350            | Dickert HS868-21<br><b>Note: only RED buttons model can be duplicated!</b>                                                                         |    | 3      |                                                         |
|                                     |                    | Dickert S5-868A2L00, S5U-868A2L00<br><b>Note: only RED buttons model can be duplicated!</b>                                                        |    | 3      |                                                         |
|                                     |                    | Dickert S10-868A100, S10-868A400, S20-868A1L00, S20-868A4L00, S20-868A1000, S20-868A4000<br><b>Note: only RED buttons model can be duplicated!</b> |    | 3      |                                                         |
|                                     |                    | Dickert S5-868A2L01, S10-868A1L01, S10-868-A4L06, <b>green buttons</b>                                                                             |    | 3      | Firmware Rev.03c or later                               |
| <b>DIGICODE</b>                     | 300.000<br>310.000 | DC5010, DC5012, DC5030, DC5032, DC5040, DC5042, DC5060, DC5062, DC5070, DC5072                                                                     |    | 6 or 9 | Original remote controls may be not stable in frequency |
| <b>DITEC</b>                        | 433.920            | GOL4C                                                                                                                                              |    | 2      |                                                         |
| <b>DOITRAND<br/>FDOITRAND</b>       | 433.920            | MPSTF2E JAUNE, MPSTF4E, HYPERPHONE MPSTF2E_GRISE                                                                                                   |    | 2      |                                                         |
|                                     |                    | TS2DE, TS4DE                                                                                                                                       |    | 2      |                                                         |
| <b>DOORHAN</b>                      | 433,920            |                                                                                                                                                    |    | 2      |                                                         |
| <b>DOORMATIC</b>                    | 433.920            | SAW                                                                                                                                                |   | 2      |                                                         |
| <b>DUCATI<br/>ALLDUCKS</b>          | 433.920            | TSAW1, TSAW2, TSAW3, TSAW4, 124 ELBER TSAW1, TSAW2, TSAW3, TSAW4 RONDY TSAW1, RONDY TSAW2, RONDY TSAW3                                             |  | 2      |                                                         |
|                                     |                    | TPR10-A, TPR20-A RONDY TPR10_A, RONDY TPR20_A                                                                                                      |  | 2      |                                                         |
|                                     |                    | TE2                                                                                                                                                |  | 2      |                                                         |
|                                     |                    | 6203blue and transparent, with transparent buttons                                                                                                 |  | 2      |                                                         |
| <b>DÜWI<br/>DUWI<br/>REV Ritter</b> | 433.920            | Several models, handsender used for radio sockets                                                                                                  |                                                                                       | 2      |                                                         |
| <b>ELBE</b>                         | 433.920            | 501, 502, 504                                                                                                                                      |  | 2      |                                                         |
|                                     |                    | 502a, 504a                                                                                                                                         |  | 2      |                                                         |
|                                     |                    | 502, 504                                                                                                                                           |  | 2      |                                                         |





|                               |         |                                                                                                                                                              |                                                                                                                                                                                |   |                                                         |
|-------------------------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---------------------------------------------------------|
| <b>ELCA</b>                   | 300.000 | Aster 1100, Aster 1101                                                                                                                                       |                                                                                              | 6 | Original remote controls may be not stable in frequency |
|                               | 433.920 | IRIS, IRIS 9CH.<br>Both colors red and blue                                                                                                                  |                                                                                             | 2 |                                                         |
|                               |         | ASTER2                                                                                                                                                       |                                                                                             | 2 |                                                         |
|                               |         | Aster 1000, Aster1001.<br>Colors: black, blue, light grey                                                                                                    |                                                                                             | 2 |                                                         |
|                               |         | GEMINI 9CH                                                                                                                                                   |                                                                                             | 2 |                                                         |
|                               |         | VIRGO                                                                                                                                                        |                                                                                             | 2 |                                                         |
| <b>ELDAT<br/>MFZ</b>          | 433.920 | Eldat Basewave RT20-4103M-01, RT20-4104M-01, Eldat RT20-4k, Eldat RT35-4104M-01, RT35-4k, Eldat RT21-4101M-01, RT21-4102M-01, MFZ 400033 , MFZ RT20-4104M-01 |                                                                                             | 2 |                                                         |
|                               |         | Eldat Basewave RT28-4101M-01, RT27-4101M-01, RT26-4101M-02, RT21-4125M-01, RT21-4139M-01, RT21-4139M-02, RT31-4139M-01, RT31-4139M-02, RTC02-4104M-01        |                                                                                             | 2 |                                                         |
|                               | 868.300 | Eldat Basewave RT20-5004M-01, RT20-5003M-01, Eldat RT20-5k, Eldat RT35-5004M-01, RT35-5k, Eldat RT21-5001M-01, RT21-5002M-01, NASSAU RT20-4K                 |                                                                                            | 3 |                                                         |
|                               |         | Eldat Basewave RT28-5001M-01, RT27-5001M-01, RT26-5001M-02, RT21-5025M-01, RT21-5039M-01, RT21-5039M-02, RT31-5039M-01, RT31-5039M-02, RTC02-5004M-01        |                                                                                           | 3 |                                                         |
| <b>ELV<br/>CONRAD</b>         | 868.350 | FS20 S4, FS20 S8, FS20 S8-2, FS20 S16, FS20S16R, FS20 S20-2, FS20 S20-3                                                                                      |                                                                                           | 3 |                                                         |
| <b>ELVOX</b>                  | 433.920 | Elvox ET02 ZT03                                                                                                                                              |                                                                                           | 2 |                                                         |
|                               |         | Elvox ET03, ET04                                                                                                                                             |                                                                                           | 2 |                                                         |
|                               | 868.350 | Elvox ET08                                                                                                                                                   |                                                                                           | 3 |                                                         |
| <b>ERONE</b>                  | 433.920 | SETDS39433E2, SETDS39433E4                                                                                                                                   |                                                                                           | 2 |                                                         |
| <b>ERREKA</b>                 | 433.920 | Erreka LUNA, SMAT RESON 1, RESON 2, Erreka RESON 3                                                                                                           | <br> | 2 |                                                         |
| <b>EUROPE<br/>AUTOMATISME</b> | 306.000 | ASMY1, ASMY2, ASMY4                                                                                                                                          |                                                                                           | 8 | Original remote controls may be not stable in frequency |
|                               | 433.920 | ARMY1, ARMY2, ARMY4                                                                                                                                          |                                                                                           | 2 |                                                         |


|                                   |         |                                                                                             |                                                                                       |    |                                                         |
|-----------------------------------|---------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|---------------------------------------------------------|
|                                   |         | S1, S2, S3                                                                                  |     | 2  |                                                         |
| <b>FAAC</b>                       | 300.000 | Faac TM300S, TM300S05 H<br>Faac TM1 300, TM2 300, TM3 300                                   |    | 6  | Original remote controls may be not stable in frequency |
|                                   | 315.000 | Faac T1, T2, T3<br>Faac TM1 315, TM2 315, TM3 315                                           |    | 4  | Original remote controls may be not stable in frequency |
|                                   | 330.000 | Faac TM1, TM2, TM3<br>Faac TM1 330, TM2 330, TM3 330                                        |    | 11 | Original remote controls may be not stable in frequency |
|                                   | 418.000 | Faac TM1 418 DS, TM2 418 DS, TM3 418 DS                                                     |    | 14 |                                                         |
|                                   |         | Faac TM 418SL, TM1 418SL, TM2 418 SL, TM3 418SL                                             |    | 14 |                                                         |
|                                   | 433.920 | Faac TM1 433 DS, TM2 433 DS, TM3 433 DS<br>TM1 433DS DPH, TM2 433DS DPH, TM3 433DS DPH      |    | 2  |                                                         |
|                                   |         | Faac TML2 433 SLR, TML4 433 SLR, TML2-433-SLR, TML4-433-SLR, TML2 433 ESL, TML4 433 ESL     |    | 2  |                                                         |
|                                   |         | Faac TML2 433 SLP, TML4 433 SLP, TML2-433-SLP, TML4-433-SLP                                 |    | 2  |                                                         |
| <b>FADINI</b><br><b>BPT</b>       | 868.350 | Faac TM1 868 DS, TM2 868 DS, TM3 868 DS<br>Faac TM1 868DS DPH, TM2 868DS DPH, TM3 868DS DPH |   | 3  |                                                         |
|                                   | 315.000 | ASTRO75-1, ASTRO75-2, ASTRO75-4                                                             |  | 4  | Original remote controls may be not stable in frequency |
|                                   | 433.920 | 433 2M, Astro43_2m                                                                          |  | 2  |                                                         |
|                                   |         | Astro433-2, Astro433-4, Astro43-2, Astro43-4                                                |  | 2  |                                                         |
| <b>FERPORT</b>                    | 433.920 | Tac1, Tac2, Tac4, Tac1k, Tac2k, Tac4k, Tac2kr                                               |  | 2  |                                                         |
| <b>FUNKMODUL</b><br><b>ELSECO</b> | 433.920 | T433A2K1, T433A2K2                                                                          |  | 2  |                                                         |
|                                   |         | T433A2K4, T433A2K4n                                                                         |  | 2  |                                                         |
| <b>GIBIDI</b>                     | 306.000 | TS2M                                                                                        |  | 8  | Original remote controls may be not stable in frequency |
|                                   | 433.920 | Open TMB 433, OPEN TMQ 433, OPEN OUT 2, OPEN OUT 4                                          |  | 2  |                                                         |
| <b>GOBBATO</b>                    | 306.000 | T306                                                                                        |  | 8  | Original remote controls may be not stable in frequency |
| <b>GRIFFON</b>                    | 403.55  | Griffon 404 MHz dip switch remotes and duplicating remotes                                  |  | 13 |                                                         |
|                                   | 433.92  | Griffon 433 MHz dip switch remotes and duplicating remotes                                  |  | 2  |                                                         |



|                             |         |                                                       |                                                                                       |   |                                                         |
|-----------------------------|---------|-------------------------------------------------------|---------------------------------------------------------------------------------------|---|---------------------------------------------------------|
| <b>GTO</b>                  | 318.000 | GTO Mighty Mule 1/2 buttons, RB741, RB742             |     |   | Not supported yet!                                      |
|                             |         | GTO Mighty Mule 3 buttons, RB743                      |    |   | Not supported yet!                                      |
| <b>GULLIVER</b>             | 306.000 | Gulliver MD/1, Gulliver MD/1, Gulliver MDRQ 306 LABEL |    | 8 | Original remote controls may be not stable in frequency |
|                             | 433.920 | MDW 2E                                                |    | 2 |                                                         |
| <b>HAUSS</b>                | 433.920 | Pocket 3750-1, Pocket3750-2, Pocket 3750-4            |    | 2 |                                                         |
| <b>HEDDOF</b>               | 318.000 | P219-1, P219-2                                        |    |   | Not supported yet!                                      |
|                             |         | P220-1, P220-2, P220-3                                |    |   | Not supported yet!                                      |
| <b>HORMANN<br/>HOERMANN</b> | 433.920 | HSM2, HSM4, yellow buttons                            |    | 2 |                                                         |
|                             | 868.300 | HS1, HS2, HS4, blue buttons                           |   | 3 |                                                         |
|                             |         | HSD2                                                  |  | 3 |                                                         |
|                             |         | HSE2, HSE4, blue buttons                              |  | 3 |                                                         |
|                             |         | HSM2, HSM4, blue buttons                              |  | 3 |                                                         |
|                             |         | HSP4, blue buttons                                    |  | 3 |                                                         |
|                             |         | HSS2, HSS4, blue buttons                              |  | 3 |                                                         |
|                             |         | HSZ1-868, HSZ2-868                                    |  | 3 |                                                         |
| <b>HRC</b>                  | 433.920 |                                                       |                                                                                       | 2 |                                                         |
| <b>JAY</b>                  | 433.920 | UBEI x1 SL1                                           |  | 2 |                                                         |
|                             |         | UBET 11, UBET 21, UBET 31, UBET 41, UBET 61Ä,         |  | 2 |                                                         |
| <b>KEY AUTOMATION</b>       | 433.920 | 900TXB-42, 900TXB-42N, 900TXP-42, 900TXP-42N          |  | 2 |                                                         |

|                           |                    |                                                |                                                                                       |        |                                                                                   |
|---------------------------|--------------------|------------------------------------------------|---------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------|
|                           |                    | 900TXB-44, 900TXG-44                           |     | 2      |                                                                                   |
|                           |                    | 900SUB-44, 900SUB-44N, 900SUB-44W, 900SUB-44WN |    | 2      |                                                                                   |
|                           |                    | 900TXK-42, 900TXW-42, 900TXK-44, 900TXW-44     |    | 2      |                                                                                   |
| <b>KING</b>               | 433.920            |                                                |                                                                                       |        | Not yet supported!                                                                |
| <b>LABEL<br/>IUPPITER</b> | 306.000            | MDR, IUPPITER 306                              |    | 8      | Original remote controls may be not stable in frequency                           |
|                           | 433.920            | RJW/1E, RJW/2E, RJW/4E, RJW/12E                |    | 2      |                                                                                   |
|                           |                    | MDW/1E, MDW/2E                                 |    | 2      |                                                                                   |
| <b>LEB</b>                | 306.000            | TSA4                                           |    | 8      | Original remote controls may be not stable in frequency                           |
|                           | 433.920            | TMW                                            |    | 2      |                                                                                   |
|                           |                    | TSAW2N, TSAW4N                                 |   | 2      |                                                                                   |
|                           |                    | TCP3Ã, (this is a code duplicator)             |  | 2      | Not sure it work, because this is a duplicator: check the original remote control |
|                           |                    | TRK4                                           |  | 2      |                                                                                   |
|                           |                    | TPW4                                           |  | 2      |                                                                                   |
|                           | 868.300            | TPK4                                           |  | 3      |                                                                                   |
| <b>LINCE</b>              | 433.920            | LR 2035                                        |                                                                                       | 2      |                                                                                   |
| <b>LINEAR</b>             | 300.000<br>310.000 | MULTI-CODE 308911, 308913, 1089                |  | 6 or 9 | Original remote controls may be not stable in frequency                           |
|                           |                    | MULTI-CODE 412001, 414001, 109410, 109710      |  | 6 or 9 | Original remote controls may be not stable in frequency                           |
|                           |                    | MULTICODE 306010, 307010, 108210               |  | 6 or 9 | Original remote controls may be not stable in frequency                           |
|                           |                    | MULTI-CODE 308301, 308302                      |  | 6 or 9 | Original remote controls may be not stable in frequency                           |
|                           |                    | MULTI-CODE 105015                              |  | 6 or 9 | Original remote controls may be not stable in frequency                           |

|                                      |         |                                                                          |                                                                                       |    |                    |
|--------------------------------------|---------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|--------------------|
|                                      | 310.000 | Delta3 Moore-o-Matic: DT, DT2, DT2A, DT22A, DTC, DTD                     |     | 9  | Not supported yet! |
|                                      |         | Delta 3 Moore-o-Matic: DT3, DT4                                          |    | 9  | Not supported yet! |
|                                      |         | Delta 3 Moore-o-Matic: Mini-T LB "LadyBug"                               |    | 9  | Not supported yet! |
|                                      | 312.000 | Delta3 DTK (canada)                                                      |    |    | Not supported      |
| <b>MA SYSTEM</b>                     | 433.920 | MA TX1, MA TX2, MA TX3                                                   |    | 2  |                    |
| <b>MARANTEC</b>                      | 418.000 | D212, D222, D232                                                         |    | 14 |                    |
|                                      | 433.920 | D101                                                                     |    | 2  |                    |
|                                      |         | D12                                                                      |    | 2  |                    |
|                                      |         | D212, D222, D232                                                         |    | 2  |                    |
|                                      |         | Digital 302, D302                                                        |  | 2  |                    |
|                                      |         | Digital 304, D304                                                        |  | 2  |                    |
|                                      | 868.300 | Digital 302, D302                                                        |  | 3  |                    |
|                                      |         | Digital 304, D304                                                        |  | 3  |                    |
| <b>MCZ</b>                           | 433.920 | Aster                                                                    |  | 2  |                    |
| <b>MEISSNER</b>                      | 433.920 | LW433-1, LW433-2, LW433-4                                                |  | 2  |                    |
|                                      |         | Pocket 3750 1, 2, 4                                                      |  | 2  |                    |
| <b>MKTECHNO</b><br><b>MK-TECHNO</b>  | 306.000 | MK-TECHNO TX1 and MKTECHNO TX2, with RED LED                             |  | 8  |                    |
| <b>MONSEIGNEUR</b>                   | 433.920 | ARC2, ARC4                                                               |  | 2  |                    |
|                                      |         | TDR 400 3845, TDR 400 3846, TDR 400 3847<br>T1SAW433, T2SAW433, T4SAW433 |  | 2  |                    |
| <b>MOTORLINE</b><br><b>STATEUROP</b> | 433.920 | MX1, MX2, MX3, MX4, MX6<br>MX11, MX12, MX13                              |  | 2  |                    |

|                                    |         |                                                                          |                                                                                       |   |                                                               |
|------------------------------------|---------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---|---------------------------------------------------------------|
| <b>MOTOSTAR</b>                    | 433.920 | CLIKSTAR2, CLICKSTAR4<br>CLICK-4M, CLICKSTAR RE 532, CLICKSTAR<br>RE 534 |     | 2 |                                                               |
| <b>NICE</b>                        | 306.000 | EASY S1, S2, S4                                                          |    | 8 | Original remote<br>controls may be not<br>stable in frequency |
|                                    | 433.920 | FLO1, FLO2, FLO4                                                         |    | 2 |                                                               |
|                                    |         | VERY VE                                                                  |    | 2 |                                                               |
| <b>NOLOGO</b>                      | 306.000 |                                                                          |    | 8 | Original remote<br>controls may be not<br>stable in frequency |
|                                    | 433.920 | ECO DIP                                                                  |    | 2 |                                                               |
| <b>NOVOTECNICA</b>                 | 306.000 | BIT N1, BIT N2                                                           |    | 8 | Original remote<br>controls may be not<br>stable in frequency |
|                                    |         | BIT NT1, BIT NT2, BIT NT4                                                |    | 2 |                                                               |
| <b>OG</b>                          | 433.920 | OG62, OG64                                                               |   | 2 |                                                               |
| <b>O&amp;O<br/>OeO<br/>O and O</b> | 360.000 | OeO TX2, OeO TX4 (green buttons)                                         |  | 8 | Original remote<br>controls may be not<br>stable in frequency |
|                                    | 433.920 | OeO TX2-E, OeO TX4-E (red buttons)                                       |  | 3 |                                                               |
|                                    |         | T-COM DS 4-2, T-COM DS 4-4                                               |  | 2 |                                                               |
| <b>OPENOUT</b>                     | 306.000 | TS2M                                                                     |  | 8 | Original remote<br>controls may be not<br>stable in frequency |
|                                    | 433.920 | TMQ 433 2, TMQ 433 4                                                     |  | 2 |                                                               |
| <b>PIAZZETTA</b>                   | 433.920 | 4 buttons for wood/pellet heater                                         |  | 2 |                                                               |
| <b>PORTAMATIC</b>                  | 433.920 | MPH01, MPH02                                                             |  | 2 |                                                               |
| <b>POWERFIX Profi<br/>(Lidl)</b>   | 433.920 | RCB-A 3600R                                                              |  | 2 |                                                               |
| <b>PRASTEL</b>                     | 306.000 | NCSMT1, NCSMT2P, NCSMT4P                                                 |  | 8 | Original remote<br>controls may be not<br>stable in frequency |
|                                    |         | KMFT2P, KMFT4P, KMFT2P93, KMFT4P93                                       |  | 8 | Original remote<br>controls may be not<br>stable in frequency |
|                                    | 433.920 | MPSTF2E, MPSTF4E                                                         |  | 2 |                                                               |

|         |         |                                                                                      |                                                                                       |   |                                                         |
|---------|---------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---|---------------------------------------------------------|
| PROEM   | 433.920 | ER2C4ACM, ER4C4ACM                                                                   |     | 2 |                                                         |
| PROGET  | 433.920 | ETY_433N2, ETY 433N4                                                                 |    | 2 |                                                         |
|         |         | EMI433-N2                                                                            |    | 2 |                                                         |
| PROTECO | 433.920 | TX433                                                                                |    | 2 |                                                         |
|         |         | EUROMATIC                                                                            |    | 2 |                                                         |
|         |         | HIT                                                                                  |    | 2 |                                                         |
| PUJOL   | 288.000 | JCM TRINARIO 1, TRINARIO 2, TRINARIO 3                                               |    | 5 | Original remote controls may be not stable in frequency |
|         | 288.000 | TT1, TT2, TRINARIO 1, TRINARIO 2                                                     |    | 5 | Original remote controls may be not stable in frequency |
| PULSAR  | 318.000 | 9931-318, 9931T-318                                                                  |   |   | Not supported yet!                                      |
| QUASAR  | 433.920 | 433 TANGO SLIM BLEU                                                                  |  | 2 |                                                         |
| QUICK   | 433.920 | Model: 302                                                                           |  | 2 |                                                         |
| ROGER   | 433.920 | R80/TX12, R80/TX14, R80/TX12R, R80/TX14R                                             |  | 2 |                                                         |
|         |         | H80/TX22                                                                             |  |   |                                                         |
|         |         | G80/TX32, G80/TX34, G80/TX32R, G80/TX34R                                             |  |   |                                                         |
| SEA     | 433.920 |                                                                                      |  | 2 |                                                         |
|         |         | SMART433_TX2, SMART433_TX3<br>SMART433_TX2_COPY, SMART433_TX3_COPY<br>Smart2, Smart3 |  | 2 |                                                         |
|         | 868.350 | 231103, SEA868_4                                                                     |  | 3 |                                                         |
|         |         | 231103, Head2 Dip Switch                                                             |  | 3 |                                                         |
|         |         | SMART868-TX2, SMART868-TX3<br>Smart2, Smart3                                         |  | 3 |                                                         |
| SEAV    | 306/330 | TX1, TX2, TX3, TX4, TX1/330<br>TX2/330, TX3/330, TX4/330                             |  | 8 | Original remote controls may be not stable in frequency |
|         | 433.920 | TXS1, TXS2, TXS3, TXS4                                                               |  | 2 |                                                         |

|                                 |         |                                    |                                                                                       |    |                                                         |
|---------------------------------|---------|------------------------------------|---------------------------------------------------------------------------------------|----|---------------------------------------------------------|
|                                 |         | Behappy S1, Behappy S2, Behappy S3 |     | 2  |                                                         |
|                                 |         | Be Easy TX, Be Easy Murale2        |    | 2  |                                                         |
|                                 |         | BeSmart S2, BeSmart S4             |    | 2  |                                                         |
|                                 |         | BeFree S1                          |    | 2  |                                                         |
|                                 | 868.300 | BeSmart H2, BeSmart H4             |    | 3  |                                                         |
|                                 |         | BeFree H1                          |    | 3  |                                                         |
| SECURVERA                       | 433.920 | SV R2C                             |    | 2  |                                                         |
|                                 |         | SV R2C                             |    | 2  |                                                         |
|                                 |         | SV R4C                             |    | 2  |                                                         |
|                                 |         | SV R6C                             |    | 2  |                                                         |
| SENDER                          | 433.920 |                                    |   | 2  |                                                         |
| SENTRY<br>MARTIN<br>ELECTRONICS | 403.550 | SENTRY binary, SENTRY trinary      |  | 13 |                                                         |
|                                 | 433.920 | SENTRY binary                      |  | 2  |                                                         |
| SERAI                           | 310.000 | OG/32                              |  | 9  | Original remote controls may be not stable in frequency |
|                                 | 433.920 | OG/52, OG/54, OG/82, OG/84         |  | 2  |                                                         |
|                                 |         | OG/28, OG/48, OG/62, OG/64         |  | 2  |                                                         |
|                                 |         | OG/02, OG/04                       |  | 2  |                                                         |
| SICE                            | 433.920 | TX4 CLACK Bigfoot                  |  |    | Not supported!                                          |
| SILVELOX - INTRA                | 306.000 | Green case with black buttons      |  | 8  | Original remote controls may be not stable in frequency |
|                                 | 433.920 | Silvelox Intra HSM4                |  | 2  |                                                         |
| SIMBA                           | 433.920 | Simba RC1, Simba RC4               |  | 2  |                                                         |

|                 |                                          |                                                                                              |                                                                                                       |        |                                                                                                  |
|-----------------|------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------------------|
| <b>SIMINOR</b>  | 433.920                                  | ER2C4ACM, ER4C4ACM, ER2C4ACS, ER4C4ACS                                                       |                     | 2      |                                                                                                  |
| <b>SKYLINK</b>  | 300.000<br>310.000                       | MultiLink SD300M, Skylink 100, LD310M, SD310M                                                |                    | 6 or 9 | Original remote controls may be not stable in frequency                                          |
|                 | 318.000                                  | Skylink Mtilink PD-318M                                                                      |                    |        | Not supported yet!                                                                               |
|                 | 390.000                                  | Multilink CB-390M, CD-390M (versions compatible with Chamberlain)                            |                    |        | Not supported yet!                                                                               |
| <b>SMD</b>      | 433.920                                  | LW433-1, LW433-2, LW433-4 : AM models only                                                   |                    | 2      |                                                                                                  |
| <b>SOMFY</b>    | 433.920                                  | LEB TMW                                                                                      |                    | 2      |                                                                                                  |
| <b>STAGNOLI</b> | 433.920                                  | ZEUS AZTR                                                                                    |                    | 2      |                                                                                                  |
|                 | 868.350                                  | ZEUS AZTR                                                                                    |                    | 3      |                                                                                                  |
| <b>STANLEY</b>  | 310.000                                  | 24286                                                                                        |                   | 9      | Original remote controls may be not stable in frequency                                          |
|                 |                                          | 1082                                                                                         |                  | 9      | Original remote controls may be not stable in frequency                                          |
|                 |                                          | 1050                                                                                         |                  | 9      | Original remote controls may be not stable in frequency                                          |
|                 |                                          | 1094                                                                                         |                  | 9      | Original remote controls may be not stable in frequency                                          |
|                 |                                          | 1097                                                                                         |                  | 9      | Original remote controls may be not stable in frequency                                          |
| <b>STARTEC</b>  | 433.920                                  | TXQ2                                                                                         |                  | 2      |                                                                                                  |
| <b>STINGER</b>  | 300.000<br>310.000<br>318.000<br>390.000 | 300MCD21V, 300MCD22V<br>310MCD21V, 310LID21V, 310LID22V<br>318ALD31V<br>390LMD21V, 390LMPB1V | <br>diff. colors |        | This is a compatible remote control: please look for the compatibility of the original retmotes! |
| <b>TAU</b>      | 315.000                                  | 250 TXA2, 250 TXA4                                                                           |                  | 4      | Original remote controls may be not stable in frequency                                          |
|                 | 433.920                                  | 250 SLIM, 250K-SLIM, 250K-SLIMC                                                              |                  | 2      |                                                                                                  |
|                 |                                          | 250TXD2, 250TXD4                                                                             |                  | 2      |                                                                                                  |
|                 |                                          | 250BUG2, 250BUG4                                                                             |                  | 2      |                                                                                                  |

|                                      |         |                                                                                                 |                                                                                       |   |                                                         |
|--------------------------------------|---------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---|---------------------------------------------------------|
|                                      |         | 250T-4, 250T-4C                                                                                 |     | 2 |                                                         |
| TEC KEY                              | 300.000 | MK1010                                                                                          |    | 6 | Original remote controls may be not stable in frequency |
| TECNOMATIC                           | 433.920 | TQ433                                                                                           |    | 2 |                                                         |
| TEDSEN<br>BERNER<br>GFA Elektromaten | 433.920 | SKX1MD, SKX2MD, SKX3MD, SKX4MD                                                                  |    | 2 |                                                         |
|                                      |         | SKX1KD, SKX2KD, SKX4KD, SKX6KD                                                                  |    | 2 |                                                         |
|                                      |         | SKX1DL, SKX2DL, SKX3DL, SKX4DL                                                                  |    | 2 |                                                         |
|                                      |         | SKX1LC, SKX2LC, SKX3LC, SKX4LC                                                                  |    | 2 |                                                         |
|                                      |         | SKX1SL, SKX2SL, SKX3SL, SKX4SL                                                                  |    | 2 |                                                         |
|                                      |         | SKJ                                                                                             |    | 2 |                                                         |
|                                      |         | SKX1WD, SKX2WD, SKX4WD, SKX11WD, SKX22WD, SKX44WD                                               |    | 2 |                                                         |
| TELCOMA                              | 306.000 | RCST2, RCST4                                                                                    |   | 8 | Original remote controls may be not stable in frequency |
|                                      | 433.920 | TELCOMA EDGE 2, TELCOMA EDGE 4                                                                  |  | 2 |                                                         |
|                                      |         | TELCOMA TANGO 2 SW, TANGO4 SW                                                                   |  | 2 |                                                         |
|                                      |         | TANGO BLUE 2, TANGO 4 BLUE, TANGO BLEU 2, TANGO BLEU 4                                          |  | 2 |                                                         |
|                                      |         | TANGO 2 N, TANGO 4 N                                                                            |  | 2 |                                                         |
|                                      |         | TANGO 2 SLIM, TANGO 4 SLIM                                                                      |  | 2 |                                                         |
|                                      |         | Telcoma Noire2, Noire4<br><b>Note: Rolling-code jumper should be removed from the receiver!</b> |  | 2 |                                                         |
|                                      |         | TANGO WIN3                                                                                      |  | 2 |                                                         |
|                                      |         | TANGO2, TANGO4                                                                                  |  | 2 |                                                         |
| TELEMATIC                            | 300.000 | TL1, TL2                                                                                        |  | 6 | Original remote controls may be not stable in frequency |

|                               |         |                                                                                                                                                                                                                                                   |                                                                                       |    |                                                         |
|-------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|---------------------------------------------------------|
| TKC                           | 433.920 | TSAW433                                                                                                                                                                                                                                           |     | 2  |                                                         |
| TORAG                         | 433.920 | S429 1, S429 2, S429 4                                                                                                                                                                                                                            |    | 2  |                                                         |
| TORMATIC<br>DORMA<br>NOVOFERM | 433.920 | HS, Dorma HS43 1E, HS43 2E, HS43 3E, HS43 4E                                                                                                                                                                                                      |    | 2  |                                                         |
|                               |         | MAHS, Siebau, Novoferm, Dorma                                                                                                                                                                                                                     |    | 2  |                                                         |
|                               |         | MHS, MHS43-1                                                                                                                                                                                                                                      |    | 2  |                                                         |
| TREMA                         | 433.920 | TO93TV1, TO93TV2, TO93TV4                                                                                                                                                                                                                         |    | 2  |                                                         |
| TUBAUTO                       | 433.920 | DIGITAL 101 433                                                                                                                                                                                                                                   |    | 2  |                                                         |
| V2                            | 306.000 | TRR1_306                                                                                                                                                                                                                                          |    | 8  | Original remote controls may be not stable in frequency |
|                               | 318.000 | TPS1K                                                                                                                                                                                                                                             |    | 10 | Original remote controls may be not stable in frequency |
|                               | 433.920 | PHOENIX series: Phoenix2, Phoenix2P, Phoenix4, Phoenix4P, TXC2 Contr.47, TXC4 Contr.47, Handy2 Contr.47, Handy4 Contr.47, TRC4 Contr.47, TSC4 Contr.47 .<br><b>Note:the receiver should be programmed with the rolling code feature disabled.</b> |   | 2  |                                                         |
|                               |         | TCP3                                                                                                                                                                                                                                              |  | 2  |                                                         |
|                               |         | TCP3, ARC3                                                                                                                                                                                                                                        |  | 2  |                                                         |
|                               |         | TCP3                                                                                                                                                                                                                                              |  | 2  |                                                         |
|                               |         | TPR                                                                                                                                                                                                                                               |  | 2  |                                                         |
|                               |         | T1SAW/433, T2SAW/433, T4SAW/433                                                                                                                                                                                                                   |  | 2  |                                                         |
|                               |         | TRR1, TRR2, TRR4                                                                                                                                                                                                                                  |  | 2  |                                                         |
|                               |         |                                                                                                                                                                                                                                                   |                                                                                       |    |                                                         |

|              |         |                                                                                                                                                                    |                                                                                       |    |                                                         |
|--------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|---------------------------------------------------------|
|              |         | PMR2, PMR4                                                                                                                                                         |     | 2  |                                                         |
|              | 868.300 | PHOENIX series: Phoenix2-868, Phoenix2P-868, Phoenix4-868, Phoenix4P-868.<br><b>Note:the receiver should be programmed with the rolling code feature disabled.</b> |    | 3  |                                                         |
| VISONIC      | 315.000 | WT100, WT100A, WT101, WT101A, WT102, WT104, WT-201, WT-201A, WT-201WP, WT-201AWP                                                                                   |    | 4  |                                                         |
|              | 418.000 | WT-100, WT-100A, WT-101, WT-101A, WT-102, WT-104, WT-201, WT-201A, WT-201WP, WT-201AWP                                                                             |    | 14 |                                                         |
|              | 433.920 | WT 100, WT 100A, WT 101, WT 101A, WT 102, WT 104, WT 201, WT 201A, WT 201WP, WT 201AWP                                                                             |    | 2  |                                                         |
| VSEG         | 433.920 | CR SLIM                                                                                                                                                            |    | 2  |                                                         |
| WAINE-DALTON | 433.920 | S429-1, S429-2, S429-4, S429-mini                                                                                                                                  |    | 2  |                                                         |
|              |         | S425                                                                                                                                                               |   | 2  |                                                         |
| WECLA CDS    | 433.920 | 433, 433_2                                                                                                                                                         |  | 2  |                                                         |
| ZULLAN       | 315.000 | 250TXA1H, 250TXA2H, 250TXA4H                                                                                                                                       |  | 4  | Original remote controls may be not stable in frequency |
| OEM          | 315.000 |                                                                                                                                                                    |  | 4  | Original remote controls may be not stable in frequency |