number 590

november 2024

Our regular monthly meeting will be held at

Lengthwise Brewing Company

7700 District Blvd, Bakersfield, CA 93313

November 1

Social Hour @ 6:30p Meeting @ 7:30 - 9:00p



facebook.com/groups/syzygy



kernastro.org



kernastronomicalsociety@gmail.com

UPCOMING CLUB EVENTS

Star Party

The November 2 Star Party has been cancelled due to weather November 30 - at the Frazier Mountain Trailhead, weather pending. Click for map

WELCOME NEW MEMBERS!

Please extend a warm welcome to our newest members:

Tony Dell'Acqua, Aileen Livesay, Amy Melton, Anthony Miller, James Najarian, and Wren Villicano

UPCOMING SPEAKERS

Nov 1: Brian Paczkowski - Astroimaging

Brian Paczkowski has been employed by NASA/Jet Propulsion Laboratory in Pasadena, California since 1983. He is currently the Europa Clipper Science Manager but has worked on many of the outer planet missions over his 41 years at JPL including the Galileo Mission to Jupiter and the Cassini Mission to Saturn. Brian is a member of the Los Angeles Astronomical Society (LAAS) and has been doing astrophotography from their Bortle 3-4 dark sky site in Frazier Park, California. In 2020 he moved his collection of astrophotography equipment to a permanent remote observatory to Dark Sky New Mexico in Animas, New Mexico - a truly dark sky site. Brian's talk will discuss his search for a remote observatory hosting site, his remote imaging setup and experience over the past 4 years.

Dec 6: Christmas Dessert Potluck

Bring your favorite Christmas dessert to our meeting at Lengthwise Brewing Company from 7:00 - 9:00 p.m.!

Coffee will be provided. See you there!

January 3

Rod Guice Milankovitch Cycles

February 7

Henry Stone Psyche Mission

March 7

Bob Crewdson Metero Right / Metero Wrong

June 6

Tom Hoffman NEO Surveyor



FOR SALE: Celestron NexStar 5

KAS member Raymond Hedrick has a Celestron NexStar 5 for sale! Original box, owner's manual, phenomenal tripod, and handy suitcase for lenses and accessories. Includes land lens. Now taking reasonable offers!

Please call or text Raymond at 559-999-3122





Did you get a good picture of October's comet?

Go to the KCAS Facebook page and share your pictures!

www.facebook.com/groups/syzygy

KAS Information

Since 1956, the Kern Astronomical Society has promoted community awareness of current events in astronomy and provides a forum for sharing of knowledge and experiences among amateur astronomers. Annual membership is \$25.00 which also provides membership in the Amateur Astronomical League, access to their newsletter (Reflector Magazine), and participation in observational programs.


Star Parties & Outreach

The Kern Astronomical Society typically has two Club Star Parties each month depending on the weather. Our Club Parties are held on Saturdays nearest the New Moon. We also host Public Star Parties at various locations around town during April - October. These parties are held on Saturdays nearest the first quarter Moon. In addition, we also host Lunar, Solar, and Planetary viewing for public schools. Requests may be directed to our Star Party Coordinator.

Club Equipment

The Kern Astronomical Society has telescopes and accessories (listed below) available for loan to Club Members in good standing. Members are encouraged to borrow the different types of telescopes in stock (especially if you are considering purchasing one). Trying out different sizes and types of telescopes can help you make an informed decision about purchases. If you have a Club telescope in your possession, you will be expected to participate in at least one public star party.

- 6" f/6, 8" f/6, 10" f/5.6, 13" f/4.5 Dobsonian Telescopes
- Parks Jovian 90
- 3½" f/13 Maksukov-Cassegrain
- 4" f/15 Unitron Refractor
- 8" Solar Filter
- Assorted Eyepieces



About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large binoculars. They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large cities.

You will see more stars after your eyes adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction – An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation – A defined area of the sky containing a star pattern.

Diffuse Nebula – A cloud of gas illuminated by nearby stars.

Double Star – Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic – The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation – The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy – A mass of up to several billion stars held together by gravity.

Globular Star Cluster – A ball-shaped group of several thousand old stars.

Light Year (ly) – The distance a beam of light travels at 300,000 km/sec in one year.

Magnitude – The brightness of a celestial object as it appears in the sky.

Open Star Cluster – A group of tens or hundreds of relatively young stars.

Opposition – When a celestial body is opposite the Sun in the sky.

Planetary Nebula – The remnants of a shell of gas blown off by a star.

Universal Time (UT) – A time system used by astronomers. Also known as Greenwich Mean Time. USA Eastern Standard Time (for example, New York) is 5 hours behind UT.

Variable Star - A star that changes brightness over a period of time.

NORTHERN HEMISPHERE NOVEMBER 2024

Altair

Easily Seen with the Naked Eye

Capella	Aur	•	The 6th brightest star. Appears yellowish in color. Spectroscopic binary. Dist=42 ly.
δ Cephei	Сер	⊚	Cepheid prototype. Mag varies between 3.5 & 4.4 over 5.366 days. Mag 6 companion.
Deneb	Cyg	•	Brightest star in Cygnus. One of the greatest known supergiants. Dist=1,400±200 ly.
lpha Herculis	Her	⊚	Semi-regular variable. Magnitude varies between 3.1 & 3.9 over 90 days. Mag 5.4 companion.
Vega	Lyr	•	The 5th brightest star in the sky. A blue-white star. Dist=25.0 ly.
Algol	Per	•	Famous eclipsing binary star. Magnitude varies between 2.1 & 3.4 over 2.867 days.
Fomalhaut	PsA	•	Brightest star in Piscis Austrinus. In Arabic the "fish's mouth". Dist=25 ly.
Pleiades	Tau	()	The Seven Sisters. Spectacular cluster. Many more stars visible in binoculars. Dist=399 ly.
Hyades	Tau	()	Large V-shaped star cluster. Binoculars reveal many more stars. Dist=152 ly.
Aldebaran	Tau	•	Brightest star in Taurus. It is not associated with the Hyades star cluster. Dist=66.7 ly.
Polaris	UMi	•	The North Pole Star. A telescope reveals an unrelated mag 8 companion star. Dist=433 lv.


• Brightest star in Aguila. Name means "the flying eagle". Dist=16.7 ly.

Easily Seen with Binoculars

=u 311 <i>y</i>	00011	***	an Binobalars
M31	And	0	The Andromeda Galaxy. Most distant object visible to naked eye. Dist=2.5 million ly.
M2	Aqr	\oplus	Resembles a fuzzy star in binoculars.
η Aquilae	Aql	•	Bright Cepheid variable. Mag varies between 3.6 & 4.5 over 7.166 days. Dist=1,200 ly.
M38	Aur	0	Stars appear arranged in "pi" or cross shape. Dist=4,300 ly.
M36	Aur	0	About half size of M38. Located in rich Milky Way star field. Dist=4,100 ly.
M37	Aur	0	Very fine star cluster. Discovered by Messier in 1764. Dist=4,400 ly.
μ Cephei	Сер	•	Herschel's Garnet Star. One of the reddest stars. Mag 3.4 to 5.1 over 730 days.
Mira	Cet	•	Famous long period variable star. Mag varies between 3.0 & 10.1 over 332 days.
χ Cyqni	Cyg	•	Long period pulsating red giant. Magnitude varies between 3.3 & 14.2 over 407 days.
M39	Cyg	0	May be visible to the naked eye under good conditions. Dist=900 ly.
ν Draconis	Dra	•	Wide pair of white stars. One of the finest binocular pairs in the sky. Dist=100 ly.
M13	Her	⊕	Best globular in northern skies. Discovered by Halley in 1714. Dist=23,000 ly.
M92	Her	⊕	Fainter and smaller than M13. Use a telescope to resolve its stars.
ε Lyrae	Lyr	•	Famous Double Double. Binoculars show a double star. High power reveals each a double.
R Lyrae	Lyr	•	Semi-regular variable. Magnitude varies between 3.9 & 5.0 over 46.0 days.
IC 4665	0ph	<>	Large, scattered open cluster. Visible with binoculars.
6633	0ph	<>	Scattered open cluster. Visible with binoculars.
M15	Peg	0	Only globular known to contain a planetary nebula (Mag 14, d=1"). Dist=30,000 ly.
Double Clus	ster Per	<>	Double Cluster in Perseus. NGC 869 & 884. Excellent in binoculars. Dist=7,300 ly.
M25	Sgr	<>	Bright cluster located about 6 deg N of "teapot's" lid. Dist=1,900 ly.
253	Scl	0	Fine, large, cigar-shaped galaxy. Requires dark sky. Member of Sculptor Group.
Mizar & Alc	or UMa	•	Good eyesight or binoculars reveals 2 stars. Not a binary. Mizar has a mag 4 companion.
Cr 399	Vul	0	Coathanger asterism or "Brocchi's Cluster". Not a true star cluster. Dist=218 to 1,140 ly.

Telescopic Objects

			_	
	γ Andromedae 7009 7293 γ Arietis η Cassiopeiae	And Aqr Aqr Ari Cas	• + + • •	Attractive double star. Bright orange star with mag 5 blue companion. Sep=9.8". Saturn Nebula. Requires 8-inch telescope to see Saturn-like appendages. Helix Nebula. Spans nearly 1/4 deg. Requires dark sky. Dist=300 ly. Impressive looking double blue-white star. Visible in a small telescope. Sep=7.8". Yellow star mag 3.4 & orange star mag 7.5. Dist=19 ly. Orbit=480 years. Sep=12".
2	Albireo	Cyg	•	Beautiful double star. Contrasting colours of orange and blue-green. Sep=34.4".
	61 Cygni	Cyg	•	Attractive double star. Mags 5.2 & 6.1 orange dwarfs. Dist=11.4 ly. Sep=28.4".
	γ Delphini	Del	•	Appear yellow & white. Mags 4.3 & 5.2. Dist=100 ly. Struve 2725 double in same field.
	β Lyrae	Lyr	⊚	Eclipsing binary. Mag varies between 3.3 & 4.3 over 12.940 days. Fainter mag 7.2 blue
	M57	Lyr		Ring Nebula. Magnificent object. Smoke-ring shape. Dist=4,100 ly.
	M17	Sgr		Omega Nebula. Contains the star cluster NGC 6618. Dist=4,900 ly.
	M11	Sct	()	Wild Duck Cluster. Resembles a globular through binoculars. V-shaped. Dist=5,600 ly.
	M16	Ser		Eagle Nebula. Requires a telescope of large aperture. Dist=8,150 ly.
	M1	Tau		Crab Nebula. Remnant from supernova which was visible in 1054. Dist=6,500 ly.
	M33	Tri	0	Fine face-on spiral galaxy. Requires a large aperture telescope. Dist=2.3 million ly.
	M81	UMa	0	Beautiful spiral galaxy visible with binoculars. Easy to see in a telescope.
	M82	UMa	0	Close to M81 but much fainter and smaller.
	M27	Vul		Dumbbell Nebula. Large, twin-lobed shape. Most spectacular planetary. Dist=975 ly.



star.