

Date: 20/10/2021

Subject: resolution No. (14) of 2021 on the Financial and Monetary Institutions

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	at all ATMs in the establishment within the recognition view	Changing "Recognition View " to be "Inspection View "
2	at the Safe deposit rooms within the recognition view	Optional
3	at the lobby within the detection view	Changing "Detection View " to be "Monitoring View "
4	Penetration-resistant glass or films installed on the outside frame must be used on the glass facades of the establishment to prevent penetration of the glass for at least 3 minutes.	Penetration-resistant glass may be replaced by the iron shutters
5	Iron shutters that are closed after the official working hours must be installed	The iron shutters may be replaced by penetration-resistant glass

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: Resolution No. (18) of 2021 on the Shooting ranges

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	inside the arms and ammunition depots so that a person's image is within the recognition view	Changing "Recognition View " to be "Detection View "
2	at all the corridors so that a person's image is within the detection view	Changing "Detection View " to be "Monitoring View "
3	at all firing ranges so that a person's image is within the detection view	Changing "Detection View " to be "Monitoring View "
4	at the parking lots pathways of vehicles within the detection view	Installing 4 MP cameras at height of 6 meters at the parking lots, within the detection view, provided that these parking are not covered.
5	at the corridors of toilets within the detection view	Repeal
6	Using a software of shooting clubs	Repeal

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (16) of 2021 on the Places of Worship

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	at all places of worship so that a person's image is within the detection view	Changing "Detection View " to be "Monitoring View "
2	at all parking lots of the vehicles within the detection view	Installing 4 MP cameras at height of 6 meters at the parking lots, within the detection view, provided that these parking are not covered.
3	at all the elevator lobbies and stairs so that a person's image is within the recognition view	Changing "Recognition View " to be "Inspection View "
4	at all the areas surrounding the place of worship so that a person's image is within the detection view	Changing "Detection View " to be "Monitoring View "

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (17) of 2021 on the Workers' Residential Compounds

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	at all lobbies within the detection view	Changing "Detection View " to be "Monitoring View "
2	at all elevator lobbies and stairs so that a person's image is within the recognition view	Changing "Recognition View " to be "Inspection View "
3	inside elevators within the recognition view with an angle that shows the floor number. A lens with a wide angle shall be used to cover all parts of the elevator	Changing "Recognition View " to be "Inspection View "
4	at all emergency exit doors among floors within the recognition view	Changing "Recognition View " to be "Inspection View "
5	at all corridors of the building within the detection view	Changing "Detection View " to be "Monitoring View "
6	at all entrances of gyms within the recognition view	Changing "Recognition View " to be "Inspection View "
7	at all swimming pools within the detection view	Changing "Detection View " to be "Monitoring View "
8	at the parking lots pathways within the detection view	Installing 4 MP cameras at height of 6 meters at the parking lots, within the detection view, provided that these parking are not covered.

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (12) of 2021 on the Hotels and Similar Facilities

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	at the elevator lobbies within the recognition view	Changing "Recognition View " to be "Inspection View "
2	inside elevators within the recognition view with an angle that shows the floor number, and using a lens with a wide angle so that it covers all parts of the elevator.	Changing "Recognition View " to be "Inspection View "
3	at safe and bag deposit rooms within the recognition view	Optional
4	inside the business center within the detection view	Optional
5	at the area of getting on and off vehicles within the detection view	Changing "Detection View " to be "Monitoring View "
6	at the ATMs within the recognition view	Optional
7	at all outdoor corridors within the detection view. All cameras shall be with IR to provide night vision.	Changing "Detection View " to be "Monitoring View "
8	at the public areas outside the area designated for residential units that have a back entrance overlooking a garden or a terrace, within the detection view .	Optional
9	at the corridors that have restaurants or shops within the detection view	Changing "Detection View " to be "Monitoring View "
10	at the gas tanks storage area within the recognition view	Decreasing "Recognition View " to be "Inspection View "

S.N	The Previous Resolution	The Present Resolution
11	at the entrance to the electricity room within the recognition view	Optional
12	at the water tanks room within the recognition view	Optional
13	at the entrances to the fresh air treatment units of the air conditioning system within the recognition view	Optional
14	at all emergency exit doors among floors within the recognition view	Decreasing "Recognition View " to be "Inspection View "
15	at the entrances and exits of the vehicles of the establishment within the recognition view	Optional
16	The VSS surveillance system must be maintained and managed where there is mobile network coverage	Optional
17	Developing a system to record all incoming and outgoing calls, including internal calls. Such recordings shall be kept for a period of not less than six months.	Optional
18	Linking all locks to a central system and keeping records of actions for at least six months.	Optional
19	Providing security guards 24/7	At the discretion of the security manager
20	A security manager must be provided	A security manager must be provided 24/7
21	Female guards must be provided, if required	Female guards must be provided during the official working hours

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (25) of 2021 on Securing and Protecting the Automatic Self-Storage

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	on the reception desks within the recognition view	Changing " Recognition View " to be "Inspection View "
2	A panic button or emergency call shall be provided at the reception desk, the manager's office and the security guard	A panic button or emergency call shall be provided at the reception and the security guard desk
3	There must be a system to verify the identity of the safe renter	Optional

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: Resolution No. (11) of 2021 on the Recreation Parks

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	in the elevator lobbies within the recognition view	Changing "Recognition View " to be "Inspection View "
2	inside elevators within the recognition view with an angle that shows the floor number	Changing "Recognition View " to be "Inspection View "
3	at all ATMs and public phones within the recognition view	Optional
4	at all areas of loading and unloading within the detection view	Changing "Detection View " to be "Monitoring View "
5	at the area of getting on and off vehicles within the detection view	Changing "Detection View " to be "Monitoring View "
6	inside men's prayer rooms within the detection view	Repeal
7	at the parking lots pathways within the detection view	Installing 4 MP cameras at height of 6 meters at the parking lots, to provide detection view, provided that these parking are not covered.
8	at the area of storing and filling of liquefied gas within the recognition view	Changing "Recognition View " to be "Inspection View "

S.N	The Previous Resolution	The Present Resolution
9	at the entrances to the fresh air treatment units of the air conditioning system within the recognition view	Optional
10	at the fuel tanks of backup generators within the detection view	Changing "Detection View " to be "Monitoring View "
11	at all emergency exit doors among floors within the recognition view	Decreasing "Recognition View " to be "Inspection View "
12	at the entrances and exits of the vehicles within the recognition view	Optional
13	A security manager must be provided	A security manager must be provided 24/7
14	Female guards must be provided during the official working hours	Female guards must be provided, if required
15	at the chemicals storage rooms	Decreasing "Recognition View " to be "Inspection View "
16	at the water treatment rooms	Decreasing "Recognition View " to be "Inspection View "

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (15) of 2021 on the Cinemas and Theatres

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	inside elevators within the recognition view with an angle that shows the floor number. In	Changing "Recognition View " to be "Inspection View "
2	in the elevator lobbies within the recognition view	Changing "Recognition View " to be "Inspection View "
3	at the area of ascending and descending the stairs and escalators within the recognition view	Changing "Recognition View " to be "Inspection View "
4	at the corridors of the establishment within the detection view	Changing "Detection View " to be "Monitoring View "
5	at the seating and streaming areas of the theatre only within the detection view	Changing "Detection View " to be "Monitoring View "
6	at the entrances and exits of the vehicles of the establishment within the recognition view	Optional
7	at the area of getting on and off vehicles within the detection view	Changing "Detection View " to be "Monitoring View "
8	at the parking lots pathways within the detection view	Installing 4 MP cameras at height of 6 meters at the parking lots, within the detection view, provided that these parking are not covered.

S.N	The Previous Resolution	The Present Resolution
9	inside men's prayer rooms within the detection view	Repeal
10	at the corridors of prayer rooms within the detection view	Changing "Detection View " to be "Monitoring View "
11	at all emergency exit doors among floors within the recognition view	Changing "Recognition View " to be "Inspection View "
12	at the gas tanks storage area within the recognition view	Changing "Recognition View " to be "Inspection View "
13	Security guards must be provided during the official working hours	A security manager must assess the situation
14	Female guards must be provided during the official working hours	Female guards must be provided, if required

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (13) of 2021 on the Important Complexes

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	in all elevator lobbies so that a person's image is within the recognition view	Changing "Recognition View " to be "Inspection View "
2	inside elevators within the recognition view with an angle that shows the floor number. A lens with a wide angle shall be used to cover all parts of the elevator	Inside elevators to provide inspection view
3	at all emergency exit doors among floors within the recognition view	Changing "Recognition View " to be "Inspection View "
4	at all swimming pools within the detection view	Changing "Detection View " to be "Monitoring View "
5	at all reception areas so that a person's image is within the recognition view	Changing "Recognition View " to be "Inspection View "
6	at the parking lots pathways within the detection view	Installing 4 MP cameras at height of 6 meters at the parking lots, to provide detection view, provided that these parking are not covered.
7	outdoor cameras shall be installed in the surrounding area of the building within the detection view	Changing "Detection View " to be "Monitoring View "

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (19) of 2021 on the Manufacture and Sale of Precious Metals

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	at the display and sale tables within the recognition view	Changing "Recognition View " to be "Inspection View "
2	Penetration-resistant glass or films installed on the outside frame shall be used on the glass facades of the establishment to prevent penetration of the glass for at least 3 minutes.	Penetration-resistant glass may be replaced by the iron shutters
3	Iron shutters that are closed after the official working hours shall be installed	The iron shutters may be replaced by penetration-resistant glass
4	Vision blocking system shall be used only after obtaining the approval of SIRA. (optional)	Repeal

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (20) of 2021 on the Gas Stations

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	at the lines of vehicle fuel supply within the detection view	Changing "Detection View " to be "Monitoring View "
2	at the lines of station fuel supply within the detection view	Changing "Detection View " to be "Monitoring View "
3	at the parking lots within the detection view	Installing 4 MP cameras at height of 6 meters at the parking lots, within the detection view , provided that these parking are not covered.
4	at the all entrances to outdoor toilets within the recognition view	Changing "Recognition View " to be "Detection View "
5	at ATMs within the recognition view	Optional

This Resolution shall come into force as of the date of its issuance.

CEO

Date: 20/10/2021

Subject: resolution No. (21) of 2021 on the Shopping Centres

Based on the wise leadership's instructions to reduce government requirements for doing business by 30% in Dubai government, and out of SIRA's keenness to support the private security sector and to facilitate its business, we have resolved that:

S.N	The Previous Resolution	The Present Resolution
1	in the elevator lobbies within the recognition view	Changing "Recognition View " to be "Inspection View "
2	inside elevators within the recognition view with an angle that shows the floor number. A lens with a wide angle shall be used to cover all parts of the elevator	Changing "Recognition View " to be "Inspection View "
3	at all ATMs and public phones and public phone charging stations within the recognition view	Optional
4	at safe and bag deposit rooms and temporary storage service within the recognition view	Optional
5	at all emergency exit doors among floors within the recognition view	Changing "Recognition View " to be "Inspection View "
6	at the entrances and exits of the vehicles within the recognition view	Optional
7	at all loading and unloading areas within the detection view	Changing "Detection View " to be "Monitoring View "
8	at the area of getting on and off vehicles within the detection view	Changing "Detection View " to be "Monitoring View "

S.N	The Previous Resolution	The Present Resolution
9	inside men's prayer rooms within the detection view	Repeal
10	at the parking lots pathways within the detection view	Installing 4 MP cameras at height of 6 meters at the parking lots, within the detection view, provided that these parking are not covered.
11	at the area of storing and filling of liquefied gas within the recognition view	Changing "Recognition View " to be "Inspection View "
12	at the entrance to the electricity room within the recognition view	Optional
13	at the entrance to the water tanks room within the recognition view or at the water tanks within the detection view	Optional
14	at the fuel tanks of backup generators within the detection view	Changing "Detection View " to be "Monitoring View "
15	A security manager must be provided	A security manager must be provided 24/7
16	Female guards must be provided during the official working hours	Female guards must be provided, if required

This Resolution shall come into force as of the date of its issuance.

CEO