



SRP JUNE 2022



Deluxe Series
High Standard Series
Speaker Cable
Accessories



# NEW PACKAGING

The packaging should captivate with a refined look and feel, and a sophisticated design. It accentuates the distinctiveness of the high-quality Eagle Cable accessory products. Its visual design is complemented by the use of the best paper currently available on the market. The inlay is also made entirely of cardboard and thus also contributes to sustainability.





# QUALITY LEVELS

Our products are made of first-rate materials and offer optimum performance. And that is also reflected in the quality. With every quality level, from High Standard and Deluxe, right up to our absolute top-of-the-range High End Deluxe class, you benefit from finer, more sophisticated and ingenious cable technology. What do you get? More sound. More sharpness. Less loss.





HIGH **STANDARD** 

For the best entry



DELUXE

Our class for the ambitious




HIGH END **DELUXE** 

High End Cable - Made in Germany



 $\cdots$   $\Delta$ 



# MADE IN GERMANY

Made and engineered in Germany is our core philosophy, which is reflected in the Eagle Cable product range. The loudspeaker cables are manufactured at our very own cable factory in Southern Germany and all cables of the quality level High End Deluxe are assembled on our company headquarters in Ballrechten-Dottingen. All products are manufactured according to current directives (such as RoHS, REACH and CE) and are subject to constant quality control. The manufactured cables are characterised by their adherence to a high quality standard. Individual, customised cables and solutions are possible thanks to our tailored products and special assemblies which offer our customers the highest degree of flexibility.





Eagle Cable High End Deluxe Phono Cable

..... 6









The elegant looking HIGH END DELUXE audio cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.





- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH	SRP
100701073	4010409051059	High End Deluxe	Stereo Audio	XLR (m) - XLR (f)	0,75m	359,00
100701103	4010409051066	High End Deluxe	Stereo Audio	XLR (m) - XLR (f)	1,0m	379,00
100701153	4010409051073	High End Deluxe	Stereo Audio	XLR (m) - XLR (f)	1,5m	419,00







The elegant looking HIGH END DELUXE audio cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.





- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH	SRP
10070000	4010409065018	High End Deluxe	Stereo Audio	on spool (price/m)		38,89
10070107	4010409051028	High End Deluxe	Stereo Audio	RCA -RCA	0,75m	249,00
10070110	4010409051035	High End Deluxe	Stereo Audio	RCA -RCA	1,0m	319,00
10070115	4010409051042	High End Deluxe	Stereo Audio	RCA -RCA	1,5m	349,00




#### SPEAKER CABLE





The HIGH END DELUXE speaker cable, consisting of a 4-fold multicore structure with concentrically arranged copper strands, impresses with its excellent electrical parameters and its attractive design. The arrangement of the wires and the stranded conductors, the high copper content, as well as the PE material in combination with the textile meshwork, ensure a natural and homogeneous reproduction of all frequency ranges.





- 4 x 2,97 mm<sup>2</sup> cross section
- Concentrically stranded copper wires
- Double symmetrical structure
- Double PE insulation around each conductor
- Dense textile meshwork as outer jacket
- 8,5 mm in diameter
- Low inductance and capacitance
- With BFA beryllium copper bananas or

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH	SRP
31070000	4010409065001	High End Deluxe	Speaker Cable	on spool (price/m)		31,99
31070030	4010409051004	High End Deluxe	Speaker Cable	BFA   SW	2x3m	429,00
31070031	4010409051011	High End Deluxe	Speaker Cable	Cable Lug   SW	2x3m	419,00

11 .....








The elegant looking HIGH END DELUXE phono cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.











- Symmetrical design
  - High Speed copper conductor
  - Fine, lacquered 0,10 mm copper wires
  - Foamed PE insulation
  - 2 pieces of stabilizers (PE tubes)
  - Dense, braided shielding made of copper
  - PVC coat + textile braid
  - Cable diameter 6,5 mm
  - Solid, 24k gold-plated full metal connector

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH	SRP
10070315	4010409051745	High End Deluxe	Phono Cable	RCA -RCA	1,5m	399,00
100703151	4010409051769	High End Deluxe	Phono Cable	RCA -SME 90°	1,5m	399,00







The wave impedance of 75 ohms that is required for a digital cable is guaranteed with the HIGH END DELUXE digital cable due to the complex cable design. In addition, the construction offers optimal protection against external interferences. The solid conductor made of copper is embedded in a foamed PE dielectric and covered and protected with two foils and two shielding braids. High-resolution, digital audio formats can be transported and reproduced precisely and unadulterated. The solid metal connector ensures minimal contact resistance.





- Coaxial structure
- 4-fold shielding
- Solid conductor made of high-purity copper
- Foamed PE insulation
- 75 ohm impedance
- PVC coat + textile braid
- Cable diameter 8,0 mm
- Solid, 24k gold-plated full metal connector
- Cable diameter

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH	SRP
31370000	4010409065025	High End Deluxe	Digital Cable	on spool (price/m)		10,99
31370107	4010409051080	High End Deluxe	Digital Cable	RCA - RCA	0,75m	124,00
31370115	4010409051097	High End Deluxe	Digital Cable	RCA - RCA	1,5m	132,00
31370130	4010409051707	High End Deluxe	Digital Cable	RCA - RCA	3,0m	148,00
•••••	·······	•••••••	•••••••	••••••	··· ···	······································

### SUBWOOFER CABLE

#### HIGH END **DELUXE** \*\*\*\*







The elegant looking HIGH END DELUXE subwoofer cable impresses with its symmetrical structure. The two copper conductors consist of fine, lacquered copper strands and are covered with foamed PE material. Two separate PE pipes stabilize the cable. This cable architecture reduces unwanted capacities to a minimum and ensures a neutral and low-loss signal transmission without placing unnecessary strain on the amplifier.







SUB LFE out



- Symmetrical design
- High Speed copper conductor
- Fine, lacquered 0,10 mm copper wires
- Foamed PE insulation
- 2 pieces of stabilizers (PE tubes)
- Dense, braided shielding made of copper
- PVC coat + textile braid
- Cable diameter 6,5 mm
- Solid, 24k gold-plated full metal connector

ITEM-NO	EAN	QUALITY LEVEL	CATEGORY	CONNECTION	LENGTH	SRP
10070202	4010409051714	High End Deluxe	Subwoofer Cable	RCA -RCA	2,0m	169,00
10070203	4010409051721	High End Deluxe	Subwoofer Cable	RCA -RCA	3,0m	209,00
10070205	4010409051738	High End Deluxe	Subwoofer Cable	RCA -RCA	5,0m	279,00





# \*\*\*\*

# ENGINEERED IN GERMANY

The best cable is the one that has the least impact on the playback quality of the hi-fi or video system and transmits the original signal with as little loss as possible. This is our goal when developing and designing our DELUXE series at the company's headquarters in Ballrechte-Dottingen. All cables are manufactured by long-term, experienced partners from all over the world. Of course, the DELUXE cables also meet all guidelines, such as "RoHS", "REACH" or CE. You can also rely on the accuracy of fit and the highest quality standards. Every batch is put through its paces in our in-house test setup.





#### ULTRA HIGH SPEED HDMI CABLE






- Ultra High Speed HDMI 2.1
- Ultra HD 10K@120Hz (DSC)
- 48 Gbps
- 3 fold shielding
- Solid wire made of high-purity OFC
- HDR, HDR10+ und Dolby Vision
- eARC | ARC | HDCP 2.3 | HD Audio
- Ultra Certified Cable (HDMI.org)

This High Speed HDMI cable with Ethernet from the eagle cable DELUXE series features all HD audio formats and a resolution up to 10K@120 Hz (DSC) with a data rates up to 48 Gbps. HD audio formats such as DTS Master, Dolby True HD or Dolby Atmos guarantee a spectacular home cinema experience. Peppered with future-proof features such as HDR10+, Dolby Vision or Enhanced ARC (eARC), the cable supports the latest HDMI 2.1 standard and is also backwards compatible with all previous HDMI standards. The massive data lines are triple shielded. 24k gold-plated contacts ensure low contact resistance and optimal data transmission. It is suitable, for example, for connecting a Blu-ray player or a game console to a smart TV or projector.









HDMI Typ A

HDMI Typ A

ITEM-NO EAN QUALITY LEVEL CONNECTION LENGTH SRP HDMI (A) - HDMI (A) 19,99 10013010 4010409063601 1,0m Deluxe 1 Pc 10013015 4010409063618 HDMI (A) - HDMI (A) 22,99 Deluxe 1 Pc 1,5m 10013020 4010409063625 HDMI (A) - HDMI (A) 1 Pc 2,0m 25,99



#### HDMI CABLE





- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 18 Gbps
- 3 fold shielding
- Solid wire made of high-purity OFC copper
- High Dynamic Range (HDR)
- ARC | HDCP 2.2 | HD Audio
- 7.5 m to 15 m length incl. Redmere Chip integrated in the connector

ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
10012007	4010409044709	Deluxe	HDMI (A) - HDMI (A)	30	0,75m	26,99
10012015	4010409044716	Deluxe	HDMI (A) - HDMI (A)	30	1,5m	31,99
10012030	4010409044723	Deluxe	HDMI (A) - HDMI (A)	30	3,0m	37,99
10012050	4010409044730	Deluxe	HDMI (A) - HDMI (A)	10	5,0m	49,99
10012075	4010409044747	Deluxe	HDMI (A) - HDMI (A)	9	7,5m	99,99
10012100	4010409044754	Deluxe	HDMI (A) - HDMI (A)	6	10,0m	129,00
10012150	4010409044761	Deluxe	HDMI (A) - HDMI (A)	6	15,0m	199,00

# HDMI CABLE "PIGGYBACK"





- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 18 Gbps
- 3 fold shielding
- Solid wire made of high-purity OFC copper
- High Dynamic Range (HDR)
- ARC | HDCP 2.2 | HD Audio





ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
10011008	4010409056757	Deluxe	HDMI (A) - HDMI (A)	1 Pc	0,8m	21,19
10011016	4010409056764	Deluxe	HDMI (A) - HDMI (A)	1 Pc	1,6m	28,99
10011032	4010409056771	Deluxe	HDMI (A) - HDMI (A)	1 Pc	3,2m	41,99
10011048	4010409056788	Deluxe	HDMI (A) - HDMI (A)	1 Pc	4,8m	48,39

### HDMI CABLE | OPTICAL FIBRE







- Full 4K performance up to 100m!
- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 24 Gbps
- ARC (up to 50m)
- High Dynamic Range (HDR)
- HDCP 2.2 | HD Audio

ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
313241005	4010409043306	Deluxe	HDMI (A) - HDMI (A)	1 Pc	5 m	284,00
313241008	4010409043313	Deluxe	HDMI (A) - HDMI (A)	1 Pc	8 m	318,00
313241010	4010409022011	Deluxe	HDMI (A) - HDMI (A)	1 Pc	10 m	340,00
313241015	4010409014405	Deluxe	HDMI (A) - HDMI (A)	1 Pc	15 m	389,00
313241020	4010409014412	Deluxe	HDMI (A) - HDMI (A)	1 Pc	20 m	397,00
313241030	4010409014429	Deluxe	HDMI (A) - HDMI (A)	1 Pc	30 m	458,00
313241050	4010409014436	Deluxe	HDMI (A) - HDMI (A)	1 Pc	50 m	572,00
313241070	4010409014443	Deluxe	HDMI (A) - HDMI (A)	1 Pc	70 m	686,00
313241100	4010409014450	Deluxe	HDMI (A) - HDMI (A)	1 Pc	100 m	799,00

### HDMI MICRO CABLE | OPTICAL FIBRE



- Full 4K performance up to 100m!
- High Speed HDMI 2.0B
- 4k Ultra HD | 4k@50/60 Hz
- 24 Gbps | ARC (up to 50m)
- High Dynamic Range (HDR)
- HDCP 2.2 | HD Audio
- 4mm cable diameter







ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH		SRP
3132431010	4010409099808	Deluxe	HDMI (D) - HDMI (A)	1 Pc	10 m		423,00
3132431015	4010409099815	Deluxe	HDMI (D) - HDMI (A)	1 Pc	15 m	•••••••••••••••••••••••••••••••••••••••	458,00
3132431020	4010409099822	Deluxe	HDMI (D) - HDMI (A)	1 Pc	20 m	•••••••••••••••••••••••••••••••••••••••	480,00
3132431030	4010409099839	Deluxe	HDMI (D) - HDMI (A)	1 Pc	30 m	······································	538,00
3132431050	4010409099846	Deluxe	HDMI (D) - HDMI (A)	1 Pc	50 m	•••••••••••••••••••••••••••••••••••••••	640,00
3132431070	4010409099853	Deluxe	HDMI (D) - HDMI (A)	1 Pc	70 m	•••••••••••••••••••••••••••••••••••••••	755,00
3132431100	4010409099860	Deluxe	HDMI (D) - HDMI (A)	1 Pc	100 m	•••••••••••••••••••••••••••••••••••••••	869,00
	•		••••••		••••••		



# HDMI 2.1 CABLE 10K | 100M | OPTICAL FIBRE

**DELUXE** \*\*\*\*

HDMI cable with professional fibre optic technology. This technology facilitates data rates of up to 48 Gbps on a transmission path of up to 100 m. It therefore supports high-resolution 10K formats with 120 Hz as well as HDR. It is the solution for connecting devices with an HDMI 2.1 interface over great distances. Due to the build-in electronics the cable has a signal direction.

Full HD 1080p 120 Hz 4:4:4 HDR UHD 4K 3840 x 2160p 120 Hz 4:4:4 HDR UHD 4K 4096 x 2160p 120 Hz 4:4:4 HDR UHD 5K 5120 x 2160p 120 Hz 4:4:4 (DSC) UHD 8K 7680 x 4320p 120 Hz 4:4:4 HDR (DSC) UHD 10K 10240 x 4320p 60 Hz 4:4:4 (DSC) UHD 10K 10240 x 4320p 120 Hz 4:2:2 (DSC)

ITEM-NO	EAN	LENGTH	SRP
313245001	4010409064806	1 m	279,00
313245002	4010409064813	2 m	293,00
313245003	4010409064820	3 m	302,00
313245005	4010409064837	5 m	325,00
313245008	4010409064844	8 m	359,00
313245010	4010409064851	10 m	384,00
313245015	4010409064868	15 m	429,00
313245020	4010409064875	20 m	476,00
313245030	4010409064882	30 m	565,00
313245050	4010409064899	50 m	736,00
313245070	4010409064905	70 m	848,00
313245100	4010409064912	100 m	899,00







HDMI Typ A

HDMI Typ A

- optical Fiber Technology
- based on HDMI 2.1 specification
- supports 10K | 8K | 4K | Full HD
- supports data rate up to 48 Gbps
- supports HDCP 2.3
- supports EDID
- supports HDR, HDR10 und HDR10+
- supports 4:4:4, 4:2:2 und 4:2:0 Farbunterabtastung
- supports 36 Bit Farbtiefe (3 x 12Bit)
- supports up to 120 Fps
- supports DSC (Display Stream Compression)
- eARC up to 30m | ARC up to 50m
- metal plug
- powered by the HDMI port
- no additional power supply necessary
- signal direction marked
- cable diameter: 4mm
- plug&play
- easy to install
- CE, REACH, RoHS compliant



#### CAT6 NETWORK CABLE





- LAN cable for HD Audio and HD Video streaming
- thick conductor (AWG 24)
- SF-UTP (braided and foil shielding)
- high-purity OFC copper
- Separating cross between the twisted pairs
- 2 fold shielding





ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
10065000	4010409023605	Deluxe	on spool	100	100m	4,59/m
10065016	4010409009517	Deluxe	RJ45 - RJ45	60	1,6m	15,29
10065048	4010409009531	Deluxe	RJ45 - RJ45	60	4,8m	31,39

#### DIGITAL CABLE





- 2 fold shielding
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation
- 75 Ohm impedance






ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
100830007	4010409287052	Deluxe	RCA - RCA	1 Pc	0,75m	19,99
100830015	4010409287069	Deluxe	RCA - RCA	1 Pc	1,5m	23,99
100830030	4010409287076	Deluxe	RCA - RCA	1 Pc	3,0m	29,99

### OPTICAL CABLE





• with standardized Toslink plugs

• including 1 piece mini jack adapter

Plug in a metal housing

• PVC + braided insulation







ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
100821007	4010409287007	Deluxe	TOS-Link - TOS-Link   Mini Plug	60	0,75m	32,99
100821015	4010409287014	Deluxe	TOS-Link - TOS-Link   Mini Plug	60	1,5m	39,99
100821030	4010409287021	Deluxe	TOS-Link - TOS-Link   Mini Plug	60	3,0m	46,99
100821050	4010409287038	Deluxe	TOS-Link - TOS-Link   Mini Plug	60	5,0m	54,99
100821100	4010409287045	Deluxe	TOS-Link - TOS-Link   Mini Plug	60	10,0m	89,99





# AUDIO CABLE



- 2 fold shielding
- coaxial conductor design
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation







ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
100840007	4010409287083	Deluxe	Stereo   RCA - RCA	1 Pc	0,75m	39,99
100840015	4010409287267	Deluxe	Stereo   RCA - RCA	1 Pc	1,5m	44,99
100840030	4010409287090	Deluxe	Stereo   RCA - RCA	1 Pc	3,0m	58,99


# SUBWOOFER CABLE



- 2 fold shielding
- coaxial conductor design
- high-purity OFC copper
- solid metal plug
- PVC + braided insulation







ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
100841030	4010409287106	Deluxe	Y-Sub   RCA - 2 x RCA	1 Pc	3,0m	36,99
100841050	4010409287113	Deluxe	Y-Sub   RCA - 2 x RCA	1 Pc	5,0m	44,99
100841080	4010409287120	Deluxe	Y-Sub   RCA - 2 x RCA	1 Pc	8,0m	54,99
100841100	4010409287137	Deluxe	Y-Sub   RCA - 2 x RCA	1 Pc	10,0m	59,99
100842030	4010409078209	Deluxe	MONO -Sub   RCA - RCA	1 Pc	3,0m	27,99
100842050	4010409078216	Deluxe	MONO -Sub   RCA - RCA	1 Pc	5,0m	39,99
100842080	4010409078223	Deluxe	MONO -Sub   RCA - RCA	1 Pc	8,0m	45,99

#### POWER BAR ALU-6





- 6-fold SCHUKO Power Bar
- grounding receptacle socket with child protection
- elegant and robust aluminum housingtransparent anodized
- 2,5 mm<sup>2</sup> internal wiring
- protection class IP20
- 1,5m connection cable
- CEE 7/7 angle plug

Stable power supply forms the basis of good quality pictures and sound. A HiFi or Home Cinema system basically reproduces nothing else than modulated household electricity. So this should arrive at the device as constantly as possible. In this case, the mains connection cable is of essential importance. The big challenge for power bars and cords are extreme current peaks. They are caused by the connected devices themselves through the conversion from alternating to direct current. These extreme current peaks cause a whole series of unwanted effects. The Eagle Cable Power Bar ALU 6 is equipped for this demanding task and especially designed for connecting high-end Hifi Audio and Home Cinema systems.





- Sockets rotated 90°
- Fixing points at the end caps for wall mounting
- Sockets are examined individually
- equipped with contact protections and socket covers
- CE, ROHS, REACH conform

- 250 V~, 16 A, 50 Hz
- Connection power: max. 3.600 W
- Power cord: H05VV-F 3G 1,5 mm<sup>2</sup>
- Tested according regulations DIN VDE 0620-2-1: 2016-01
- Dimensions: 458 x 65 x 44 mm

ITEM-NO	EAN	QUALITY LEVEL	DESIGNATION	UNIT	LENGTH	SRP
313633015	4010409066428	Deluxe	Power Bar 6-Alu	1 Pc	1,5m	179,00





### JACK CABLE


DELUXE \* \* \* \*

High-quality jack cable with high-density shielding against external interference, e.g. from smartphones or WiFi routers. Suitable for connecting mobile devices such as MP3 players (iPod), smartphones, laptops or Computers etc. to amplifiers or AV receivers. Assembled with slim, yet solid, full-metal plugs with a practical recessed grip. Available as 3.5mm to 3.5mm or 3.5mm to 2 x RCA version.





- flexible AUX jack cable
- 3.5mm -> 3.5mm
- 3.5mm -> 2 x RCA
- high quality processed
- solid metal plug
- black braid jacket gives the cable a subtle, timeless design
- double shielding against external interference



····· 30 31 ·····

#### ANTENNA CABLE F-PLUG





- developed especially for high-definition HDTV TV formats
- suitable for the indoor installation of BK, SAT and cable TV systems.
- 100 dB shielding
- triple shielding





ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
10038116	4010409017307	Deluxe	F-Plug - F-Plug	60	1,6m	24,79
10038132	4010409017314	Deluxe	F-Plug - F-Plug	40	3,2m	32,99
10038148	4010409017321	Deluxe	F-Plug - F-Plug	40	4,8m	45,19

### ANTENNA CABLE COAX





- developed especially for high-definition HDTV TV formats
- suitable for the indoor installation of BK, SAT and cable TV systems.
- 100 dB shielding
- triple shielding



ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
10038016	4010409009029	Deluxe	Coax (m) - Coax (f)	60	1,6m	27,39
10038032	4010409009012	Deluxe	Coax (m) - Coax (f)	40	3,2m	36,29

#### HIGH-SPEED USB 2.0



- USB-A -> USB-B: suitable for HD (High Definition) audio streaming between e.g. media server and hi-fi system.
- USB-A -> Mini B: for safe and fast transfer of data, e.g. B. between MP3 players, smartphones, hard drives, cameras, camcorders and DVD recorders, TV or computer.
- data transfers up to 480 Mbit / s
- high density shielding













ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
10060008	4010409056801	Deluxe	USB A -> USB B	60	0,8m	11,09
10060016	4010409056818	Deluxe	USB A -> USB B	60	1,6m	13,29
10060032	4010409056825	Deluxe	USB A -> USB B	60	3,2m	17,79
10061016	4010409056849	Deluxe	USB A -> USB Mini B	60	1,6m	12,79
10061032	4010409056856	Deluxe	USB A -> USB Mini B	60	3,2m	17,39





### HDMI CABLE







- High Speed HDMI 2.0B\*
- 4k Ultra HD | 4k@50/60 Hz\*
- 18 Gbps\*
- High Dynamic Range (HDR)\*
- 2-fold shielding
- ARC | HDCP 2.2 | HD Audio

ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
20010015	4010409001733	High Standard	High Speed   HDMI - HDMI *	1 Pc	1,5m	17,29
20010030	4010409001740	High Standard	High Speed   HDMI - HDMI *	1 Pc	3,0m	23,59
20010050	4010409001757	High Standard	Standard   HDMI - HDMI	1 Pc	5,0m	31,89

# DIGITAL CABLE | OPTICAL







- plastic fiber
- **PVC** insulation
- molded connector
- for connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers

	ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
Ī	20030007	4010409001788	High Standard	TOS-Link -> TOS-Link	1 Pc	0,75m	14,39
•	20030015	4010409001795	High Standard	TOS-Link -> TOS-Link	1 Pc	1,5m	18,49

### JACK CABLE



- 3.5mm jack stereo audio cable for connecting mobile devices such as MP3 players (iPod), smartphones, laptops or PCs etc. to amplifiers or AV receivers
- **PVC** insulation
- molded connector
- available with various connections and adapters



ITEM-NO	EAN	QUALITY LEVEL	CONNECTION	UNIT	LENGTH	SRP
20071008	4010409056009	High Standard	3,5mm (m) -> 3,5mm (m)	70	0,8m	7,79
20071016	4010409056016	High Standard	3,5mm (m) -> 3,5mm (m)	70	1,6m	8,59
20071116	4010409056023	High Standard	3,5mm (m) -> 3,5mm (w)	70	1,6m	9,09
20071132	4010409056030	High Standard	3,5mm (m) -> 3,5mm (w)	70	3,2m	10,49
••••••	•				•••••••••••••••••••••••••••••••••••••••	
20071208	4010409056047	High Standard	3,5mm (m) -> 2 x RCA	70	0,8m	11,29
••••••	•				•••••••••••••••••••••••••••••••••••••••	
20071308	4010409056061	High Standard	3,5mm (m) -> 3,5mm (m) 90°	70	0,8m	8,79
20071316	4010409002907	High Standard	3,5mm (m) -> 3,5mm (m) 90°	70	1,6m	9,59







#### CALYPSO SPEAKER CABLE



#### SPEAKER CABLE







- 3-Flux-twisting
- 0.10 mm copper strands
- with center divider
- colored codation line
- round/round insulation construction

ITEM-NO	EAN	QUALITY LEVEL	CROSS SECTION	COLOUR	LENGTH	SRP
31062150	4010409621504	Deluxe	1,5mm²	Transparent	180 m	3,19
31062250	4010409622501	Deluxe	2,5mm <sup>2</sup>	Transparent	150 m	4,49
31062400	4010409624000	Deluxe	4,0mm <sup>2</sup>	Transparent	100 m	6,99







#### SILVERLINE SPEAKER CABLE








- 3x silver plated 0.07 mm copper strand bundle
- 4x 0.07 copper strand bundle
- squared/squared insulation construction
- colored codation line

ITEM-NO	EAN	QUALITY LEVEL	CROSS SECTION	COLOUR	LENGTH	SRP
31032250	4010409322500	Deluxe	2,5mm <sup>2</sup>	Transparent	100 m	8,99
31032400	4010409324009	Deluxe	<b>4</b> ,0mm²	Transparent	100 m	10,99



 All HIGH STANDARD speaker cables are made of 0,25mm pure copper strands.



ITEM-NO	EAN	QUALITY LEVEL	CROSS SECTION	COLOUR	LENGTH	SRP
20031075	4010409001115	High Standard	0,75mm²	Transparent	400 m	1,19
		•••••		••••	•••••	
20063150	4010409001139	High Standard	1,5mm²	Transparent	200 m	2,29
20063156	4010409001146	High Standard	1,5mm²	Weiß	200 m	2,29
20063250	4010409001160	High Standard	2,5mm <sup>2</sup>	Transparent	150 m	3,59
20063400	4010409001856	High Standard	4,0mm <sup>2</sup>	Transparent	100 m	4,99

#### SILVER SPEAKER CABLE





 All HIGH STANDARD speaker cables are made of 0,25mm silver plated pure copper strands.



ITEM-NO	EAN	QUALITY LEVEL	CROSS SECTION	COLOUR	LENGTH	SRP
20035150	4010409001191	High Standard	1,5mm²	Transparent	180 m	3,99
20035250	4010409001801	High Standard	2,5mm <sup>2</sup>	Transparent	120 m	5,99

··· 38

## D/A-CONVERTER



- 1 x Koax | 1 x TOS Link -> Cinch
- 48kHz | 24Bit
- 100-240VAC bzw. 5V DC
- CE conform | RoHS conform
- 50 x 34 x 40 mm

ITEM-NO	EAN	UNIT	SRP
30838042	4010409043900	Set of 1	62,29

#### HDMI ANGLED ADAPTER



- A 180° rotatable HDMI coupling for the angled and space-saving connection of an HDMI cable. Ideal in confined spaces behind your flat screens. HDMI (m) -> HDMI (f).
- HDMI A (m) -> HDMI A (f)

ITEM-NO	EAN	UNIT	SRP
30813730	4010409137302	1 pc	17,89

#### HDMI - DVI ADAPTER



- The HDMI <-> DVI adapter can integrate cables and components with DVI standard in HDMI systems.
- HDMI (f) > DVI -D (m) Adapter\*
- DVI -D (f) > HDMI (m) Adapter\*\*

ITEM-NO	EAN	UNIT	SRP
3081371*	4010409013712	1 pc	34,99
30813711**	4010409137111	1 pc	36,59

#### PROTECTION PLATES



 Protection plates made of full metal to protect sensitive floors or shelves.

ITEM-NO	EAN	UNIT	SRP
30851140	4010409511409	Set of 4	18,69

#### BFA BANANA

- up to 6.0mm<sup>2</sup>
- made of beryllium copper
- screw connection
- 24k gold-plated contacts
- black / red coded

ITEM-NO	EAN	UNIT	SRP
3081691	4010409016911	Set of 4	32,99
308169	4010409001696	bulk	7,49



#### BANANA LUXUS

- up to 16mm²
- screw connection
- 24k gold-plated contacts
- black / red coding

ITEM-NO	EAN	UNIT	SRP
30825700	4010409257000	Set of 4	26,99



#### KABELSCHUH KS-60

- up to 6mm²
- 6/8 mm spade
- 24k gold-plated contacts
- black / red coding

ITEM-NO	EAN		UNIT	SRP
00000, 0,0	4010409043917	Black	bulk	10,99
	4010409043924	Red	bulk	10,99



·· 40 41



# **OUR LOCATION**

Our company headquarters in Ballrechten-Dottingen: The pretty wine-growing village of Ballrechten-Dottingen is idyllically embedded in a gently undulating landscape near the 440 metre-high Castell-berg hill. Wine-growing has been a tradition here for over a thousand years, which of course can also be tasted in the quality of its products. If you happen to visit us, you should also experience the southern flair of this landscape along the historical dry-stone walls, by light-flooded downy oak groves or vast orchards, in addition to the joys of the local hospitality. Far-reaching views over the Rhine plains to the Vosges mountain range will accompany you on your adventures. It is not for nothing that Markgräflerland is also called the Tuscany of Germany.





42 43 ......



EAGLE CABLE

Eagle Cable GmbH Untermatten 12-14 79282 Ballrechten-Dottingen Germany

Tel.: +49 (7634) 69 77 1 Fax: +49 (7634) 69 74 1 E-Mail: fly@eagle-cable.de www.eagle-cable.de Errors expected, prices are subject to change!

Warning: The information contained in this price-list is intended for the use of the individual or entity to which it is adressed only, and contains information that are privileged, confidential and exempt from disclosure and applicable law. If you are not the intendend receipant you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited.

