

**GIPPSLAND REGIONAL  
WOUND ASSESSMENT CHART  
INSERT**

AFFIX LABEL HERE

**WOUND TYPE AND LOCATION:**

**ALLERGIES / SENSITIVITIES:**

**DATE:**

<b>Exudate Amount</b>	Nil	0							
	Low – up to 7 days wear	+							
	Mod – up to 2-3 days wear	++							
	Heavy – less than 24 hours wear	+++							
	<b>Exudate increasing</b>	✓							
<b>Exudate type</b>	Nil	✓							
	Serous	✓							
	Haemoserous	✓							
	Sanguineous	✓							
	<b>Purulent</b>	✓							
<b>Wound tissue / Debridement</b>	Healed (epithelial) / Intact suture line	%							
	Granulation	%							
	Slough	%							
	Eschar	%							
	Other Eg. Tendon/bone - list								
	<b>Hypergranulation</b>	✓							
	<b>Red friable / bleeding tissue</b>	✓							
	<b>Epithelial bridging</b>	✓							
<b>Granulation pocketing</b>	✓								
<b>Debride Autolytic (A) Mechanical (M) Sharp (S)</b>									
<b>Edges &amp; Periwound</b>	Healthy / Intact	✓							
	Macerated / Excoriated	✓							
	Oedema	✓							
	Dry (D), Scaly (S) , Callous (C)								
	Rolled Edges	✓							
	<b>Erythema (E), Heat (H), Odour (O)</b>								
<b>Weekly monitoring</b>	Length x Width x Depth (cm)								
	Undermined (cm)								
	Traced	✓							
	Photo	✓							
	Circumference <b>Right</b> ankle / calf (cm)		/	/	/	/	/	/	/
	<b>Left</b> ankle / calf (cm)		/	/	/	/	/	/	/
	<b>Increase in size or circumference</b>	✓							
<b>Pain</b>	Pre dressing pain (Rate 1 – 10)								
	Procedural pain (Rate 1 – 10)								
	Post dressing pain (Rate 1 – 10)								
	<b>Increase in wound pain or new pain</b>	✓							
<b>*ALERT*</b> <i>Shaded areas indicate increased bioburden, infection and /or potential biofilm formation Biofilm based wound management is required</i>									
Dressing regime changed (Yes / No)									
<b>INITIAL</b>									

**GIPPSLAND REGIONAL  
WOUND ASSESSMENT CHART  
INSERT**

**AFFIX LABEL HERE**

**WOUND TYPE AND LOCATION:**

**ALLERGIES / SENSITIVITIES:**

**DATE:**

<b>Exudate Amount</b>	Nil	0							
	Low – up to 7 days wear	+							
	Mod – up to 2-3 days wear	++							
	Heavy – less than 24 hours wear	+++							
	<b>Exudate increasing</b>	✓							

<b>Exudate type</b>	Nil	✓							
	Serous	✓							
	Haemoserous	✓							
	Sanguineous	✓							
	<b>Purulent</b>	✓							

<b>Wound tissue / Debridement</b>	Healed (epithelial) / Intact suture line	%							
	Granulation	%							
	Slough	%							
	Eschar	%							
	Other Eg. Tendon/bone - list								
	<b>Hypergranulation</b>	✓							
	<b>Red friable / bleeding tissue</b>	✓							
<b>Epithelial bridging</b>	✓								
<b>Granulation pocketing</b>	✓								

**Debride Autolytic (A) Mechanical (M) Sharp (S)**

<b>Edges &amp; Periwound</b>	Healthy / Intact	✓							
	Macerated / Excoriated	✓							
	Oedema	✓							
	Dry (D), Scaly (S) , Callous (C)								
	Rolled Edges	✓							
	<b>Erythema (E), Heat (H), Odour (O)</b>								

<b>Weekly monitoring</b>	Length x Width x Depth (cm)								
	Undermined (cm)								
	Traced	✓							
	Photo	✓							
	Circumference <b>Right</b> ankle / calf (cm)		/	/	/	/	/	/	/
	<b>Left</b> ankle / calf (cm)		/	/	/	/	/	/	/
	<b>Increase in size or circumference</b>	✓							

<b>Pain</b>	Pre dressing pain (Rate 1 – 10)								
	Procedural pain (Rate 1 – 10)								
	Post dressing pain (Rate 1 – 10)								
	<b>Increase in wound pain or new pain</b>	✓							

**\*ALERT\*** *Shaded areas indicate increased bioburden, infection and /or potential biofilm formation  
Biofilm based wound management is required*

Dressing regime changed (Yes / No)									
<b>INITIAL</b>									

**REGIONAL WOUND ASSESSMENT CHART**