



NOTES :-

1. ALL DIMENSIONS ARE IN M.M.
2. DESIGN STANDARD BS EN 40-3-1&3
3. DESIGN CRITERIA :
 - 3.1. BASIC WIND SPEED - IS : 875 PART III : 2015
 - 3.2. DESIGN LIFE - 25 YEARS.
 - 3.3. TERRAIN CATEGORY - 2
 - 3.4. TOPOGRAPHY - FLAT
4. MATERIALS :
 - 4.1. SHAFT : HOT ROLLED STEEL PLATE CONFORM TO IS-2062/ BSEN 10025 OR EQUIVALENT GRADE.
 - 4.2. FLANGE/GUSSETS/DOOR STIFFENER : AS PER IS-2062/ BSEN 10025 OR EQUIVALENT GRADE.
 - 4.3. FOUNDATION BOLTS : EN-8 GRADE
5. FINISHING : HOT DIP GALVANIZED TO BS EN ISO 1461.
6. TOLERANCES SHALL BE AS PER BS EN 40-2 UNLESS OTHERWISE SPECIFIED IN THE DRAWING
7. MAKE OF THE POLE "BAJAJ".
8. THIS HAS TO BE READ IN CONJUNCTION WITH FINAL OFFER.

FOUNDATION NOTES :-

1. ASSUMED S.B.C. - 10 T/M² (MINIMUM)
2. GRADE OF R.C.C - M20
3. GRADE OF STEEL REINFORCEMENT Fe 415 / Fe 500
4. CLEAR COVER TO REINFORCEMENT - 50 MM
5. CONCRETE VIBRATED
6. USE SHUTTERING

BOPH-1230

TOLERANCES :-	
DIAMETERS A/F	± 2.5 %
POLE TOTAL LENGTH	± 1.2 %
POLE STRAIGHTNESS	± 0.3 %

OPF012009021003SD0025300X300X164DS28X60.

CLIENT	-----	DATE	27.07.2022
PROJECT	STREET LIGHTING		
CONTRACTOR	-----		
MANUFACTURER			
TITLE	INDICATIVE GENERAL ARRANGEMENT DRAWING OF 12M OCTAGONAL POLE	DRG. NO.	
DRWN BY	TM	PROJECT CODE	
DSGD BY	HVR	DESIGN CODE	EPC-SL-22-OCT-12M-210-90-3-S
CHKD BY	VA		
APPRD BY	SA		
SHT 01 OF 01		REV. NO. 02	

This drawing is the property of "BAJAJ ELECTRICALS LTD." & must be returned on request. It is submitted as confidential information in connection with enquiry, tenders, orders or contracts. It is not to be used for any other purpose or order nor may it re-copied or lent without our authority in writing.

REV NO	DATE	REVISION DESCRIPTION	DRWN	CHKD	APPRD
02	22.11.2022	REVISED AS MARKED	MTP	VA	SA
01	26.09.2022	REVISED AS MARKED	TM	VA	SA