



TOLERANCES:-

DIAMETERS A/F	± 2.5 %
POLE TOTAL LENGTH	± 1.2 %
POLE STRAIGHTNESS	± 0.3 %

GENERAL NOTES:-

- ALL DIMENSIONS ARE IN M.M.
- DESIGN STANDARD BS EN 40-3-1&3
- DESIGN CRITERIA :
 - BASIC WIND SPEED - IS: 875 PART III : 2015
 - DESIGN LIFE - 25 YEARS.
 - TERRAIN CATEGORY - 2
 - TOPOGRAPHY - FLAT
- MATERIALS:
 - SHAFT : HOT ROLLED STEEL PLATE CONFORM TO IS-2062/ BSEN 10025 OR EQUIVALENT GRADE.
 - FLANGE/GUSSETS/DOOR STIFFENER : AS PER IS-2062/ BSEN 10025 OR EQUIVALENT GRADE.
 - FOUNDATION BOLTS: EN-8 GRADE
- FINISHING: HOT DIP GALVANIZED TO BS EN ISO 1461.
- TOLERANCES SHALL BE AS PER BS EN 40-2 UNLESS OTHERWISE SPECIFIED IN THE DRAWING
- MAKE OF THE POLE "BAJAJ".
- THIS HAS TO BE READ IN CONJUNCTION WITH FINAL OFFER

FOUNDATION NOTES:-

- ASSUMED S.B.C. - 10 T/M² (MINIMUM)
- GRADE OF STEEL REINFORCEMENT Fe 415 / Fe 500
- CLEAR COVER TO REINFORCEMENT - 50 MM
- CONCRETE VIBRATED
- USE SHUTTERING

Sr. No.	Abbreviation	Parameters	Detail
A			
POLES			
1	H	Height of pole.	4 Mtr.
2	T	Pole Top A/F.	70mm
3	B	Pole Bottom A/F.	130mm
4	Tk	Shaft Thickness.	3mm
5	Dh	Door Height	500mm
6	De	Door elevation	500mm
7	Bp	Base plate dim.	200x200x12mm
8	Sh	Slot / Hole dim.	20x34mm
9	Sn	No. of slot/holes.	4 nos.
10	PCD	PCD	200mm
11	S	Pole Shape/sides	Octagonal
C			
FOUNDATION BOLT			
1	Fal	Foundation Bolt Detail	EN8 Grade, M16x450mm J Type
2	Th	Threaded Length	80mm
D			
FOUNDATION BLOCK DETAIL			
1	Fp	Total Depth	1200mm
2	Fd	Planting Depth	1000mm
3	Fa	Elevation above ground	200mm
4	Fw	Width	400mm
5	T1	Bar dia & qty in nos.	Ø12mm - 04 nos.
6	T2	Bar dia & CTC spacing	Ø8mm at 190 C/C
7	RCC (GR)	Concrete Grade	M-20

CLIENT:	----		
PROJECT:	STREET LIGHTING		
DEALER:	----		
MANUFACTURER:	BAJAJ ELECTRICALS LIMITED		
TITLE:	INDICATIVE GENERAL ARRANGEMENT & FOUNDATION DRAWING OF 4M OCTAGONAL POLE		
DATE:	15-02-2024		
DRWN BY:	MTP	PROJECT CODE:	DRG NO.
DSGD BY:	SK	STD	
CHKD BY:	UM	DESIGN CODE:	PL-OP-24-STD-4M HS-001
APPRD BY:	SA		
SHEET:	01 of 01		
REV. NO.:	00		

This drawing is property of "BAJAJ ELECTRICALS LTD." & must returned on request. It is submitted as confidential information in connection with enquiry, tenders, orders or contracts. It is not to be used for any other purpose or order nor may it be re-copied or lent without our authority in writing.

REV. NO.	DATE	REVISION DESCRIPTION	DRWN	CHKD	APPRD