

TA BARRIER GATE

www.taif-alalmas.com

TA BARRIER GATE TA-0211 All In One Barrier Gate

Features

1. Customized boom length
2. Unique anti-smashing function
3. Loop detector /sensor can be equipped.
4. Simply structure, runs stable and reliable.
5. Easy to integrate with other parking systems
6. Integrated obstacle detection system for extra safety
7. Self-learning function and encoder controlled movement
8. Left and right Installation changeable according your need
9. Boom barrier with light reflector for safety and respectability
10. Auto-closing function (adjustable from 0s to 255s, factory default off this function)
11. Support secondary development, and it is extensible to DC 24V UPS and solar power supply

TA BARRIER GATE

www.taif-alalmas.com



supermarket



hotel



hospital



school



more
places



residential



business buliding



enterprise



resort

TA BARRIER GATE TA-0211

Main Specification

Input voltage	AC 110V/220V
Working voltage	DC24V
Work rate	150W
length	4- 6m
Remote control	433MHz (rolling code)
Remote control	100m (open state)


TA BARRIER GATE

www.taif-alalmas.com

Interface	Switch interface, 485 interface (optional)
------------------	--

Package

N.W.	50KG
G.W.	52KG
Package size	0.42*0.38*1.095cm



Email: sales@taif-alalmas.com; Contact: 920002961; Website: www.taif-alalmas.com