

### PETRO VE766



FULL PVC COATING ON JERSEY LINER GLOVE - LENGTH 62CM Ref. VE766





### Product specifications

Chemical PVC. PVC on cotton knitted lining gauge 13. Rough-textured hand. Length: 62 cm. Thickness: 1.30 mm.

Support: cotton. Coating: PVC.

Thickness: 1,30 mm.

### COLOUR

Blue

SIZE

08, 09, 10



Biological chemical particles Wearing







Agriculture / Green areas





Product's highlights & user's benefits							
1.30							
O% Blucone							
<b>V</b> 3D							
Sall Sall	Textured structure	Good grip of handled objects					
	PVC	Good resistance to abrasion Material very resistant to oils, chemicals and petroleum derivatives					
	Length : 62 cm	Complete arm protection					



### Certifications and Standards

## $\epsilon$

### **REGULATION (EU) 2016/425**

#### EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

### EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 4: Resistance to abrasion (from 1 to 4)
- 1: Resistance to cutting (from 1 to 5)
- 3: Resistance to tear (from 1 to 4)
- 1: Resistance to puncture (1 to 4)
- X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

# EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.





- | 2 > 30 mn: n-Heptane (I) CAS 142-85-5
- K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
- L 4 > 120 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9

(B)

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.

References							
References	Bar code	COLOUR	SIZE	•	À		
VE766BL08	3295249196141	Blue	08	60	6		
VE766BL09	3295249196158	Blue	09	60	6		
VE766BL10	3295249196165	Blue	10	60	6		