

RICOH IM 2702

✔ Copy ✔ Print ✔ Scan ✔ Fax



Intelligent and reliable

Bringing new intelligence to your document processes, this A3 black and white MFP has a colour touchscreen panel that simplifies operation and supports cloud integration.

Intelligent workflow tools

- Intuitive user interface
- Downloadable Smart apps
- Cloud integration
- Smartphone connection

The Smart Operation Panel plays host to a suite of intelligent workflow tools. Downloadable apps, such as ID Card Copy, automate time-consuming processes. Users can connect seamlessly to the MFP and print from / scan to their smartphones and tablets. And, with easy cloud integration, they can scan documents and upload them to cloud services, like DropBox™ and Sharepoint™.

Versatile and productive

- Fast 27 ppm print speed
- High capacity ARDF
- A6 to A3 paper formats
- 1600 sheet max capacity



Designed for use in demanding environments, the IM 2702 delivers robust performance with minimal support. Localisation is easy as the MFP supports a variety of languages, including Arabic. And, with pre-set developer and a user replaceable photo conductor unit, it can easily be installed and maintained by local staff. What is more, to ensure a fast return on the initial cost, the MFP's smart energy saving features and high yield toner cartridges reduce running costs.



The IM 2702 provides a versatile and productive answer to all document needs. It prints and copies in black and white, and scans in colour. Fax is an option. The ARDF quickly scans double-sided originals and multipage documents are printed at speed. With up to three 500 sheet paper trays and a multi-sheet bypass on line, it is easy to print onto different paper sizes or to feed envelopes and labels. And, with the MFP switching seamlessly between trays, there really is no need to stop.

Easy to maintain

- User installable MFP
- User replaceable Photo Conductor Unit
- Multiple language support
- High yield toner

RICOH IM 2702

MAIN SPECIFICATIONS

GENERAL

| | |
|-------------------------|---|
| Warm-up time | 25 seconds |
| First copy speed: B/W | 6.5 seconds |
| Continuous output speed | 27 ppm |
| Memory: standard | 2 GB |
| Memory: maximum | 2 GB |
| ARDF capacity | 100 sheets |
| Weight | 46.5 kg |
| Dimensions: W x D x H | 587 x 581 x 677 mm |
| Power source | 220 - 240 V, 50 - 60 Hz |
| Laser classification | Class 1 Laser Product (IEC60825 - 1:2014) |

COPIER

| | |
|------------------|------------------|
| Multiple copying | Up to 999 copies |
| Resolution | 600 x 600 dpi |
| Zoom | From 25% to 400% |

PRINTER

| | |
|-----------------------------|---|
| Printer language | PCL5e PCL6 PostScript 3 (emulation) |
| Print resolution: maximum | 600 x 600 dpi |
| Network interface: standard | Ethernet 10 base-T/100 base-TX/1000 base-T USB2.0 Type B Wireless LAN (IEEE 802.11 a/b/g/n) USB Host 2.0 |
| Mobile printing capability | Apple AirPrint Mopria® Google Cloud Print |
| Network protocol | TCP/IP (IP v4, IP v6) |
| Windows® environments | Windows® 7 Windows® 8.1 Windows® 10 Windows® Server 2008 Windows® Server 2008R2 Windows® Server 2012 Windows® Server 2012R2 Windows® Server 2016 Windows® Server 2019 |
| Mac OS environments | Macintosh OS X v10.8 - v10.11 |

SCANNER

| | |
|-----------------------|---------------|
| Scanning: B/W | 50 ipm |
| Scanning: full colour | 50 ipm |
| Resolution: maximum | 1,200 dpi |
| Bundled drivers | Network TWAIN |

FAX

| | |
|----------------------|------------------|
| Compatibility | ITU-T (CCITT) G3 |
| Transmission speed | 3 seconds |
| Modem speed: maximum | 33.6 Kbps |

PAPER HANDLING

| | |
|------------------------|---|
| Recommended paper size | Bypass tray: Custom Size paper (Width, Length) Duplex tray: |
| Paper input: standard | 500 sheets |
| Paper input: maximum | 1,600 sheets |
| Paper output: standard | 250 sheets |
| Paper weight | Trays: 52 - 105 g/m ² Bypass: 52 - 216 g/m ² |

ECOLOGY

| | |
|-------------------------------------|-------------------|
| Power consumption: max. | Less than 1,550 W |
| Power consumption operation: B&W | 500 W |

OUTPUT TRAYS AND FINISHER OPTIONS

1x 500-sheet paper tray
2x 500-sheet paper tray
One-bin tray

RICOH IM 2702

MAIN SPECIFICATIONS

OTHER OPTIONS

Fax unit
ADF handle
NFC card reader
Bypass tray cover



CONSUMABLES

| | |
|---|---------------|
| Toner (regular yield) | 4,000 prints |
| Toner (high yield) | 12,000 prints |
| Consumable yield based on 2p/j 6% coverage on A4 | |

