Betty Clark, BSN, Med, RN, CRRN

Freelance Rehabilitation Educator

Laws you should know:

•Smith- Fess Act (Civilian Vocational Act) of 1920

- •Social Security Act -1935 –Social Security Disability Insurance (SSDI) 1972
- Workman's (Worker's) comp (1965)

• CMS (Centers for Medicare and Medicaid) (1965)

Medicare for over 65 y.o. or with a disability after 24 months & ESRD, Transplants, ALS

Part A Hospitalizations, SNF for first 100 days after 3-day hospital stay, hospice, DME

Part B Physicians office

Part C Advantage plans

Part D Drug coverage

2.Medicaid Title XIX - managed by states funded by Federal programs

- Rehabilitation Act of 1973
- Fair Housing Amendments Act of 1988
- The Americans with Disabilities Act of 1990
- Developmental Disablities Assistance and Bill of Rights Act (DD act) - 2000
- No Child Left Behind -2001 was replaced with Every Student Succeeds Act (ESSA) 2015

- Individual with Disabilities Educational Improvement Act - IDEA – 2004 (replaced Education for All Handicapped Children Act of 1975)
- Affordable Care Act -2011
- IMPACT—Medicare Post—Acute Care Transformation 2014 - unified payment system for post-acute care: LTACHs, SNFs, HHAs, & IRFs

IMPACT

- This law requires submission of this data:
- \circ Functional status
- Cognitive function & mental status
- \circ Special services
- \circ Treatments
- \circ Interventions
- \circ Medical conditions & co-morbidities
- Quality measures-

Quality Measures

- Skin integrity
- Functional & cognitive status (changes)
- Med reconciliation
- Incidence of major falls
- Transference of Health Info
- Discharge info
- Potential preventable readmission

Guidelines for Accessibility

- Doors –at least 32 in wide
- Thresholds less than 1/2 inch
- Steps not higher than 7 in.
- Building restrooms-
 - Turning space 60 in. by 60 in
 - At least one with measurements of 3 ft wide and 4ft 8 in deep
 - Toilet seat at least 17-19 in high from base

Guidelines for Accessibility

- Water coolers- must be at 36 in or less from the floor
- Public telephones –no higher than 48 in from the floor
- Elevators- call buttons no higher than 48 in from the floor
- Fire alarms, light switches and thermostats not higher then 48 in. from the floor

Guidelines for Accessibility

- Handicap Parking has to be within 200 ft of entrance to building
- Walkways at least 48 in. wide and gradient not greater than 1 ft rise in 20 ft
- Ramps-slope no greater than 1 ft rise in 12 ft
 - Width at least 36 in.
 - Handrails at least 32 in above the surface



- National Rehabilitation Information Center 800/346-2742 (Eastern time)
- •RESNA Technical Assistance Project 703/524-6686 (ask if a local office is available)

Resources for Finding Solutions

- Many government and private resources are available.
- Resources change constantly; be mindful in searching for new resources.