



CONTINENTAL
A B R A S I V E S

400+
NEW ITEMS



CONTINENTAL ABRASIVES,

A leader in the abrasives industry, the name recognized for quality and service is pleased to announce their return to the distribution of abrasives; same owner and same sales team.

Trusted by Generations...

The makers of Continental Abrasives have been providing high quality wheels to industry for several generations. Our experience and knowledge assures that we will continue to deliver world-class products to industry today and for generations to come.

Designed with the Professional in Mind...

At Continental Abrasives we know how hard you work and that your time is valuable. That is why we have created a product line that works as hard as you do. Day to day you can rely on our products to deliver consistent value and performance. We take pride in our products just as you take pride in your work.

World-Class Performance...

Our grinding wheels and abrasive cutting wheels are made from the best raw materials available. We use high quality virgin grain coupled with the highest quality resin and fiberglass available. Combining these high quality raw materials with our factory's many years of experience in manufacturing abrasives yield our world-class performance.

Best Value...

At Continental Abrasives we work hard to keep our manufacturing costs low. We ship large quantities of product to locations all over the world. All of our cost savings are passed on to our customers. This allows us to be a low cost provider of high quality products to the professionals.

Our Guarantee...

We stand behind everything we make and guarantee your satisfaction. **Use our abrasive products**; if you are not satisfied, return them. We are that confident you will be satisfied.

***Continental Abrasives is truly
a Global Abrasives Company.***




OUR SERVICES

- PROFESSIONAL SALES & CUSTOMER SERVICE TEAM
- BUSINESS FRIENDLY POLICIES
- ON SITE ABRASIVES EXPERT TO ANSWER YOUR QUESTIONS
- PRIVATE LABEL PROGRAMS
- SAME DAY SHIPPING
- PRODUCT SAMPLING & TESTING

OUR COMMITMENT & GUARANTEE

Quality, performance and price. **CONTINENTAL ABRASIVES** stands behind every product we sell. If you are not 100% satisfied, we will refund your money.

TOOL ICONS



Right Angle Grinder



Stationary Saw




Gas Powered Saw



Circular Saw



Chop Saw



Die Grinder



Power Drill



DA Sander



Portable Electric Saw



Bench Grinder



Air Tool



Right Angle Air Tool

INDEX

Wheel Application Chart	4
New Products NEW	5

BONDED ABRASIVES

ULTICUT NEW	6
ULTICUT Circular Saw & Chop Saw Wheels NEW	7
ULTICUT Premium Thin Cut-Off Wheels NEW	8
ULTICUT T-27 Cutting & Grinding Wheels NEW	9
Circular Saw & Stationary Cut-Off Wheels	10
Low Horsepower Chop Saw Wheels	11
High Speed Gas Powered Wheels	12
Small Diameter Cut-Off Wheels & Mandrel NEW	13
Premium Thin Cut-Off Wheels NEW	14
T-27 Grinding Wheels	15
T-27 Cutting & Grinding Wheels	16
Aluminum Solutions (Cutting-Grinding-Flap Discs) NEW	17

COATED ABRASIVES

T-29 Zirconia Flap Discs	18
T-29 Zirconia Flap Discs High Density	19
T-27 Zirconia Flap Discs	20
T-27 Zirconia Flap Discs High Density	21
T-29 & T-27 Ceramic Flap Discs NEW	22
Trimmable Flap Discs & Quick Change Flap Discs NEW	23
Quick Change Sanding Discs NEW	24
Quick Change Sanding Discs NEW	25
Resin Fiber Discs Aluminum Oxide	26
Resin Fiber Discs Zirconia NEW	27
Resin Fiber Discs Ceramic NEW	28
Shop Rolls Aluminum Oxide	29
Gold Hook & Loop Discs NEW	30
Gold PSA Rolls & Discs NEW	31
Film Backed Hook and Loop Discs 5" NEW	32
Film Backed Hook and Loop Discs 6" NEW	33
Film Backed PSA Discs with Tab NEW	34
PSA Sheet Rolls NEW	34
Backing Pads NEW	35
Mounted Flap Wheels	36
Unmounted Flap Wheels NEW	37

OTHER PRODUCTS

Surface Prep Wheels and Non-Woven NEW	38
Macro Strip Paint and Rust Removal Discs NEW	39
Twist Knot Wire Wheels	40
Wire Cup Brushes	41
Wire Wheels and Wire Brushes	42
Wire Brushes NEW	43
Double Cut Carbide Burrs	44-45
Aluminum Cut Carbide Burrs NEW	46
Diamond Blades & Diamond Cups NEW	47



Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



 WARNING: Always use tools with guards & wear protective equipment.

NEW

PRODUCTS



Ulticut®

BONDED ABRASIVES

Circular Saw & Chop Saw Wheels
Premium Thin Cut Off Wheels
T-27 Grinding and Cutting Wheels

Page 7
Page 8
Page 9

BONDED ABRASIVES

Small Diameter Cut-Off Wheels & Mandrel
Premium Thin Cut-Off Wheels

Page 13
Page 14



COATED ABRASIVES

Trimable & Quick Change Flap Discs Page 23
Quick change Sanding Discs Page 24-25
Gold Hook & Loop Discs Page 30
Gold PSA Rolls & Discs Page 31
Film Backed Hook & Loop Discs Page 32-33
Film Backed PSA Discs with Tab Page 34
PSA Sheet Rolls Page 34
Backing Pads Page 35
Unmounted Flap Wheels Page 37

ALUMINUM SOLUTIONS

Type 1 Cutting Wheels Page 17
Type 27 Grinding Wheels Page 17
Flap Discs Page 17
Aluminum Burrs Page 46



NEW PRODUCTS

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

WARNING: Always use tools with guards & wear protective equipment.



Ulticut®

The **"ULTIMATE"** in Cutting and Grinding

Up to **DOUBLE** the life ratio
and # of cuts
Out performs Zirconia

Unrivaled Price/Performance Ratio

Unlike other pricey "high performance" cutting and grinding solutions available in the marketplace; the Ulticut® series of cutting and grinding wheels has been engineered to provide industry leading performance at a fraction of the price. Ulticut® achieves this distinction through a proprietary blend of thermosetting resin bonding technology and a unique engineered aluminum oxide grain that leaves the competition in its dust.

Shieldtech™ Grain

Ulticut's® Shieldtech™ aluminum oxide grain provides increased life, cooler cutting & grinding and a better finish than the other "high performance" product on the market. The Shieldtech™ armor increases the overall strength and hardness of the grains making them perfect for both non-ferrous and ferrous metal like stainless steel.

Contaminant Free

Ulticut® wheels are a contaminant free solution for your cutting and grinding needs.

**Ulticut® is truly an
industry game changer!**


FOR USE ON: Stainless steel, steel, iron, ferrous and non-ferrous metals and hard materials



ULTICUT COMPETITIVE TEST RESULTS -

THIN CUTTING WHEEL, CUTTING ½" X ½" STAINLESS STEEL SQUARE TUBE VS THE COMPETITION

Number of Cuts



WARNING: Always use tools with guards & wear protective equipment.

CIRCULAR SAW & CHOP SAW WHEELS

Ulticut®

Type 1
Portable handheld
circular saw wheels
double reinforced



METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
AU0-10701171	7" x 1/8" x Dia-5/8"	8730	25	100

Type 1
Chop saw wheels
fiberglass reinforced



**STEEL
STAINLESS STEEL**



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
AU1-11401191	14" x 1/8" x 1"	4,365	10	20
AU1-11401091	14" x 7/64" x 1"	4,365	10	20
AU1-11400991	14" x 3/32" x 1"	4,365	10	30

// BONDED ABRASIVES //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

Ulticut®
HIGH PERFORMANCE

- Contaminant Free
- Fast Cut Performance wheel
- Guaranteed to provide more cuts than standard Fast Cut Wheels
- Can be used on both Stationary Saws and Chop Saws

APPLICATIONS

- Stainless steel
- Alloy
- Carbon steel
- Metal tubing
- Rebar
- Light gauge metals

WARNING: Always use tools with guards & wear protective equipment.



PREMIUM THIN ALUMINUM OXIDE WHEELS

Type 1
Premium thin aluminum oxide wheels double reinforced



**STEEL
STAINLESS STEEL**



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
* AU2-10300621	3" x 1/16" x 3/8"	24,465	50	800
* AU2-10400321	4" x .045" x 3/8"	24,465	50	500
AU2-10400341	4" x .045" x 5/8"	15,300	50	500
AU2-10450651	4 1/2" x 1/16" x 7/8"	13,580	50	500
* AU3-10300251	3" x .040" x 3/8"	24,465	100	1000
AU3-10450351	4 1/2" x .045" x 7/8"	13,580	50	500
AU3-10500351	5" x .045" x 7/8"	12,225	50	250
AU3-10600351	6" x .045" x 7/8"	10,190	25	250
AU3-10700351	7" x .045" x 7/8"	8,600	25	200

(See Page 13 for 3/8" Arbor Mandrels)

Type 27
Depressed center premium thin aluminum oxide wheels double reinforced



**STEEL
STAINLESS STEEL**



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
AU4-10450352	4 1/2" x .045" x 7/8"	13,580	50	500
AU4-10600352	6" x .045" x 7/8"	10,190	25	250
AU4-10700352	7" x .045" x 7/8"	8,600	25	250

Ulticut®
HIGH PERFORMANCE

- Contaminant Free
- Special formulation offers the "Ultimate" in cutting.
- Fully reinforced and designed for long life and fast cutting.
- Up to "DOUBLE" cuts compared to normal CA wheels.

APPLICATIONS

- Stainless steel
- Alloy
- Carbon steel
- Metal tubing
- Rebar
- Light gauge metals



WARNING: Always use tools with guards & wear protective equipment.


T-27 CUTTING & GRINDING WHEELS

Ulticut®

Type 27
Depressed center
grinding wheels
7/8" & 5/8" - 11 Flange



**STEEL
STAINLESS STEEL**




PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
AU5-10451452	4 1/2" x 1/4" x 7/8"	13,580	25	200
AU5-10451472	4 1/2" x 1/4" x 5/8"-11	13,580	10	80
AU5-10501452	5" x 1/4" x 7/8"	12,225	25	100
NEW AU5-10701452	7" x 1/4" x 7/8"	8,600	20	80
AU5-10701472	7" x 1/4" x 5/8"-11	8,600	10	40
NEW AU5-10901452	9" x 1/4" x 7/8"	6,600	20	60
NEW AU5-10901472	9" x 1/4" x 5/8"-11	6,600	10	40

Type 27
Depressed center
grinding wheels
cutting, notching,
grinding metal pipe
7/8" & 5/8" - 11 Flange



**STEEL
STAINLESS STEEL**



PIPELINE

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
AU6-10451152	4 1/2" x 1/8" x 7/8"	13,580	25	200
AU6-10451172	4 1/2" x 1/8" x 5/8"-11	13,580	10	80
NEW AU6-10601152	6" x 1/8" x 7/8"	10,190	25	100
AU6-10701152	7" x 1/8" x 7/8"	8,600	25	100
AU6-10701172	7" x 1/8" x 5/8"-11	8,600	10	40

Ulticut®
HIGH PERFORMANCE

- Contaminant Free
- Special formulation offers the "Ultimate" in cutting.
- Fully reinforced and designed for long life and fast cutting.
- Targeting specific cutting needs for professionals.

APPLICATIONS

- Stainless steel
- Alloy
- Carbon steel
- Metal tubing
- Rebar
- Light gauge metals

WARNING: Always use tools with guards & wear protective equipment.



// BONDED ABRASIVES //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



CIRCULAR SAW & STATIONARY CUT-OFF WHEELS

Type 1
Portable handheld
circular saw wheels
double reinforced



METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A0-10701171	7" x 1/8" x Dia-5/8"	8,730	25	100

APPLICATIONS

- All ferrous metals
- Steel
- Structural steel
- Rebar
- Bar stock

FEATURES

- Aluminum Oxide grain
- High strength phenolic resin bond
- Diamond knock outs
- ISO 9001 Certified - Red color code
- Double external reinforced with high tensile strength fiberglass


BENEFITS

- Extended wheel life
- Strong, durable long-lasting grain
- High strength for added safety
- Reliable consistency and performance

Type 1
Stationary saw &
electric portable
saw wheels
double reinforced



METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A1-11201191	12" x 1/8" x 1"	5,095	10	40
A1-11401191	14" x 1/8" x 1"	4,365	10	40

APPLICATIONS

- Steel
- Rebar
- Bar stock
- Structural steel
- All ferrous metals

FEATURES

- Aluminum Oxide grain
- High strength phenolic resin bond
- ISO 9001 Certified - Red color code
- Double external reinforced with high tensile strength fiberglass

BENEFITS

- Extended wheel life
- Strong, durable, long-lasting grain
- High strength for added safety



WARNING: Always use tools with guards & wear protective equipment.

// BONDED ABRASIVES //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

LOW HORSEPOWER CHOP SAW WHEELS




Type 1

Low horsepower
chop saw wheels
center reinforced



METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A1-11401091	14" x 7/64" x 1"	4,365	10	40

APPLICATIONS

- Steel
- Tubing
- All ferrous metals
- Structural shapes
- Small solid bar stock
- Light bar stock

FEATURES

- Aluminum Oxide grain
- High strength phenolic resin bond
- Center reinforced with high tensile strength fiberglass
- Formulated for low horsepower portable, electric chop saws
- ISO 9001 Certified - Red color code

BENEFITS


- Extended wheel life
- Free and cool cutting
- Strong, durable long-lasting grain
- Less operator fatigue
- Less wear on chop saw

Type 1

Low horsepower
chop saw wheels
double reinforced



METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A1-11400991	14" x 3/32" x 1"	4,365	10	50

APPLICATIONS

- Thin wall tube
- Steel studs
- Thin rebar
- Light-gauge metals

FEATURES

- Aluminum Oxide grain
- High strength phenolic resin bond
- Double external reinforced with high tensile strength fiberglass
- Formulated for low horsepower, portable, electric chop saws
- ISO 9001 Certified - Red color code

BENEFITS

- Extended wheel life
- High strength for added safety
- Less operator fatigue
- Less wear on chop saw
- Narrow kerf
- Strong, durable, long-lasting grain

WARNING: Always use tools with guards & wear protective equipment.



// BONDED ABRASIVES //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



TRIPLE REINFORCED HIGH SPEED GAS POWERED SAW WHEELS

Type 1
Portable gas
saw wheels
3 layers of
fiberglass
reinforcing



**STEEL/STONE
DUCTILE**



METAL/STEEL

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A7-11201281	12" x 1/8" (5/32") x 1"	6,360	10	30
A7-11201291	12" x 1/8" (5/32") x 20mm	6,360	10	30
A7-11401281	14" x 1/8" (5/32") x 1"	5,400	10	30
A7-11401291	14" x 1/8" (5/32") x 20mm	5,400	10	30

CONCRETE/ASPHALT

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A7-21201281	12" x 1/8" (5/32") x 1"	6,360	10	30
A7-21201291	12" x 1/8" (5/32") x 20mm	6,360	10	30
A7-21401281	14" x 1/8" (5/32") x 1"	5,400	10	30
A7-21401291	14" x 1/8" (5/32") x 20mm	5,400	10	30

DUCTILE IRON

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A7-31201281	12" x 1/8" (5/32") x 1"	6,360	10	30
A7-31201291	12" x 1/8" (5/32") x 20mm	6,360	10	30
A7-31401281	14" x 1/8" (5/32") x 1"	5,400	10	30
A7-31401291	14" x 1/8" (5/32") x 20mm	5,400	10	30

APPLICATIONS

METAL/STEEL

- Steel • Rebar • Structural steel
- Bar stock • Steel decking
- All ferrous metals

CONCRETE/ASPHALT

- Concrete
- Reinforced concrete • Stone
- Artificial stone • Asphalt
- Brick & Block • Tile

DUCTILE IRON

- Ductile iron • Cast iron

FEATURES

- 3 layers of high tensile strength fiberglass
- For use on high speed gas saws only
- ISO 9001 Certified — color coded for application

BENEFITS

- High strength for added safety
- Extended wheel life
- More rigid, less flexible
- Continuous sharp, aggressive cutting wheel edge



WARNING: Always use tools with guards & wear protective equipment.


// BONDED ABRASIVES //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

SMALL DIAMETER CUT-OFF WHEELS & MANDREL




Type 1
Small diameter
abrasive cut-off
wheels double
reinforced



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
* A2-10300611	3" x 1/16" x 1/4"	24,465	100	1000
* A2-10300621	3" x 1/16" x 3/8"	24,465	100	1000
* A2-10301111	3" x 1/8" x 1/4"	24,465	50	500
* A2-10301121	3" x 1/8" x 3/8"	24,465	50	500
* A2-10400121	4" x 1/32" x 3/8"	22,000	50	500
* A2-10400621	4" x 1/16" x 3/8"	22,000	50	500
A2-10400641	4" x 1/16" x 5/8"	15,300	50	500
A2-10450651	4 1/2" x 1/16" x 7/8"	13,580	50	500

Type 1
Small diameter
cut-off wheel
mandrel



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
NEW * M-3	3/8" & 1/4" x 1/4" Shank	24,465	1	10

(For use on wheels with 3/8" or 1/4" arbor holes)

APPLICATIONS

- Structural steel
- Steel
- Bar stock
- All ferrous metals
- Light-gauge metals
- Thin iron pipe
- Metal tubing
- Thin rebar

FEATURES

- Double external reinforcing
- Aluminum Oxide grain
- Metal reinforced center hole
- High strength phenolic resin bond
- ISO 9001 Certified - Red color code

BENEFITS

- Maximum safety
- Extended wheel life
- Protects arbor for extended tool life
- Strong, durable, long-lasting grain

// BONDED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

WARNING: Always use tools with guards & wear protective equipment.





PREMIUM THIN CUT-OFF WHEELS

Type 1 Premium
Thin aluminum
oxide wheels
double reinforced



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
* A3-10300251	3" x .040" x 3/8"	24,465	50	500
* A3-10400221	4" x .040" x 3/8"	24,465	50	500
A3-10400241	4" x .040" x 5/8"	15,600	50	500
A3-10450251	4 1/2" x .040" x 7/8"	13,580	50	500
A3-10450351	4 1/2" x .045" x 7/8"	13,580	50	500
A3-10500251	5" x .040" x 7/8"	12,225	50	250
A3-10500351	5" x .045" x 7/8"	12,225	25	250
A3-10600251	6" x .040" x 7/8"	10,190	25	250
A3-10600351	6" x .045" x 7/8"	10,190	25	250
A3-10700351	7" x .045" x 7/8"	8,600	25	250

Type 27
Depressed center
premium thin aluminum
oxide wheels
double reinforced



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A4-10450252	4 1/2" x .040" x 7/8"	13,580	50	500
A4-10500252	5" x .040" x 7/8"	12,225	50	250
A4-10600252	6" x .040" x 7/8"	10,190	25	250
NEW A4-10450272	4 1/2" x .040" x 5/8"-11	13,580	10	200
NEW A4-10500272	5" x .040" x 5/8"-11	12,225	10	200
NEW A4-10600272	6" x .040" x 5/8"-11	10,190	10	100
NEW A4-10700371	7" x .045" x 5/8"-11	8,600	10	100

APPLICATIONS

- Stainless steel
- Alloy
- Carbon steel
- Metal tubing
- Rebar
- Light-gauge metals

FEATURES

- Extra thin design
- Premium Aluminum Oxide grain
- ISO 9001 Certified - Red color code
- Double external reinforced with high tensile strength fiberglass

BENEFITS

- Fast cutting at less power
- Maximum safety
- Long life
- Cuts cooler and cleaner
- Cuts without vibrations or burns



WARNING: Always use tools with guards & wear protective equipment.

// BONDED ABRASIVES //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

T-27 GRINDING WHEELS



Type 27
Depressed center
grinding wheels



METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A5-10401452	4" x 1/4" x 5/8"	15,300	25	200
A5-10451452	4 1/2" x 1/4" x 7/8"	13,580	25	200
A5-10501452	5" x 1/4" x 7/8"	12,225	25	100
A5-10601452	6" x 1/4" x 7/8"	10,190	25	100
A5-10701452	7" x 1/4" x 7/8"	8,600	20	80
A5-10901452	9" x 1/4" x 7/8"	6,600	20	60

Type 27
Depressed center
grinding wheels
5/8"-11 flange



METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A5-10451472	4 1/2" x 1/4" x 5/8"-11	13,580	10	80
A5-10501472	5" x 1/4" x 5/8"-11	12,225	10	80
A5-10601472	6" x 1/4" x 5/8"-11	10,190	10	80
A5-10701472	7" x 1/4" x 5/8"-11	8,600	10	40
A5-10901472	9" x 1/4" x 5/8"-11	6,600	10	40

APPLICATIONS

- All ferrous metals
- Steel/structural steel
- Rebar
- Welds
- Pipe
- Bar stock

FEATURES

- Aluminum Oxide grain
- Dual grit - Harder bond
- Available with 5/8"-11 threaded hub
- ISO 9001 Certified - Red color code
- Internally reinforced with layers of high tensile strength fiberglass

BENEFITS

- Aggressive material removal
- Strong, durable long-lasting grain
- Maximum safety
- Fast, easy spin on and off
- Longer life

WARNING: Always use tools with guards & wear protective equipment.



// BONDED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com




T-27 CUTTING & GRINDING WHEELS

// BONDED ABRASIVES //

Type 27
Depressed center
grinding wheels
cutting, notching,
grinding metal pipe


METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A6-10451152	4 1/2" x 1/8" x 7/8"	13,580	25	200
A6-10701152	7" x 1/8" x 7/8"	8,600	25	100

Type 27
Depressed center
grinding wheels
cutting, notching,
grinding metal pipe
5/8"-11 flange

METAL/STEEL



PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A6-10451172	4 1/2" x 1/8" x 5/8"-11	13,580	10	80
A6-10701172	7" x 1/8" x 5/8"-11	8,600	10	40

APPLICATIONS

- All ferrous metals
- Steel / structural steel
- Rebar
- Pipe
- Welds
- Bar stock

FEATURES

- Single grit
- Available with 5/8"-11 threaded hub
- Aluminum Oxide grain
- ISO 9001 Certified - Red color code
- Internally reinforced with layers of high tensile strength fiberglass

BENEFITS

- Maximum safety
- Strong, durable, long-lasting grain
- High material removal with less loading
- Continuous sharp, aggressive grinding wheel edge



WARNING: Always use tools with guards & wear protective equipment.

ALUMINUM SOLUTIONS



NEW

**CUTTING • GRINDING
FLAP DISCS • ALUMINUM BURRS**

Type 1
Double reinforced



ALUMINUM



TYPE 1 CUTTING WHEELS

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A3-40450251	4 1/2" x .040 x 7/8"	13,580	50	500
A3-40600251	6" x .040 x 7/8"	10,190	25	250

Type 27
Depressed center grinding wheels



ALUMINUM




TYPE 27 GRINDING WHEELS

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
A5-40451452	4 1/2" x 1/4" x 7/8"	13,580	25	200
A5-40451472	4 1/2" x 1/4" x 5/8"-11	13,580	10	80

Type 27
Flap discs



ALUMINUM



FLAP DISCS T27

PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
FAL-4570367H	4 1/2" x 7/8" T27	13,000	36	10	100
FAL-4570607H	4 1/2" x 7/8" T27	13,000	60	10	100

(ALUMINUM BURRS see page 46)

// BONDED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

WARNING: Always use tools with guards & wear protective equipment.






T-29 ZIRCONIA STANDARD FLAP DISCS

Type 29 Flap Disc
Zirconia

METAL/STEEL
SST



{ Recommended to be used at an angle of 15 degrees to
25 degrees for maximum aggression and high cut rate. }

STANDARD

PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
F-4010409	4" x 5/8" T29	15,300	40	10	100
F-4010609	4" x 5/8" T29	15,300	60	10	100
F-4010809	4" x 5/8" T29	15,300	80	10	100
F-4011209	4" x 5/8" T29	15,300	120	10	100
F-4510369	4 1/2" x 7/8" T29	13,000	36	10	100
F-4510409	4 1/2" x 7/8" T29	13,000	40	10	100
F-4510609	4 1/2" x 7/8" T29	13,000	60	10	100
F-4510809	4 1/2" x 7/8" T29	13,000	80	10	100
F-4511209	4 1/2" x 7/8" T29	13,000	120	10	100
F-4520369F	4 1/2" x 5/8"-11 T29	13,000	36	10	100
F-4520409F	4 1/2" x 5/8"-11 T29	13,000	40	10	100
F-4520609F	4 1/2" x 5/8"-11 T29	13,000	60	10	100
F-4520809F	4 1/2" x 5/8"-11 T29	13,000	80	10	100
F-4521209F	4 1/2" x 5/8"-11 T29	13,000	120	10	100

APPLICATIONS

- Rust removal
- Light deburring
- Ferrous and non-ferrous metals
- Best for welds and blending
- All purpose sanding and grinding

FEATURES

- Heavy X-weight cloth
- Fiberglass backing
- Resin on resin bond
- With/without hub
- ISO 9001 Certified

BENEFITS

- Type 29 shape for maximum aggression
- High cut rate
- Fast and cool cutting
- Grind, blend, and finish in one easy step
- No need to switch from grinding wheel to resin fiber disc



WARNING: Always use tools with guards & wear protective equipment.

II COATED ABRASIVES II


Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

T-29 ZIRCONIA HIGH DENSITY FLAP DISCS



Type 29 Flap Disc
Zirconia

METAL/STEEL
SST



HIGH DENSITY / JUMBO { Recommended to be used at an angle of 15 degrees to 25 degrees for maximum aggression and high cut rate. }

PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
F-4530369H	4 1/2" x 7/8" T29 Jumbo	13,000	36	10	100
F-4530409H	4 1/2" x 7/8" T29 Jumbo	13,000	40	10	100
F-4530609H	4 1/2" x 7/8" T29 Jumbo	13,000	60	10	100
F-4530809H	4 1/2" x 7/8" T29 Jumbo	13,000	80	10	100
F-4531209H	4 1/2" x 7/8" T29 Jumbo	13,000	120	10	100
F-4540369HF	4 1/2" x 5/8"-11 T29 Jumbo	13,000	36	10	100
F-4540409HF	4 1/2" x 5/8"-11 T29 Jumbo	13,000	40	10	100
F-4540609HF	4 1/2" x 5/8"-11 T29 Jumbo	13,000	60	10	100
F-4540809HF	4 1/2" x 5/8"-11 T29 Jumbo	13,000	80	10	100
F-4541209HF	4 1/2" x 5/8"-11 T29 Jumbo	13,000	120	10	100
F-6030409H	6" x 7/8" T29 Jumbo	10,200	40	10	100
F-6030609H	6" x 7/8" T29 Jumbo	10,200	60	10	100
F-6030809H	6" x 7/8" T29 Jumbo	10,200	80	10	100
F-6031209H	6" x 7/8" T29 Jumbo	10,200	120	10	100
F-7030409H	7" x 7/8" T29 Jumbo	8,600	40	10	100
F-7030609H	7" x 7/8" T29 Jumbo	8,600	60	10	100
F-7030809H	7" x 7/8" T29 Jumbo	8,600	80	10	100
F-7031209H	7" x 7/8" T29 Jumbo	8,600	120	10	100

ALSO AVAILABLE: 6" & 7" w/ 5/8"-11 Flange
(Contact your sales person for pricing.)

APPLICATIONS

- Rust removal
- Light deburring
- Ferrous and non-ferrous metals
- Best for welds and blending
- All purpose sanding and grinding

FEATURES

- Heavy X-weight cloth
- Fiberglass backing
- Resin on resin bond
- With/without hub
- ISO 9001 Certified

BENEFITS

- Type 29 shape for maximum aggression
- High cut rate
- Fast and cool cutting
- Grind, blend, and finish in one easy step
- No need to switch from grinding wheel to resin fiber disc



WARNING: Always use tools with guards & wear protective equipment.



II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com




T-27 ZIRCONIA STANDARD FLAP DISCS

Type 27 Flap Disc
Zirconia

METAL/STEEL
SST



{ Recommended to be used at an angle of 0 }
{ degrees to 15 degrees for smooth grinding. }



STANDARD

PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
F-4050407	4" x 5/8" T27	15,300	40	10	100
F-4050607	4" x 5/8" T27	15,300	60	10	100
F-4050807	4" x 5/8" T27	15,300	80	10	100
F-4051207	4" x 5/8" T27	15,300	120	10	100
F-4550367	4 1/2" x 7/8" T27	13,000	36	10	100
F-4550407	4 1/2" x 7/8" T27	13,000	40	10	100
F-4550607	4 1/2" x 7/8" T27	13,000	60	10	100
F-4550807	4 1/2" x 7/8" T27	13,000	80	10	100
F-4551207	4 1/2" x 7/8" T27	13,000	120	10	100
F-4560367F	4 1/2" x 5/8"-11 T27	13,000	36	10	100
F-4560407F	4 1/2" x 5/8"-11 T27	13,000	40	10	100
F-4560607F	4 1/2" x 5/8"-11 T27	13,000	60	10	100
F-4560807F	4 1/2" x 5/8"-11 T27	13,000	80	10	100
F-4561207F	4 1/2" x 5/8"-11 T27	13,000	120	10	100

APPLICATIONS

- Rust removal
- Light deburring
- Ferrous and non-ferrous metals
- Best for welds and blending
- All purpose sanding and grinding

FEATURES

- Heavy X-weight cloth
- Fiberglass backing
- Resin on resin bond
- With/without hub
- ISO 9001 Certified

BENEFITS

- Type 27 shape for smooth grinding
- Fast and cool cutting
- Grind, blend, and finish in one easy step
- No need to switch from grinding wheel to resin fiber disc



WARNING: Always use tools with guards & wear protective equipment.

II COATED ABRASIVES II


Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

T-27 ZIRCONIA HIGH DENSITY FLAP DISCS



Type 27 Flap Disc
Zirconia

METAL/STEEL
SST



HIGH DENSITY/JUMBO

{ Recommended to be used at an angle of 0 degrees to 15 degrees for smooth grinding. }

PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
F-4570367H	4 1/2" x 7/8" T27 Jumbo	13,000	36	10	100
F-4570407H	4 1/2" x 7/8" T27 Jumbo	13,000	40	10	100
F-4570607H	4 1/2" x 7/8" T27 Jumbo	13,000	60	10	100
F-4570807H	4 1/2" x 7/8" T27 Jumbo	13,000	80	10	100
F-4571207H	4 1/2" x 7/8" T27 Jumbo	13,000	120	10	100
F-4580367HF	4 1/2" x 5/8"-11 T27 Jumbo	13,000	36	10	100
F-4580407HF	4 1/2" x 5/8"-11 T27 Jumbo	13,000	40	10	100
F-4580607HF	4 1/2" x 5/8"-11 T27 Jumbo	13,000	60	10	100
F-4580807HF	4 1/2" x 5/8"-11 T27 Jumbo	13,000	80	10	100
F-4581207HF	4 1/2" x 5/8"-11 T27 Jumbo	13,000	120	10	100
F-6070407H	6" x 7/8" T27 Jumbo	10,200	40	10	100
F-6070607H	6" x 7/8" T27 Jumbo	10,200	60	10	100
F-6070807H	6" x 7/8" T27 Jumbo	10,200	80	10	100
F-6071207H	6" x 7/8" T27 Jumbo	10,200	120	10	100
F-7070407H	7" x 7/8" T27 Jumbo	8,600	40	10	100
F-7070607H	7" x 7/8" T27 Jumbo	8,600	60	10	100
F-7070807H	7" x 7/8" T27 Jumbo	8,600	80	10	100
F-7071207H	7" x 7/8" T27 Jumbo	8,600	120	10	100

ALSO AVAILABLE: 6" & 7" w/ 5/8"-11 Flange
(Contact your sales person for pricing.)

APPLICATIONS

- Rust removal
- Light deburring
- Ferrous and non-ferrous metals
- Best for welds and blending
- All purpose sanding and grinding

FEATURES

- Heavy X-weight cloth
- Fiberglass backing
- Resin on resin bond
- With/without hub
- ISO 9001 Certified

BENEFITS

- Type 27 shape for smooth grinding
- Fast and cool cutting
- Grind, blend, and finish in one easy step
- No need to switch from grinding wheel to resin fiber disc

WARNING: Always use tools with guards & wear protective equipment.



II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



T-27/T-29 CERAMIC STANDARD FLAP DISCS


Type 27/29 Flap Disc
Ceramic

METAL/STEEL
SST



T-29 STANDARD


{ Recommended to be used at an angle of 15 degrees to
25 degrees for maximum aggression and high cut rate. }



PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
FC-4510369	4 1/2" x 7/8" T29	13,000	36	10	100
FC-4510409	4 1/2" x 7/8" T29	13,000	40	10	100
FC-4510609	4 1/2" x 7/8" T29	13,000	60	10	100
FC-4510809	4 1/2" x 7/8" T29	13,000	80	10	100
NEW FC-4511209	4 1/2" x 7/8" T29	13,000	120	10	100

T-27 STANDARD

{ Recommended to be used at an angle of 0
degrees to 15 degrees for smooth grinding. }



PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
FC-4550367	4 1/2" x 7/8" T27	13,000	36	10	100
FC-4550407	4 1/2" x 7/8" T27	13,000	40	10	100
FC-4550607	4 1/2" x 7/8" T27	13,000	60	10	100
FC-4550807	4 1/2" x 7/8" T27	13,000	80	10	100
NEW FC-4551207	4 1/2" x 7/8" T27	13,000	120	10	100

ALSO AVAILABLE: with 5/8"-11 Flange
(Contact your sales person for pricing.)

APPLICATIONS

- Stock removal
- Deburring
- Weld blending
- Edge chamfering
- Rust removal
- Cleaning & finishing
- Grinding

FEATURES

- Continuous self sharpening grain
- Cool grinding
- Grinding aids
- Contaminant free
- Fiber glass backing
- ISO 9001 Certified
- European nano ceramic infused
- Grain

BENEFITS

- Faster stock removal than A/O & Zirconia flap discs
- Does not stain or burn the material
- Resists loading & clogging
- Prevents SST from rusting



WARNING: Always use tools with guards & wear protective equipment.



TRIMMABLE FLAP DISCS & QUICK CHANGE FLAP DISCS

NEW

Type 27 Flap Disc
Zirconia trimmable




METAL/STEEL
SST



T-27 STANDARD

{ Recommended to be used at an angle of 15 degrees to 25 degrees for maximum aggression and high cut rate. }



PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
F-4590407HT	4 1/2" x 5/8"-11 T27	13,000	40	10	100
F-4590607HT	4 1/2" x 5/8"-11 T27	13,000	60	10	100
F-4590807HT	4 1/2" x 5/8"-11 T27	13,000	80	10	100
F-4591207HT	4 1/2" x 5/8"-11 T27	13,000	120	10	100

Type 3/Type R
Zirconia quick
change flap disc



ALUM OXIDE



QUICK CHANGE

2"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
Q-FD2036	36	10	100
Q-FD2040	40	10	100
Q-FD2060	60	10	100
Q-FD2080	80	10	100
Q-FD2120	120	10	100

3"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
Q-FD3036	36	10	100
Q-FD3040	40	10	100
Q-FD3060	60	10	100
Q-FD3080	80	10	100
Q-FD3120	120	10	100

Accessories for
all coated items



QUICK CHANGE
DISCS HOLDERS



QUICK CHANGE BACKING PAD/HOLDER

PART NUMBER	SIZE	TYPE	BOX QUANTITY	CASE QUANTITY
Q-2HLDR	2" x 1/4"	R, 2"	1	5
Q-3HLDR	3" x 1/4"	R, 3"	1	5

II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com


WARNING: Always use tools with guards & wear protective equipment.






QUICK CHANGE SANDING DISCS

- Type 3/Type R
Quick change disc
- Aluminum oxide
 - Zirconia
 - Ceramic



ALUM OXIDE
ZIRCONIA
CERAMIC



ALUMINUM OXIDE 2"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
Q-A2024	24	25	500
Q-A2036	36	25	500
Q-A2040	40	25	500
Q-A2050	50	25	500
Q-A2060	60	25	500
Q-A2080	80	25	500
Q-A2120	120	25	500

ALUMINUM OXIDE 3"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
Q-A3024	24	25	500
Q-A3036	36	25	500
Q-A3040	40	25	500
Q-A3050	50	25	500
Q-A3060	60	25	500
Q-A3080	80	25	500
Q-A3120	120	25	500

ZIRCONIA 2"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
NEW Q-Z2024	24	25	500
NEW Q-Z2036	36	25	500
Q-Z2040	40	25	500
Q-Z2060	60	25	500
Q-Z2080	80	25	500
Q-Z2120	120	25	500

ZIRCONIA 3"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
NEW Q-Z3024	24	25	500
NEW Q-Z3036	36	25	500
Q-Z3040	40	25	500
Q-Z3060	60	25	500
Q-Z3080	80	25	500
Q-Z3120	120	25	500

CERAMIC 2"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
NEW Q-C2024	24	25	500
NEW Q-C2036	36	25	500
Q-C2040	40	25	500
NEW Q-C2050	50	25	500
Q-C2060	60	25	500
Q-C2080	80	25	500
Q-C2120	120	25	500

CERAMIC 3"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
NEW Q-C3024	24	25	500
NEW Q-C3036	36	25	500
Q-C3040	40	25	500
NEW Q-C3050	50	25	500
Q-C3060	60	25	500
Q-C3080	80	25	500
Q-C3120	120	25	500

(2" & 3" HOLDERS see page 35)

APPLICATIONS

- Tool & mould making, modeling
- Aerospace
- Tanks, pressure vessels & processing equipment (Ex: food processing, chemical industry)
- Blend, level & finish on contour or flat surfaces

FEATURES

- Type 3/Type R Fastener
- Quick tool free roll on / roll off
- Plastic button style

BENEFITS

- Quick tool free changes allow more grinding time
- Discs lock securely to holder pad & are easily removed
- Use on flat or contoured surfaces & hard to reach areas
- Compatible with 3M Roloc™ Holder/backup pads



WARNING: Always use tools with guards & wear protective equipment.

QUICK CHANGE SANDING DISCS



Type 3/Type R

Quick change disc

- Zirconia w/grinding aid
- Surface conditioning
- Surface prep



ZIRCONIA W/GRINDING AID

2"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
NEW Q-ZG2024	24	25	500
NEW Q-ZG2036	36	25	500
NEW Q-ZG2040	40	25	500
NEW Q-ZG2060	60	25	500
NEW Q-ZG2080	80	25	500
NEW Q-ZG2120	120	25	500

3"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
NEW Q-ZG3024	24	25	500
NEW Q-ZG3036	36	25	500
NEW Q-ZG3040	40	25	500
NEW Q-ZG3060	60	25	500
NEW Q-ZG3080	80	25	500
NEW Q-ZG3120	120	25	500

SURFACE CONDITIONING

2"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
Q-SC2C	Coarse	50	500
Q-SC2M	Medium	50	500
Q-SC2F	Fine	50	500

3"

PART NUMBER	GRIT	BOX QUANTITY	CASE QUANTITY
Q-SC3C	Coarse	25	500
Q-SC3M	Medium	25	500
Q-SC3F	Fine	25	500

SURFACE PREP

PART NUMBER	TYPE	SIZE	BOX QUANTITY	CASE QUANTITY
NEW Q-SPW2F	2" Quick Change AO - fine	2"	10	100
NEW Q-SPW2SF	2" Quick Change Sic - Super Fine	2"	10	100
NEW Q-SPW3F	3" Quick Change AO - fine	3"	10	100
NEW Q-SPW3SF	3" Quick Change Sic - Super Fine	3"	10	100

(2" & 3" HOLDERS see page 35)

WARNING: Always use tools with guards & wear protective equipment.



// COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



RESIN FIBER DISCS ALUMINUM OXIDE

Resin Fiber Discs
Aluminum oxide

METAL/STEEL



PART NUMBER	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
RFD-45A024	4 1/2" x 7/8"	24	25	250
RFD-45A036	4 1/2" x 7/8"	36	25	250
RFD-45A050	4 1/2" x 7/8"	50	25	250
RFD-45A060	4 1/2" x 7/8"	60	25	250
RFD-45A080	4 1/2" x 7/8"	80	25	250
RFD-45A120	4 1/2" x 7/8"	120	25	250
RFD-50A024	5" x 7/8"	24	25	250
RFD-50A036	5" x 7/8"	36	25	250
RFD-50A050	5" x 7/8"	50	25	250
RFD-50A060	5" x 7/8"	60	25	250
RFD-50A080	5" x 7/8"	80	25	250
RFD-50A120	5" x 7/8"	120	25	250
RFD-70A024	7" x 7/8"	24	25	250
RFD-70A036	7" x 7/8"	36	25	250
RFD-70A050	7" x 7/8"	50	25	250
RFD-70A060	7" x 7/8"	60	25	250
RFD-70A080	7" x 7/8"	80	25	250
RFD-70A120	7" x 7/8"	120	25	250

(Must be used with correct sized backing pad)

(BACKING PADS see page 35)

APPLICATIONS

- Metal
- Non-ferrous (copper, zinc, hard aluminum alloys)
- For all purpose weld grinding, blending, surface prep. Additionally used on metal, wood, fiberglass, FRP components, paint

FEATURES

- Tough A/O Grain

BENEFITS

- Economically priced
- Cost effective stock removal disc



WARNING: Always use tools with guards & wear protective equipment.

RESIN FIBER DISCS ZIRCONIA



Resin Fiber Discs
Zirconia

STEEL/SST



PART NUMBER	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
RFD-45Z024	4 1/2" x 7/8"	24	25	250
RFD-45Z036	4 1/2" x 7/8"	36	25	250
RFD-45Z050	4 1/2" x 7/8"	50	25	250
RFD-45Z060	4 1/2" x 7/8"	60	25	250
RFD-45Z080	4 1/2" x 7/8"	80	25	250
NEW RFD-45Z120	4 1/2" x 7/8"	120	25	250
RFD-50Z024	5" x 7/8"	24	25	250
RFD-50Z036	5" x 7/8"	36	25	250
RFD-50Z050	5" x 7/8"	50	25	250
RFD-50Z060	5" x 7/8"	60	25	250
RFD-50Z080	5" x 7/8"	80	25	250
NEW RFD-50Z120	5" x 7/8"	120	25	250
RFD-70Z024	7" x 7/8"	24	25	250
RFD-70Z036	7" x 7/8"	36	25	250
RFD-70Z050	7" x 7/8"	50	25	250
RFD-70Z060	7" x 7/8"	60	25	250
RFD-70Z080	7" x 7/8"	80	25	250
NEW RFD-70Z120	7" x 7/8"	120	25	250

(Must be used with correct sized backing pad)

(BACKING PADS see page 35)

APPLICATIONS

- Higher performance grinding of stainless steel, tool steel and hard to grind materials
- Premium self - sharpening grain

FEATURES

- Zirconia grain

BENEFITS

- Fast aggressive stock removal
- Longer disc life

II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

WARNING: Always use tools with guards & wear protective equipment.





RESIN FIBER DISCS CERAMIC

Resin Fiber Discs
Ceramic

HIGH CARBON
STEEL/SST



PART NUMBER	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
RFD-45C024	4 1/2" x 7/8"	24	25	250
RFD-45C036	4 1/2" x 7/8"	36	25	250
RFD-45C050	4 1/2" x 7/8"	50	25	250
RFD-45C060	4 1/2" x 7/8"	60	25	250
RFD-45C080	4 1/2" x 7/8"	80	25	250
NEW RFD-45C120	4 1/2" x 7/8"	120	25	250
RFD-50C024	5" x 7/8"	24	25	250
RFD-50C036	5" x 7/8"	36	25	250
RFD-50C050	5" x 7/8"	50	25	250
RFD-50C060	5" x 7/8"	60	25	250
RFD-50C080	5" x 7/8"	80	25	250
NEW RFD-50C120	5" x 7/8"	120	25	250
RFD-70C024	7" x 7/8"	24	25	250
RFD-70C036	7" x 7/8"	36	25	250
RFD-70C050	7" x 7/8"	50	25	250
RFD-70C060	7" x 7/8"	60	25	250
RFD-70C080	7" x 7/8"	80	25	250
NEW RFD-70C120	7" x 7/8"	120	25	250

(Must be used with correct sized backing pad)

(BACKING PADS see page 35)

APPLICATIONS

- Excellent on tough, hard to grind materials

FEATURES

- High performance extremely durable ceramic grain
- Heavier fiber backing grinding aids

BENEFITS

- Very fast stock removal
- Longest life
- Improved finishes
- Greater durability & heat dissipation
- No stain or burn on SST, titanium & hard alloys, prevents loading



WARNING: Always use tools with guards & wear protective equipment.

II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

SHOP ROLLS ALUMINUM OXIDE



Shop Rolls
Aluminum oxide
flexible j-wt. Cloth



PART NUMBER	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
SR-1050A060	1" x 50 Yards	60	1	20
SR-1050A080	1" x 50 Yards	80	1	20
SR-1050A100	1" x 50 Yards	100	1	20
SR-1050A120	1" x 50 Yards	120	1	20
SR-1050A150	1" x 50 Yards	150	1	20
SR-1050A180	1" x 50 Yards	180	1	20
SR-1050A220	1" x 50 Yards	220	1	20
SR-1050A240	1" x 50 Yards	240	1	20
SR-1050A320	1" x 50 Yards	320	1	20
SR-1050A400	1" x 50 Yards	400	1	20
SR-1550A060	1 1/2" x 50 Yards	60	1	10
SR-1550A080	1 1/2" x 50 Yards	80	1	10
SR-1550A100	1 1/2" x 50 Yards	100	1	10
SR-1550A120	1 1/2" x 50 Yards	120	1	10
SR-1550A150	1 1/2" x 50 Yards	150	1	10
SR-1550A180	1 1/2" x 50 Yards	180	1	10
SR-1550A220	1 1/2" x 50 Yards	220	1	10
SR-1550A240	1 1/2" x 50 Yards	240	1	10
SR-1550A320	1 1/2" x 50 Yards	320	1	10
SR-1550A400	1 1/2" x 50 Yards	400	1	10
SR-2050A060	2" x 50 Yards	60	1	10
SR-2050A080	2" x 50 Yards	80	1	10
SR-2050A100	2" x 50 Yards	100	1	10
SR-2050A120	2" x 50 Yards	120	1	10
SR-2050A150	2" x 50 Yards	150	1	10
SR-2050A180	2" x 50 Yards	180	1	10
SR-2050A220	2" x 50 Yards	220	1	10
SR-2050A240	2" x 50 Yards	240	1	10
SR-2050A320	2" x 50 Yards	320	1	10
SR-2050A400	2" x 50 Yards	400	1	10

// COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

WARNING: Always use tools with guards & wear protective equipment.






NEW

GOLD HOOK & LOOP DISCS

Gold Hook &
Loop Discs
Stearate coated
aluminum oxide
c-weight



DA SANDER



5"

50 pieces per Box

PART #	PART # 5 Hole	PART # 8 Hole	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
SD-50HGN040	SD-50HG5040	SD-50HG8040	5"	40	50	500
SD-50HGN060	SD-50HG5060	SD-50HG8060	5"	60	50	500
SD-50HGN080	SD-50HG5080	SD-50HG8080	5"	80	50	500
SD-50HGN100	SD-50HG5100	SD-50HG8100	5"	100	50	500
SD-50HGN120	SD-50HG5120	SD-50HG8120	5"	120	50	500
SD-50HGN150	SD-50HG5150	SD-50HG8150	5"	150	50	500
SD-50HGN180	SD-50HG5180	SD-50HG8180	5"	180	50	500
SD-50HGN220	SD-50HG5220	SD-50HG8220	5"	220	50	500
SD-50HGN320	SD-50HG5320	SD-50HG8320	5"	320	50	500
SD-50HGN400	SD-50HG5400	SD-50HG8400	5"	400	50	500



6"

50 pieces per Box

PART #	PART # 6 Hole	PART # 8 Hole	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
SD-60HGN040	SD-60HG6040	SD-60HG8040	6"	40	50	500
SD-60HGN060	SD-60HG6060	SD-60HG8060	6"	60	50	500
SD-60HGN080	SD-60HG6080	SD-60HG8080	6"	80	50	500
SD-60HGN100	SD-60HG6100	SD-60HG8100	6"	100	50	500
SD-60HGN120	SD-60HG6120	SD-60HG8120	6"	120	50	500
SD-60HGN150	SD-60HG6150	SD-60HG8150	6"	150	50	500
SD-60HGN180	SD-60HG6180	SD-60HG8180	6"	180	50	500
SD-60HGN220	SD-60HG6220	SD-60HG8220	6"	220	50	500
SD-60HGN320	SD-60HG6320	SD-60HG8320	6"	320	50	500
SD-60HGN400	SD-60HG6400	SD-60HG8400	6"	400	50	500

BACKING PADS: See Page 35



WARNING: Always use tools with guards & wear protective equipment.


II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



GOLD PSA ROLLS & DISCS

Gold PSA Rolls
Stearate coated
aluminum oxide
c-weight
no hole



DA SANDER



PSA ROLLS

100 pieces per Roll

PART # 5"	PART # 6"	GRIT	BOX QUANTITY	CASE QUANTITY
SD-50RGN040	SD-60RGN040	40	1	20
SD-50RGN060	SD-60RGN060	60	1	20
SD-50RGN080	SD-60RGN080	80	1	20
SD-50RGN100	SD-60RGN100	100	1	20
SD-50RGN120	SD-60RGN120	120	1	20
SD-50RGN150	SD-60RGN150	150	1	20
SD-50RGN180	SD-60RGN180	180	1	20
SD-50RGN220	SD-60RGN220	220	1	20
SD-50RGN320	SD-60RGN320	320	1	20
SD-50RGN400	SD-60RGN400	400	1	20

**Gold PSA Discs
with Tab**
Stearate coated
aluminum oxide
c-weight
no hole



DA SANDER



PSA DISCS WITH TAB

50 pieces per Roll

PART # 5"	PART # 6"	GRIT	BOX QUANTITY	CASE QUANTITY
SD-50DGN040	SD-60DGN040	40	50	500
SD-50DGN060	SD-60DGN060	60	50	500
SD-50DGN080	SD-60DGN080	80	50	500
SD-50DGN100	SD-60DGN100	100	50	500
SD-50DGN120	SD-60DGN120	120	50	500
SD-50DGN150	SD-60DGN150	150	50	500
SD-50DGN180	SD-60DGN180	180	50	500
SD-50DGN220	SD-60DGN220	220	50	500
SD-50DGN320	SD-60DGN320	320	50	500
SD-50DGN400	SD-60DGN400	400	50	500

BACKING PADS: See Page 35

WARNING: Always use tools with guards & wear protective equipment.



II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



PURPLE HOOK & LOOP DISCS FILM BACKED

NEW

Purple Hook & Loop Discs
Film backed

DA SANDER



5"

50 pieces per Box

PART # No Hole	PART # 5 Hole	PART # 8 Hole	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
SD-50HPN060	SD-50HP5060	SD-50HP8060	5"	60	50	500
SD-50HPN080	SD-50HP5080	SD-50HP8080	5"	80	50	500
SD-50HPN100	SD-50HP5100	SD-50HP8100	5"	100	50	500
SD-50HPN120	SD-50HP5120	SD-50HP8120	5"	120	50	500
SD-50HPN150	SD-50HP5150	SD-50HP8150	5"	150	50	500
SD-50HPN180	SD-50HP5180	SD-50HP8180	5"	180	50	500
SD-50HPN220	SD-50HP5220	SD-50HP8220	5"	220	50	500
SD-50HPN320	SD-50HP5320	SD-50HP8320	5"	320	50	500
SD-50HPN400	SD-50HP5400	SD-50HP8400	5"	400	50	500
SD-50HPN600	SD-50HP5600	SD-50HP8600	5"	600	50	500
SD-50HPN800	SD-50HP5800	SD-50HP8800	5"	800	50	500
SD-50HPNK10	SD-50HP5K10	SD-50HP8K10	5"	1000	50	500
SD-50HPNK12	SD-50HP5K12	SD-50HP8K12	5"	1200	50	500
SD-50HPNK15	SD-50HP5K15	SD-50HP8K15	5"	1500	50	500
SD-50HPNK20	SD-50HP5K20	SD-50HP8K20	5"	2000	50	500
SD-50HPNK25	SD-50HP5K25	SD-50HP8K25	5"	2500	50	500
SD-50HPNK30	SD-50HP5K30	SD-50HP8K30	5"	3000	50	500

(BACKING PADS see page 35)



WARNING: Always use tools with guards & wear protective equipment.

II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

PURPLE HOOK & LOOP DISCS FILM BACKED



NEW

Purple Hook & Loop Discs
Film backed

DA SANDER



6"

50 pieces per Box

PART # No Hole	PART # 6 Hole	PART # 8 Hole	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
SD-60HPN060	SD-60HP6060	SD-60HP8060	6"	60	50	500
SD-60HPN080	SD-60HP6080	SD-60HP8080	6"	80	50	500
SD-60HPN100	SD-60HP6100	SD-60HP8100	6"	100	50	500
SD-60HPN120	SD-60HP6120	SD-60HP8120	6"	120	50	500
SD-60HPN150	SD-60HP6150	SD-60HP8150	6"	150	50	500
SD-60HPN180	SD-60HP6180	SD-60HP8180	6"	180	50	500
SD-60HPN220	SD-60HP6220	SD-60HP8220	6"	220	50	500
SD-60HPN320	SD-60HP6320	SD-60HP8320	6"	320	50	500
SD-60HPN400	SD-60HP6400	SD-60HP8400	6"	400	50	500
SD-60HPN600	SD-60HP6600	SD-60HP8600	6"	600	50	500
SD-60HPN800	SD-60HP6800	SD-60HP8800	6"	800	50	500
SD-60HPNK10	SD-60HP6K10	SD-60HP8K10	6"	1000	50	500
SD-60HPNK12	SD-60HP6K12	SD-60HP8K12	6"	1200	50	500
SD-60HPNK15	SD-60HP6K15	SD-60HP8K15	6"	1500	50	500
SD-60HPNK20	SD-60HP6K20	SD-60HP8K20	6"	2000	50	500
SD-60HPNK25	SD-60HP6K25	SD-60HP8K25	6"	2500	50	500
SD-60HPNK30	SD-60HP6K30	SD-60HP8K30	6"	3000	50	500

(BACKING PADS see page 35)

WARNING: Always use tools with guards & wear protective equipment.



II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

33



PSA DISCS WITH TAB FILM BACKED & PSA SHEET ROLLS

NEW

Purple PSA Discs w/Tab
Film backed
no hole



DA SANDER



DISCS WITH TAB

50 pieces per Box

PART NUMBER 5"	PART NUMBER 6"	GRIT	BOX QUANTITY	CASE QUANTITY
SD-50DPN060	SD-60DPN060	60	50	500
SD-50DPN080	SD-60DPN080	80	50	500
SD-50DPN100	SD-60DPN100	100	50	500
SD-50DPN120	SD-60DPN120	120	50	500
SD-50DPN150	SD-60DPN150	150	50	500
SD-50DPN180	SD-60DPN180	180	50	500
SD-50DPN220	SD-60DPN220	220	50	500
SD-50DPN320	SD-60DPN320	320	50	500
SD-50DPN400	SD-60DPN400	400	50	500
SD-50DPN600	SD-60DPN600	600	50	500
SD-50DPN800	SD-60DPN800	800	50	500
SD-50DPNK10	SD-60DPNK10	1000	50	500
SD-50DPNK12	SD-60DPNK12	1200	50	500
SD-50DPNK15	SD-60DPNK15	1500	50	500
SD-50DPNK20	SD-60DPNK20	2000	50	500
SD-50DPNK25	SD-60DPNK25	2500	50	500
SD-50DPNK30	SD-60DPNK30	3000	50	500

Gold PSA Sheet Rolls
Stearate coated aluminum
oxide and c-weight



PSA SHEET ROLLS

PART NUMBER	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
SD-234SGR060	2-3/4" x 40 yrd	60	1	10
SD-234SGR080	2-3/4" x 40 yrd	80	1	10
SD-234SGR100	2-3/4" x 40 yrd	100	1	10
SD-234SGR120	2-3/4" x 40 yrd	120	1	10
SD-234SGR150	2-3/4" x 40 yrd	150	1	10
SD-234SGR180	2-3/4" x 40 yrd	180	1	10
SD-234SGR220	2-3/4" x 40 yrd	220	1	10
SD-234SGR320	2-3/4" x 40 yrd	320	1	10
SD-234SGR400	2-3/4" x 40 yrd	400	1	10

(BACKING PADS see page 35)



WARNING: Always use tools with guards & wear protective equipment.

II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com


NEW

BACKING PADS

Accessories for
all coated items



QUICK CHANGE
DISCS HOLDERS



QUICK CHANGE BACKING PAD/HOLDER

PART NUMBER	SIZE	TYPE	BOX QUANTITY	CASE QUANTITY
Q-2HLDR	2" x 1/4"	R, 2"	1	5
Q-3HLDR	3" x 1/4"	R, 3"	1	5

Turbo Style




ANGLE GRINDER



RESIN FIBER DISC BACKING PAD

PART NUMBER	SIZE	TYPE	BOX QUANTITY	CASE QUANTITY
RFD-45PPT	4-1/2" x 5/8 -11	Turbo	1	5
RFD-50PPT	5" x 5/8 -11	Turbo	1	5
RFD-70PPT	7" x 5/8 -11	Turbo	1	5

Hook & Loop
PSA backing pads



DA SANDER



DA SANDER BACKING PAD

PART NUMBER	SIZE	TYPE	BOX QUANTITY	CASE QUANTITY
SD-50HLNH	5" x 5/16"-24 x NH	Hook & Loop	1	5
SD-60HLNH	6" x 5/16"-24 x NH	Hook & Loop	1	5
SD-50PSANH	5" x 5/16"-24 x NH	PSA	1	5
SD-60PSANH	6" x 5/16"-24 x NH	PSA	1	5

WARNING: Always use tools with guards & wear protective equipment.



// COATED ABRASIVES II


Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



MOUNTED FLAP WHEELS

Flap Wheels
Aluminum oxide

ALUM OXIDE



PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
FW-11040	1" x 1" x 1/4"	30,000	40	10	500
FW-11060	1" x 1" x 1/4"	30,000	60	10	500
FW-11080	1" x 1" x 1/4"	30,000	80	10	500
FW-11120	1" x 1" x 1/4"	30,000	120	10	500
FW-112040	1 1/2" x 1" x 1/4"	25,000	40	10	200
FW-112060	1 1/2" x 1" x 1/4"	25,000	60	10	200
FW-112080	1 1/2" x 1" x 1/4"	25,000	80	10	200
FW-112120	1 1/2" x 1" x 1/4"	25,000	120	10	200
FW-21040	2" x 1" x 1/4"	25,000	40	10	200
FW-21060	2" x 1" x 1/4"	25,000	60	10	200
FW-21080	2" x 1" x 1/4"	25,000	80	10	200
FW-21120	2" x 1" x 1/4"	25,000	120	10	200
FW-212040	2 1/2" x 1" x 1/4"	20,000	40	10	100
FW-212060	2 1/2" x 1" x 1/4"	20,000	60	10	100
FW-212080	2 1/2" x 1" x 1/4"	20,000	80	10	100
FW-212120	2 1/2" x 1" x 1/4"	20,000	120	10	100
FW-31040	3" x 1" x 1/4"	20,000	40	10	100
FW-31060	3" x 1" x 1/4"	20,000	60	10	100
FW-31080	3" x 1" x 1/4"	20,000	80	10	100
FW-31120	3" x 1" x 1/4"	20,000	120	10	100

ADDITIONAL SIZES AVAILABLE

(Contact your sales person for additional sizes and pricing.)



WARNING: Always use tools with guards & wear protective equipment.

II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

UNMOUNTED FLAP WHEELS



Flap Wheels
Aluminum oxide



ALUM OXIDE



PART NUMBER	SIZE	MAX RPM	GRIT	BOX QUANTITY	CASE QUANTITY
FW-41040	4" x 1" x 5/8"	8,600	40	1	10
FW-41060	4" x 1" x 5/8"	8,600	60	1	10
FW-41080	4" x 1" x 5/8"	8,600	80	1	10
FW-41120	4" x 1" x 5/8"	8,600	120	1	10
FW-41180	4" x 1" x 5/8"	8,600	180	1	10
FW-41240	4" x 1" x 5/8"	8,600	240	1	10
FW-41320	4" x 1" x 5/8"	8,600	320	1	10
FW-612040	6" x 1/2" x 1"	6,000	40	1	10
FW-612060	6" x 1/2" x 1"	6,000	60	1	10
FW-612080	6" x 1/2" x 1"	6,000	80	1	10
FW-612120	6" x 1/2" x 1"	6,000	120	1	10
FW-612180	6" x 1/2" x 1"	6,000	180	1	10
FW-612240	6" x 1/2" x 1"	6,000	240	1	10
FW-612320	6" x 1/2" x 1"	6,000	320	1	10
FW-61040	6" x 1" x 1"	6,000	40	1	10
FW-61060	6" x 1" x 1"	6,000	60	1	10
FW-61080	6" x 1" x 1"	6,000	80	1	10
FW-61120	6" x 1" x 1"	6,000	120	1	10
FW-61180	6" x 1" x 1"	6,000	180	1	10
FW-61240	6" x 1" x 1"	6,000	240	1	10
FW-61320	6" x 1" x 1"	6,000	320	1	10
FW-6112040	6" x 1-1/2" x 1"	6,000	40	1	10
FW-6112060	6" x 1-1/2" x 1"	6,000	60	1	10
FW-6112080	6" x 1-1/2" x 1"	6,000	80	1	10
FW-6112120	6" x 1-1/2" x 1"	6,000	120	1	10
FW-6112180	6" x 1-1/2" x 1"	6,000	180	1	10
FW-6112240	6" x 1-1/2" x 1"	6,000	240	1	10
FW-6112320	6" x 1-1/2" x 1"	6,000	320	1	10
FW-62040	6" x 2" x 1"	6,000	40	1	10
FW-62060	6" x 2" x 1"	6,000	60	1	10
FW-62080	6" x 2" x 1"	6,000	80	1	10
FW-62120	6" x 2" x 1"	6,000	120	1	10
FW-62180	6" x 2" x 1"	6,000	180	1	10
FW-62240	6" x 2" x 1"	6,000	240	1	10
FW-62320	6" x 2" x 1"	6,000	320	1	10

II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com


WARNING: Always use tools with guards & wear protective equipment.



**NEW**

SURFACE PREP WHEELS & NON-WOVEN

Surface Preparation
Aluminum oxide
silicon carbide

**ALL METALS**

PART NUMBER	TYPE	SIZE	BOX QUANTITY	CASE QUANTITY
NW-SPW45G	4 1/2" T27 cup wheel SiC - Super Fine - Grey	4 1/2"	10	100
NW-SPW45M	4 1/2" T27 cup wheel AO - Fine - Maroon	4 1/2"	10	100
NW-SPW70G	7" T27 cup wheel SiC - Super Fine - Grey	7"	10	100
NW-SPW70M	7" T27 cup wheel AO - Fine - Maroon	7"	10	100

Surface Conditioning
Non-woven

**ALL METALS**

SURFACE CONDITIONING

PART NUMBER	COLOR	TYPE	SIZE	BOX QUANTITY	CASE QUANTITY
NW-SC5C	Tan	Coarse	5"	10	100
NW-SC5M	Maroon	Medium	5"	10	100
NW-SC5F	Blue	Fine	5"	10	100
NW-SC7C	Tan	Coarse	7"	10	100
NW-SC7M	Maroon	Medium	7"	10	100
NW-SC7F	Blue	Fine	7"	10	100

6" x 9" Hand pads
Non-woven

**HAND USE**

HAND PAD

PART NUMBER	SIZE	GRIT	BOX QUANTITY	CASE QUANTITY
NW-HPTAN	6" x 9" hand pad	120	10	100
NW-HPBLACK	6" x 9" hand pad	150	10	100
NW-HPGREEN	6" x 9" hand pad	240	10	100
NW-HPMAROON	6" x 9" hand pad	400	10	100
NW-HPGREY	6" x 9" hand pad	1000	10	100
NW-HPWHITE	6" x 9" hand pad	n/a	10	100

**WARNING:** Always use tools with guards & wear protective equipment.

// OTHER PRODUCTS //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com


MACRO STRIP PAINT & RUST REMOVAL DISCS



Type 27 & Type 1
Macro strip



PAINT & RUST



PART NUMBER	SIZE	TYPE	BOX QUANTITY	CASE QUANTITY
*MS-045CUP	4 1/2" x 1/2" x 7/8"	Type 27 Cup Wheel	10	100
**MS-030DISC	3" x 1/2" x 1/4"	*Type 1 Flat Conditioning Disc	10	120
**MS-040DISC	4" x 1/2" x 1/2"	*Type 1 Flat Conditioning Disc	10	120
**MS-060DISC	6" x 1/2" x 1/2"	*Type 1 Flat Conditioning Disc	10	120
**MS-14SPINDLE	1/4" Arbor	Reusable Spindles for Type 1 Discs	1	10
**MS-12SPINDLE	1/2" Arbor	Reusable Spindles for Type 1 Discs	1	10

**These wheels do not come with the spindle. Spindles need to be ordered separately.*

Type 3/Type R
Macro strip
quick change disc



PAINT & RUST



PART NUMBER	SIZE	TYPE	BOX QUANTITY	CASE QUANTITY
Q-STRIP20	2" x 1/2"	Type 3/Type R Quick Change Disc - Black	10	500
Q-STRIP30	3" x 1/2"	Type 3/Type R Quick Change Disc - Black	10	500
 Q-PSTRIP20	2" x 1/2"	Type 3/Type R Quick Change Disc - Purple	10	500
 Q-PSTRIP30	3" x 1/2"	Type 3/Type R Quick Change Disc - Purple	10	500

APPLICATIONS

- Surface prep
- Stainless steel
- Rust removal
- Grinding
- Fiberglass
- Paint
- Ferrous and non-ferrous applications
- Removes light edge burrs, parting lines or flashing ring
- Polishing and stripping of metal

FEATURES

- Unique, semi-flexible open web design
- Runs quietly and safely
- Can be used on wheel face and edge
- Extra coarse abrasive uniformly distributed and bonded throughout the wheel

BENEFITS

- Conforms to edges, contours and uneven surfaces without gouging
- Resists loading
- Aggressive, free-cutting action for removing paint, rust, and coatings without smearing

 **WARNING:** Always use tools with guards & wear protective equipment.



II COATED ABRASIVES II

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



TWIST KNOT WIRE WHEELS

Twist Knot
Standard twist knot

CARBON STEEL
STAINLESS STEEL




STANDARD TWIST KNOT

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W1-040751	4" x 1/2" x 5/8-11" .020" Carbon Steel	20,000	1	10
W1-040755	4" x 1/2" x 5/8-11" .020" Stainless Steel	20,000	1	10
W1-050751	5" x 1/2" x 5/8-11" .020" Carbon Steel	12,500	1	10
W1-060751	6" x 5/8" x 5/8-11" .020" Carbon Steel	9,000	1	10

Twist Knot
Stringer bead

CARBON STEEL
STAINLESS STEEL



STRINGER BEAD

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W2-040751	4" x 3/16" x 5/8-11" .020" Carbon Steel	20,000	1	10
W2-040755	4" x 3/16" x 5/8-11" .020" Stainless Steel	20,000	1	10
W2-045751	4 1/2" x 1/4" x 5/8-11" .020" Carbon Steel	12,500	1	10
W2-045755	4 1/2" x 1/4" x 5/8-11" .020" Stainless Steel	12,500	1	10
W2-050751	5" x 1/4" x 5/8-11" .020" Carbon Steel	12,500	1	10
W2-050755	5" x 1/4" x 5/8-11" .020" Stainless Steel	12,500	1	10
W2-060751	6" x 1/4" x 5/8-11" .020" Carbon Steel	12,500	1	10
W2-060755	6" x 1/4" x 5/8-11" .020" Stainless Steel	12,500	1	10
W2-070751	7" x 1/4" x 5/8-11" .020" Carbon Steel	9,000	1	10
W2-070755	7" x 1/4" x 5/8-11" .020" Stainless Steel	9,000	1	10



WARNING: Always use tools with guards & wear protective equipment.

// OTHER PRODUCTS //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

CUP BRUSH WIRE WHEELS



Cup Brush
Knotted

CARBON STEEL
STAINLESS STEEL



KNOT CUP BRUSH

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W3-023751	2 3/4" x 5/8-11" .020" Carbon Steel	14,000	1	10
W3-023755	2 3/4" x 5/8-11" .020" Stainless Steel	14,000	1	10
W3-030751	3" x 5/8-11" .020" Carbon Steel	12,500	1	10
W3-030755	3" x 5/8-11" .020" Stainless Steel	12,500	1	10
W3-040751	4" x 5/8-11" .020" Carbon Steel	9,000	1	10
W3-040755	4" x 5/8-11" .020" Stainless Steel	9,000	1	10
W3-060753	6" x 5/8-11" .020" Carbon Steel	6,600	1	10
W3-060757	6" x 5/8-11" .032" Carbon Steel HD	6,600	1	10

Cup Brush
Crimped

CARBON STEEL
STAINLESS STEEL



CRIMPED CUP BRUSH

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W4-023721	2 3/4" x 5/8-11" .012" Carbon Steel	14,000	1	10
W4-023725	2 3/4" x 5/8-11" .012" Stainless Steel	14,000	1	10
W4-040751	4" x 5/8-11" .014" Carbon Steel	8,500	1	10
W4-050751	5" x 5/8-11" .014" Carbon Steel	8,000	1	10
W4-060751	6" x 5/8-11" .014" Carbon Steel	6,600	1	10



WARNING: Always use tools with guards & wear protective equipment.



// OTHER PRODUCTS //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



WIRE END BRUSHES & WIRE WHEELS

Wire Wheels &
Wire Brushes



CARBON STEEL



KNOT WIRE END BRUSH

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W5-007111	3/4" x 1/4" .020" Carbon Steel	20,000	1	10
W5-010111	1" x 1/4" .020" Carbon Steel	20,000	1	10
W5-010115	1" x 1/4" .020" Stainless Steel	20,000	1	10



CRIMPED WIRE END BRUSH

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W6-007151	3/4" x 1/4" 0.14" Carbon Steel	20,000	1	10
W6-010151	1" x 1/4" 0.14" Carbon Steel	20,000	1	10



CRIMPED WIRE WHEEL

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W7-015111	1 1/2" x 1/4" shank .008" Carbon Steel	25,000	1	10
W7-025121	2 1/2" x 1/4" shank 0.14" Carbon Steel	25,000	1	10
W7-030111	3" x 1/4" shank .008" Carbon Steel	15,000	1	10
W7-030135	3" x 1/4" shank 0.14" Stainless Steel	15,000	1	10



WARNING: Always use tools with guards & wear protective equipment.

WIRE WHEELS & SCRATCH BRUSHES



**CARBON STEEL
HAND USE**



CRIMPED WIRE WHEEL BENCH GRINDER

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W7-060931	6" x 3/4" x 1/2" - 5/8" - 2" AH 0.14" Carbon Steel	3,000	1	10
W7-080921	8" x 3/4" x 5/8" - 2" AH 0.14" Carbon Steel	4,000	1	10
W7-100631	10" x 3/4" x 3/4" AH 0.14" Carbon Steel	5,000	1	10

EXPANSION JOINT WIRE WHEEL "ROAD BRUSH"

PART NUMBER	SIZE	MAX RPM	BOX QUANTITY	CASE QUANTITY
W9-120291	12" x 3/8" x 1" - DPH Carbon Steel Road Brush	5,400	2	8

"Product used on Road Saws and High Speed Gas Saws"

LONG CURVED HANDLE BRUSH "SCRATCH BRUSHES"



PART NUMBER	SIZE	SPEC	BOX QUANTITY	CASE QUANTITY
NEW W8-0101	Long Curved Handle Brush - Carbon	3X19	12	120
NEW W8-0105	Long Curved Handle Brush - Stainless	3X19	12	120

SHOE HANDLE BRUSH "SCRATCH BRUSHES"



PART NUMBER	SIZE	SPEC	BOX QUANTITY	CASE QUANTITY
NEW W8-0201	Shoe Handle Brush - Carbon	4X16	12	120
NEW W8-0205	Shoe Handle Brush - Stainless	4X16	12	120

SMALL CLEANING BRUSH "SCRATCH BRUSHES"



PART NUMBER	SIZE	SPEC	BOX QUANTITY	CASE QUANTITY
NEW W8-0305	Small Cleaning Brush - Carbon	3X7	20	200
NEW W8-0308	Small Cleaning Brush - Stainless	3X7	20	200

WARNING: Always use tools with guards & wear protective equipment.



// OTHER PRODUCTS //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



DOUBLE CUT CARBIDE BURRS

SA - CYLINDRICAL PLAIN END



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SA1D	SA-1	1/4"	5/8"	1/4"	Double	1	10
CB-SA3D	SA-3	3/8"	3/4"	1/4"	Double	1	10
CB-SA5D	SA-5	1/2"	1"	1/4"	Double	1	10

SB - CYLINDRICAL WITH END CUT



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	SIZE	BOX QUANTITY	CASE QUANTITY
CB-SB1D	SB-1	1/4"	5/8"	1/4"	Double	1	10
CB-SB3D	SB-3	3/8"	3/4"	1/4"	Double	1	10
CB-SB5D	SB-5	1/2"	1"	1/4"	Double	1	10

SC - CYLINDRICAL WITH BALL NOSE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	SIZE	BOX QUANTITY	CASE QUANTITY
CB-SC1D	SC-1	1/4"	5/8"	1/4"	Double	1	10
CB-SC3D	SC-3	3/8"	3/4"	1/4"	Double	1	10
CB-SC5D	SC-5	1/2"	1"	1/4"	Double	1	10

SD - BALL



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	SIZE	BOX QUANTITY	CASE QUANTITY
CB-SD1D	SD-1	1/4"	7/8"	1/4"	Double	1	10
CB-SD3D	SD-3	3/8"	5/16"	1/4"	Double	1	10
CB-SD5D	SD-5	1/2"	7/16"	1/4"	Double	1	10

SE - OVAL



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	SIZE	BOX QUANTITY	CASE QUANTITY
CB-SE1D	SE-1	1/4"	3/8"	1/4"	Double	1	10
CB-SE3D	SE-3	3/8"	5/8"	1/4"	Double	1	10
CB-SE5D	SE-5	1/2"	7/8"	1/4"	Double	1	10

SF - ARCH BALL NOSE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	SIZE	BOX QUANTITY	CASE QUANTITY
CB-SF1D	SF-1	1/4"	5/8"	1/4"	Double	1	10
CB-SF3D	SF-3	3/8"	3/4"	1/4"	Double	1	10
CB-SF5D	SF-5	1/2"	1"	1/4"	Double	1	10



WARNING: Always use tools with guards & wear protective equipment.

DOUBLE CUT CARBIDE BURRS



SG - ARCH POINTED NOSE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SG1D	SG-1	1/4"	5/8"	1/4"	Double	1	10
CB-SG3D	SG-3	3/8"	3/4"	1/4"	Double	1	10
CB-SG5D	SG-5	1/2"	1"	1/4"	Double	1	10

SH - FLAME



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SH1D	SH-1	1/4"	5/8"	1/4"	Double	1	10
CB-SH2D	SH-2	5/16"	3/4"	1/4"	Double	1	10
CB-SH5D	SH-5	1/2"	1 1/4"	1/4"	Double	1	10

SJ - 60 DEGREE CONE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SJ3D	SJ-3	3/8"	5/16"	1/4"	Double	1	10
CB-SJ5D	SJ-5	1/2"	7/16"	1/4"	Double	1	10

SK - 90 DEGREE CONE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SK3D	SK-3	3/8"	3/16"	1/4"	Double	1	10
CB-SK5D	SK-5	1/2"	1/4"	1/4"	Double	1	10

SL - CONICAL BALL NOSE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SL1D	SL-1	1/4"	5/8"	1/4"	Double	1	10
CB-SL3D	SL-3	3/8"	1 3/16"	1/4"	Double	1	10
CB-SL4D	SL-4	3/8"	1 1/4"	1/4"	Double	1	10

SM - CONICAL POINTED NOSE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SM1D	SM-1	1/4"	1/2"	1/4"	Double	1	10
CB-SM3D	SM-3	1/4"	1"	1/4"	Double	1	10
CB-SM4D	SM-4	3/8"	3/4"	1/4"	Double	1	10
CB-SM5D	SM-5	1/2"	1"	1/4"	Double	1	10

// OTHER PRODUCTS //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com



**NEW**

ALUMINUM CUT CARBIDE BURRS

SA - CYLINDRICAL WITH PLAIN END



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SA3NF	SA-3NF	3/8"	3/4"	1/4"	ALUMINUM	1	10
CB-SA5NF	SA-5NF	1/2"	1"	1/4"	ALUMINUM	1	10

SB - CYLINDRICAL WITH END CUT



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SB3NF	SB-3NF	3/8"	3/4"	1/4"	ALUMINUM	1	10
CB-SB5NF	SB-5NF	1/2"	1"	1/4"	ALUMINUM	1	10

SC - CYLINDRICAL WITH BALL NOSE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SC3NF	SC-3NF	3/8"	3/4"	1/4"	ALUMINUM	1	10
CB-SC5NF	SC-5NF	1/2"	1"	1/4"	ALUMINUM	1	10

SD - BALL



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SD3NF	SD-3NF	3/8"	5/16"	1/4"	ALUMINUM	1	10
CB-SD5NF	SD-5NF	1/2"	7/16"	1/4"	ALUMINUM	1	10

SE - OVAL



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SE3NF	SE-3NF	3/8"	5.8"	1/4"	ALUMINUM	1	10
CB-SE5NF	SE-5NF	1/2"	7/8"	1/4"	ALUMINUM	1	10

SF - ARCH BALL NOSE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SF3NF	SF-3NF	3/8"	3/4"	1/4"	ALUMINUM	1	10
CB-SF5NF	SF-5NF	1/2"	1"	1/4"	ALUMINUM	1	10

SL - CONICAL BALL NOSE



PART NUMBER	TYPE	OD	SIZE LENGTH	SHANK	CUT	BOX QUANTITY	CASE QUANTITY
CB-SL3NF	SL-3NF	3/8"	1 3/16"	1/4"	ALUMINUM	1	10
CB-SL4NF	SL-4NF	3/8"	1 1/4"	1/4"	ALUMINUM	1	10

**WARNING:** Always use tools with guards & wear protective equipment.

DIAMOND BLADES & DIAMOND CUPS



Diamond Blades & Diamond Cups



CONTINUOUS RIM

PART NUMBER	SIZE	MAX RPM
DB-CB4-5mm	4" x .060" x 5/8" - 5mm	13,700
DB-CBGS4.5-7mm	4 1/2" x .060" x 7/8" - 7mm	13,300
DB-CB8-7mm	8" x .095" x 5/8" - 7mm	6,800
DB-CB10-7mm	10" x .110" x 5/8" - 7mm	6,100



TURBO

PART NUMBER	SIZE	MAX RPM
DB-TB4-10mm	4" x .080" x 5/8" - 10mm	13,700
DB-TB4.5-12mm	4 1/2" x .080" x 7/8" - 12mm	13,300
DB-TB7-12mm	7" x .120" x 7/8" - 12mm	8,500
DB-TB10-10mm	10" x .120" x 5/8" - 10mm	6,100



SEGMENTED

PART NUMBER	SIZE	MAX RPM
DB-SB4-10mm	4" x .070" x 5/8" - 10mm	13,700
DB-SB4.5-12mm	4 1/2" x .080" x 7/8" - 12mm	13,300
DB-SB7-12mm	7" x .090" x 7/8" - 12mm	8,500
DB-SB10-10mm	10" x .120" x 5/8" - 10mm	6,100
DB-SB14-10mm	14" x .130" x 1" - 10mm	5,400

C.A.T. Cuts All Things

Blades/
Rescue Blades



PART NUMBER	SIZE	MAX RPM
DB-BRB3x3/8-1/4	3" x 3/8" x 1/4" Cuts All Blades	24,465
DB-BRB4.5x7/8-5/8	4 1/2" x 7/8" Cuts All Blades	13,300
DB-BRB7xDia-7/8-5/8	7" x Dia-7/8" - 5/8" Cuts All Blades	8,500
DB-BRB14x1	14" x 1" Cuts All Blades	5,400



LASER WELDED SEGMENTED

PART NUMBER	SIZE	MAX RPM
DB-LGPX12-10mm	12" x .120" x 1" - 10mm	6,300
DB-LCB14-10mm	14" x .125" x 1" - 10mm Cured Concrete	5,400
DB-LGP14-10mm	14" x .125" x 1" - 10mm General Purpose	5,400
DB-LABS14-10mm	14" x .125" x 1" - 10mm Green Monster	5,400

CONCRETE REPAIR



PART NUMBER	SIZE	MAX RPM
DB-TPB4-BLK	4" x .250" x 5/8" - 8mm Tuck point blade	14,600
DB-DR4-THR	4" x 5/8" - 11 Double row cup wheel	13,300
DB-DR7-THR	7" x 5/8" - 11 Double row cup wheel	8,500
DB-CCV4	4" x .250" x 5/8" - 10mm Crack Chaser	13,700

// OTHER PRODUCTS //

Inf: 444-829-8274; 444-209-4335
www.cinasa-slp.com

WARNING: Always use tools with guards & wear protective equipment.



1021 North Fuller St.
Santa Ana, CA 92701 USA

www.continentalabrasives.com

TOLL FREE
1-855-817-8390



CONTINENTAL
A B R A S I V E S