159227-H FORM U-1 MANUFACTURER'S DATA REPORT FOR PRESSURE VESSELS																					
As Required by the Provisions of the ASME Boiler and Pressure Vessel Code Rules, Section VIII, Division 1 National Board No.																					
1. Manufactured and certified by Tranter, Inc., 1900 Old Burk Highway, Wichita Falls, Texas, 76306, USA																					
(Name and address of Manufacturer) 2. Manufactured for VALERUS COMPRESSION SERVICES, 782 FM 1432, VICTORIA, Texas, 77905, USA																					
(Name and address of Purchaser) 3. Location of installation VALERUS COMPRESSION SERVICES, 782 FM 1432, VICTORIA, Texas, 77905, USA																					
(Name and address)																					
4. Type Vertical PLATE TYPE HEAT EXCHANGER 01SC1484 (Horizontal, vertical, or sphere) (Tank, separator, jkt. vessel, heat exch., etc.) (Manufacturer's serial number)																					
											,										
N/A(CRN)							D-6-159227-H (Drawing number)					(National Board number) (Year b						ar built)			
						013/ N/A						2766 N/A					I/A				
[Edition and Addenda, if applicable (date)] (Code Case Number) [Special Service per UG-120(d)]																					
Items 6-11 incl. to be completed for single wall vessels, jackets of jacketed vessels, shell of heat exchangers, or chamber of multichamber vessels. 6. Shell: (a) Number of course(s) 0 (b) Overall length																					
Course(s) Material Thickness Long. Joint (Cat. A))	Circu	m. Joint (0	Cat. A, E	3, & C)	Heat T	reatmen	t					
No.	Diamete	r	Leng	jth	5	Spec./Gra	ade or Type	Nom.	Corr.		Туре	Full	, Spot, None	Eff.	Type F	ull, Spot,	None	Eff.	Temp.	Tim	ne
1	21" ID		65.12				16-70N	1.75"		N/A	N/A		N/A	N/A	N/A	N/A		N/A	N/A	N/A	
2	21" ID		63.2	5"		SA5	16-70N	1.75"		N/A	N/A		N/A	N/A	N/A	N/A		N/A	N/A	N/A	Α
Body Flanges on Shells Botting																					
No.	Туре		ID	OD)	Flange Thk	Min Hub Thk	Materia	al	How Attached	Loca	tion	Num & Size		Bolting	Material		Washer (· / /	Wash Mater	
N/A	N/A		N/A	N/A		N/A	N/A	N/A		N/A	N/A		10 - 1 1/4"	SA19	3-B7 W/	SA-194-2	2H (20)	N/A	N	/A	
7. Heads: (a) N/A (b) N/A																					
						r, grade	or type) (H.T		_				•		•			ype) (H.T.	- time and		
	Location (T Bottom, En		Min.	hicknes	S Cor		Radii Crown	Knuckle		iptical Co Ratio	nical A Angle	pex	Hemispheric Radius		Flat ameter	Side to Pr Convex C		Type	Category Full, Spo		Eff.
(a)	N/A		N/A		N/A		N/A	N/A	<u> </u>	N/A	N/A		N/A		N/A	OUTVOX	oncavo	N/A	N/A		N/A
(b)	(-,		N/A	N/A			N/A	N/A	N/A		N/A		N/A		N/A			N/A	N/A		N/A
								E	Body F	langes or	n Head	s				•					
NI-	1 #:	Body Flanges on Heads Boty Flanges on Heads Boty Flanges on Heads									Bolting	(00									
No.	Location		Type	ID		OD	Flange Thk	Thk		Material	How Attached			Nu	m & Size	Boltin	ig Mate	washe ID,	thk) Wa	sher Ma	aterial
(a)	N/A	N/A		N/A		N/A	N/A	N/A	N/A		N/	Α				N/A		N/A	N/A	4	
8. Ty	pe of jacke	et					N/A				Jacl	cet c	closure				N/A	A			
(Describe as ogee & weld, bar, etc.)																					
If bar, give dimensions N/A If bolted, describe or sketch.																					
9. MAWP 150 PSI N/A at max. temp. 260 °F N/A Min. design metal temp20 °F at 150 PSI										SI											
(Internal) (External) (External) 10. Impact test NO, UCS-66a & UHA-51(d)(1) at test temperature of N/A																					
[Indicate yes or no and the component(s) impact tested] 11. Hydro., pneu., or comb. test pressure Hydro. at 195 PSI Proof test N/A																					
Items 12 and 13 to be completed for tube sections.																					
	ubesheet	•			N/A	, , , , , , , , , , , , , , , , , , , ,	,001,0710.	N/A			N/A					N/A	N/A		N/A		
	_		[Statio	nary (m	ater	ial spec	. no.)]	[Diameter (subject to press			ss.)]							Attachment (welded or bolted)			
	_	N/A				al ence	- no 11			N/A			N/A			SS) N/A (Corr. allow.)			N/A		
13. T	uhes	[Floating (material spec. no.)]					110.)]	(Diameter)				(Nominal thickness)			((,			(Attachment)		
13. I	- unco	N/A (Material spec. no., grade or type)					N/A (O. D.)				N/A (Nominal thickness)			N/A (Number)				N/A [Type (Straight or U)]			

NB Number 64410

Items 14-18 incl. to be completed for inner chambers of jacketed vessels or channels of heat exchangers. 14. Shell: (a) No. of course(s) (b) Overall length N/A Course(s) Thickness Long. Joint (Cat. A) Circum, Joint (Cat. A. B. & C) Heat Treatment Material Type Full, Spot, None No. Diameter Spec./Grade or Type Type Full, Spot, None Eff. Eff. Time Length Nom Corr Temp. N/A Body Flanges on Shells Bolting Flange How No. Type ID OD Min Hub Thk Material Location **Bolting** Washer (OD, ID, Washer Attached Num & Size Thk Material Material N/A 15. Heads: (a) (b) N/A N/A (Material spec. number, grade or type) (H.T. - time and temp.) (Material spec. number, grade or type) (H.T. - time and temp.) Thickness Radius Conical Apex Hemispherical Flat Side to Pressure Location (Top, Elliptical Category A Bottom, Ends) Ratio Angle Radius Diameter Convex Concave Min. Corr. Crown Knuckle Type Full, Spot, None Eff. N/A Body Flanges on Heads Bolting Min Hub Bolting Material Washer (OD, ID OD How Attached No. Location Type Flange Thk Material Thk Num & Size Washer Material N/A 16. MAWP N/A N/A N/A N/A at max. temp. Min. design metal temp. N/A (External) (External) at test temperature of 17. Impact test N/A N/A [Indicate yes or no and the component(s) impact tested] N/A 18. Hydro., pneu., or comb. test pressure N/A Proof test 19. Nozzles, inspection, and safety valve openings:

j	Purpose (Inlet, Outlet, Drain,		Diameter or Size	Туре	Material		Nozzle Thickness		Reinforcement	Attachment Details		Location	
	etc.)	No.			Nozzle	Flange	Nom.	Corr.	Material	Nozzle	Flange	(Insp. Open.)	
Ī	INLET	2	4.26	RFSO CI 150	SA403-316L	SA-182F-316L	0.12	0		LOOSE	WLD	END FRAME	
Ī	OUTLET	2	4.26	RFSO CI 150	SA403-316L	SA-182F-316L	0.12	0		LOOSE	WLD	END FRAME	

20. Supports: Skirt No Lugs N/A Legs 3 Others N/A (Yes or no) (Number) (Describe) Attached BOLTED TO END FRAME (Where and how)

21. Manufacturer's Partial Data Reports properly identified and signed by Commissioned Inspectors have been furnished for the following items of the report (list the name of part, item number, Manufacturer's name, and identifying number):

N/A

22. Remarks

O.A. LENGTH: 23.49

MODEL: GXD-042-L-6-UR-153 SUPERCHANGER TO CARRY: API 40

PLATES: SA240-316 PLATE QTY: 153 PLATE THK: 0.0236

NOZZLE: (2) C/W 4" SCH 10 LR 90 ELBOW SA403-316L AND PIPE STUB SA403-316L

FORM U1-(Cont'd)

NB Number 64410

			CERTIFICATE OF SHOP COMPLIANCE prect and that all details of design, material, construction, E, Section VIII, Division 1. U Certificate of Authorization No.		p of this vessel conform to the Expires December 14, 2015						
Date	06/18/2015	Name	Tranter, Inc.	Signed	Mulas K. Chang						
		-	(Manufacturer)	_	(Representative)						
			CERTIFICATE OF SHOP INSPECTION								
I, the u	ndersigned, holdin	g a valid commission	issued by the National Board of Boiler and Pressure \	/essel Inspector	s and employed by						
OneCl	S Insurance Com	pany, of Lynn, MA		-							
have in	spected the pressu	re vessel described in t	his Manufacturer's Data Report on June 19, 2015	, and state t	that,						
VESSE concern	L CODE, Section V	III, Division 1. By signiessel described in this N	facturer has constructed this pressure vessel in accordance ng this certificate neither the Inspector nor his/her employ Manufacturer's Data Report. Furthermore, neither the Inspector a loss of any kind arising from or connected with this	er makes any wa pector nor his/he	arranty, expressed or implied,						
Dat	P 00/40/004F	Signed /	Commissions:	40.	170 A TV4000						
Dat	e 06/19/2015	Olgrica	(Authorized Inspector)		d (incl. endorsements)]						
			CERTIFICATE OF FIELD ASSEMBLY COMPLIANCE								
		ts made in this report a	re correct and that the field assembly construction of all p E, Section VIII, Division 1. U Certificate of Authorization N	arts of this vesse	el conforms with the requirements Expires						
Date_		Name	(Assembler)	Signed	(Representative)						
			(Assembler)		(Representative)						
			CERTIFICATE OF FIELD ASSEMBLY INSPECTION								
I, the un	dersigned, holding	្យ a valid commission is	ssued by The National Board of Boiler and Pressure V	essel Inspectors	s and employed by						
have compared the statements in this Manufacturer's Data Report with the described pressure vessel and state that parts referred to as data items											
Dat	e	Signed	(Authorized Inspector)	[National Board	d (incl. endorsements)]						

2302730

exe: v6.4.50

U1-14